




Conical Connection
Product Catalog

2019



The MIS vision, to be the preferred choice of dentists worldwide by simplifying their world, has guided the company on its way. Through creative thinking, passion and persistence, driven to be better while maintaining its core values, MIS Implants Technologies Ltd. has evolved into the innovation hub of expertise that it is today, and is building its future through excellence.

In this catalog, you'll find the comprehensive range of MIS implants and their corresponding prosthetic components and tools, as well as regenerative solutions.









TABLE OF CONTENTS



IMPLANT SYSTEMS

6 - 29	IMPLANT SYSTEMS
30 - 44	TOOLS
45 - 67	KITS



PROSTHETICS

70 - 71	Impression Coping
72 - 73	Temporary Restoration
74 - 79	Screw Retained Restoration
80 - 86	Digital Restoration
87 - 92	Cemented Restoration
93 - 100	Overdentures



MGUIDE - DIGITAL DENTISTRY

104 - 113 MGUIDE



REGENERATIVE SOLUTIONS

116 - 118 Bone Graft Substitutes
119 Barrier Membrane




ADDITIONAL
INFORMATION

120 - 125



INDEX





IMPLANT SYSTEMS.

MIS proudly offers an extensive range of implant systems, providing simple solutions for a wide variety of clinical scenarios, from basic to complex. Our implants are the outcome of an exceptionally high-level R&D process resulting in implant systems that are simple, yet offer enhanced functionality and performance features. MIS implants are made of biocompatible, medical grade titanium alloy, with a surface of the highest quality. They are treated by both sand blasting and acid-etching, to promote extraordinary cleanliness and facilitate long-lasting osseointegration.










Implant
Systems

V3 Conical Connection Ø3.30 NP



Implant Cover Screw
and Healing Caps:



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	V3-10330	Ø3.30 L=10	V3 conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-11330	Ø3.30 L=11.5	V3 conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-13330	Ø3.30 L=13	V3 conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-16330	Ø3.30 L=16	V3 conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø3.30mm Implant Procedure

	800-1000	600-800	200-400	200-400	Max. Torque 45N·cm
Drilling Speed (RPM)					
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.40	Ø3.30
			Final drill for bone types 1&2	OR Final drill for bone types 3&4	



Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.









Implant
Systems

V3 Conical Connection Ø3.90 SP





Implant Cover Screw
and Healing Caps:



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	V3-08390	Ø3.90 L=8	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-10390	Ø3.9 L=10	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-11390	Ø3.90 L=11.5	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-13390	Ø3.90 L=13	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-16390	Ø3.90 L=16	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø3.90mm Implant Procedure



Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.










Implant
Systems

V3 Conical
Connection Ø4.30 SP




Implant Cover Screw
and Healing Caps:



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	V3-08430	Ø4.30 L=8	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-10430	Ø4.30 L=10	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-11430	Ø4.30 L=11.5	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-13430	Ø4.30 L=13	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-16430	Ø4.30 L=16	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø4.30mm Implant Procedure



Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.










Implant Systems

V3 Conical Connection Ø5 SP



Implant Cover Screw and Healing Caps:




	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	V3-08500	Ø5 L=8	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-10500	Ø5 L=10	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-11500	Ø5 L=11.5	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-13500	Ø5 L=13	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3-16500	Ø5 L=16	V3 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø5mm Implant Procedure

Drilling Speed (RPM)	800-1000	600-800	450-650	350-550	300-500	200-400	200-400	Max. Torque 60N-cm
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø3	Ø3.50	Ø4	Ø4	Ø5



Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.










Implant
Systems

C1 Conical
Connection Ø3.30 NP





Implant Cover Screw
and Healing Caps:



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	C1-10330	Ø3.3 L=10	C1 conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-11330	Ø3.3 L=11.5	C1 conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-13330	Ø3.3 L=13	C1 conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-16330	Ø3.3 L=16	C1 conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder

L = Length

Ø3.30mm Implant Procedure



Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.










Implant Systems

C1 Conical Connection Ø3.75 SP



Implant Cover Screw and Healing Caps:




	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	C1-08375	Ø3.75 L=8	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-10375	Ø3.75 L=10	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-11375	Ø3.75 L=11.5	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-13375	Ø3.75 L=13	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-16375	Ø3.75 L=16	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder

L = Length

Ø3.75mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	200-400	15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø3	Ø3
				Ø3	Ø3.60
					Ø3.75




Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.




Implant
Systems

C1 Conical
Connection Ø4.20 SP





Ø3.15






Ø4.20



Ø3.60

Implant Cover Screw
and Healing Caps:




	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	C1-08420	Ø4.2 L=8	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-10420	Ø4.2 L=10	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-11420	Ø4.2 L=11.5	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-13420	Ø4.2 L=13	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-16420	Ø4.2 L=16	C1 conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder

L = Length

Ø4.20mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200		500-700	400-700		200-400	
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø3	Ø3.50	Ø3.50	Ø3.50 Ø4	Ø4.20



Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.




Implant
Systems

C1 Conical
Connection Ø5 WP



Implant Cover Screw
and Healing Caps:




	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	C1-08500	Ø5 L=8	C1 conical connection implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-10500	Ø5 L=10	C1 conical connection implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-11500	Ø5 L=11.5	C1 conical connection implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-13500	Ø5 L=13	C1 conical connection implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1-16500	Ø5 L=16	C1 conical connection implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder

L = Length

Ø5mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200		500-700	400-700	400-600		200-400		15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø3	Ø3.50	Ø4	Ø4	Ø4.10 Ø4.90		Ø5











Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant
Systems

B+ Implants




	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	V3B-10330 V3B-11330 V3B-13330 V3B-16330	Ø3.30, L=10 Ø3.30, L=11.5 Ø3.30, L=13 Ø3.30, L=16	V3 B+ conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3B-08390 V3B-10390 V3B-11390 V3B-13390 V3B-16390	Ø3.90, L=8 Ø3.90, L=10 Ø3.90, L=11.5 Ø3.90, L=13 Ø3.90, L=16	V3 B+ conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3B-08430 V3B-10430 V3B-11430 V3B-13430 V3B-16430	Ø4.30, L=8 Ø4.30, L=10 Ø4.30, L=11.5 Ø4.30, L=13 Ø4.30, L=16	V3 B+ conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	V3B-08500 V3B-10500 V3B-11500 V3B-13500 V3B-16500	Ø5, L=8 Ø5, L=10 Ø5, L=11.5 Ø5, L=13 Ø5, L=16	V3 B+ conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	C1B-10330 C1B-11330 C1B-13330 C1B-16330	Ø3.30, L=10 Ø3.30, L=11.5 Ø3.30, L=13 Ø3.30, L=16	C1 B+ conical connection implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1B-08375 C1B-10375 C1B-11375 C1B-13375 C1B-16375	Ø3.75, L=8 Ø3.75, L=10 Ø3.75, L=11.5 Ø3.75, L=13 Ø3.75, L=16	C1 B+ conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1B-08420 C1B-10420 C1B-11420 C1B-13420 C1B-16420	Ø4.20, L=8 Ø4.20, L=10 Ø4.20, L=11.5 Ø4.20, L=13 Ø4.20, L=16	C1 B+ conical connection implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder
	C1B-08500 C1B-10500 C1B-11500 C1B-13500 C1B-16500	Ø5, L=8 Ø5, L=10 Ø5, L=11.5 Ø5, L=13 Ø5, L=16	C1 B+ conical connection implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill Temporary PEEK cylinder

L = Length



Implant
Systems

UNO one-piece
Implant $\text{\O}3$



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MO1-10300	Ø3 L=10	UNO one-piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-11300	Ø3 L=11.5	UNO one-piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-13300	Ø3 L=13	UNO one-piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-16300	Ø3 L=16	UNO one-piece implant	Titanium Alloy Ti 6Al 4V ELI	

L = Length

Ø3mm Implant Procedure


	1200-1500	900-1200	700-900	15-25
Drilling Speed (RPM)				
Diameter	Ø1.90	Ø2	Ø2	Ø2.40
				Ø2.40
				Ø3





Implant
Systems

UNO one-piece
Implant $\text{\O}3.50$




	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MO1-10350	Ø3.5 L=10	UNO one-piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-11350	Ø3.5 L=11.5	UNO one-piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-13350	Ø3.5 L=13	UNO one-piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-16350	Ø3.5 L=16	UNO one-piece implant	Titanium Alloy Ti 6Al 4V ELI	

L = Length

Ø3.50mm Implant Procedure



	1200-1500	900-1200		700-900	500-700		15-25
Drilling Speed (RPM)							
Diameter	Ø1.90	Ø2	Ø2	Ø2.40	Ø3	Ø3	Ø3.50













Implant
Systems

LINK - Orthodontic Anchor Screw



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MG2-06160	Ø1.6 L=6	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-08160	Ø1.6 L=8	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-10160	Ø1.6 L=10	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-12160	Ø1.6 L=12	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MT-TDO01	Ø1 L=28	LINK - Orthodontic anchor pilot drill	Stainless steel	
	MT-SCD20	L=28	Short cross driver for orthodontic screws	Stainless steel	
	MT-LCD20	L=54	Long cross driver for orthodontic screws	Stainless steel	
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	










L = Length



Tools

Marking Drills



	Cat. No.	Dimensions (mm)	Description	Material	Description
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-PDM24	Ø2.4 L=32	Position drill mill	Stainless steel	 
	MT-PD440	Ø4 L=32.7	Position drill	Stainless steel	 
















L = Length



Tools

Pilot Drills External Irrigation



	Cat. No.	Dimensions (mm)	Description	Material	Description
	CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
	CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
	CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
	CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
	CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 













L = Length



Tools

Step Drills - External Irrigation



	Cat. No.	Dimensions (mm)	Description	Material	Description
	CT-TDC30	Ø3/2.4 L=37.5	Step drill, external irrigation	Stainless steel	 
	CT-TDC35	Ø3.5/3 L=37.5	Step drill, external irrigation	Stainless steel	 
	CT-TDC40	Ø4/3.5 L=37.5	Step drill, external irrigation	Stainless steel	 
	CT-TDC45	Ø4.5/4 L=37.5	Step drill, external irrigation	Stainless steel	 

L = Length



Tools

Countersinks



	Cat. No.	Dimensions (mm)	Description	Material	Description
	MT-CSN33	Ø3.3 L=31	Countersink, narrow platform	Stainless steel	
	MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	
	MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	

L = Length












Tools

V3 Insertion Tools




	Cat. No.	Dimensions (mm)	Description	Material	Description
	CT-NLM30	L=29	V3 long motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NSM30	L=25	V3 short motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NLR30	L=32.4	V3 long ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NSR30	L=25	V3 short ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-SLM30	L=29	V3 long motor insertion tool, conical connection, standard platform	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Description
	CT-SSM30	L=25	V3 short motor insertion tool, conical connection, standard platform	Stainless steel	 
	CT-SLR30	L=32.4	V3 long ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CT-SSR30	L=22.3	V3 short ratchet insertion tool, conical connection, standard platform	Stainless steel	 

L = Length

2 Platforms







































Tools

C1 Insertion Tools




	Cat. No.	Dimensions (mm)	Description	Material	Description
	CT-NLR10	L=32	C1 long ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NSR10	L=24.5	C1 short ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NLI10	L=32	C1 long motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NSI10	L=24.5	C1 short motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-SLR10	L=33	C1 long ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CT-SSR10	L=23	C1 short ratchet insertion tool, conical connection, standard platform	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Description
	CT-SLI10	L=33	C1 long motor insertion tool, conical connection, standard platform	Stainless Steel	 
	CT-SSI10	L=25.5	C1 short motor insertion tool, conical connection, standard platform	Stainless Steel	 
	CT-WLR10	L=33	C1 long ratchet insertion tool, conical connection, wide platform	Stainless steel	 
	CT-WSR10	L=23	C1 short ratchet insertion tool, conical connection, wide platform	Stainless steel	 
	CT-WLI10	L=33	C1 long motor insertion tool, conical connection, wide platform	Stainless steel	 
	CT-WSI10	L=25.5	C1 short motor insertion tool, conical connection, wide platform	Stainless steel	 

L = Length


3 Platforms



Narrow



Standard














Wide



Tools

Surgical Tools










	Cat. No.	Dimensions (mm)	Description	Material	Description
	MT-BTI20	Ø1.4 L=100	Implant site depth probe	Stainless steel	 
	MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Description
	MT-RDM30	L=11.5	Extra-short driver for 0.05 inch hex.	Stainless steel	
	MT-DE001	L=24	Drill extender	Stainless steel	
	MT-RE172	L=28.5	Int. connection abutment extractor	Titanium	
	MT-RE160	L=28.5	Int. connection abutment extractor, narrow platform	Titanium	
	MT-PP240	Ø2.4-3 L=24	Parallel pin	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-RKL21	L=18	UNO One-Piece long key	Stainless steel	
	MT-RKS15	L=13.5	UNO One-Piece short key	Stainless steel	
	MT-HKO21	L=18.8	UNO One-Piece implant insertion tool	Stainless steel	
	MT-UML21	L=30	UNO One-Piece long motor adapter	Stainless steel	
	MT-UMS21	L=22	UNO One-Piece implant short motor adapter	Stainless steel	

L = Length


Surgical Tools

	Cat. No.	Dimensions (mm)	Description	Material	Description
	MT-SRA10	L=15.5	Square connection to ratchet adapter	Stainless steel	
	MT-TP500	Ø4.5 L=28	Tissue punch	Stainless steel	
	MT-RI030	L=84	Monoblock ratchet		 
	MT-RT070	L=95	Surgical torque ratchet		 
	MT-RA480	L=7.5	Ratchet to hex. adapter	Stainless steel	


L = Length



2 Connections



Motor Connection


















Ratchet / Hand Connection



Tools

Prosthetic Instruments



	Cat. No.	Dimensions (mm)	Description	Material	Description
	MT-AL005	L=72	Allen key for 0.05 inch hex.	Stainless steel	
	MT-IT100	L=16.5	Impression coping key for closed tray	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
	CT-UN001	L=24	Implant analog for universal hand driver, conical connection, narrow platform	Stainless steel	 

L = Length

Prosthetic Instruments

	Cat. No.	Dimensions (mm)	Description	Material	Description
	CT-US001	L=24	Implant analog for universal hand driver, conical connection, standard platform	Stainless steel	 
	CT-UW001	L=24	Implant analog for universal hand driver, conical connection, wide platform	Stainless steel	 
	MT-URA10	L=27	Universal hand driver ratchet head adapter	Stainless steel	 
	MT-CS450		Shoulder reamer	Stainless steel	
	MT-HTS10	L=142.5	Technical hex. screwdriver	Stainless steel+ plastic	 
	MT-GDM01	Ø2/4/6/8	Gingival depth measuring instrument	Stainless steel	
	MM-LCT10	L=83	Locator core tool	Steel / Titanium Nitride coated Ti	 
	MM-RSD20	L=24	Locator long torque ratchet driver	Stainless steel	 
	MM-RSD15	L=19	Locator short torque ratchet driver	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-NB225	L=22	Ball attachment anchor key	Stainless steel	
	MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Description
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MT-RDM30	L=11.5	Extra-short driver for 0.05 inch hex.	Stainless steel	
	MT-RE172	L=28.5	Int. connection abutment extractor	Titanium	 
	MT-RE160	L=28.5	Int. connection abutment extractor, narrow platform	Titanium	 
	MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 
	MT-MURS2	L=16	Straight Multi-Unit short ratchet key	Stainless steel	
	MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-MUMS2	L=24	Straight Multi-Unit short motor key	Stainless steel	
	MT-RA480		Ratchet to hex. adapter	Stainless steel	
	MT-HHR13	L=28	Hand driver for 0.05 inch hex.	Stainless steel	
	MT-HHR07	L=22	Short screwdriver for 0.05 inch hex.	Stainless steel	


L = Length

Prosthetic Instruments

	Cat. No.	Dimensions (mm)	Description	Material	Description
	MT-TSD10	L=50	Screwdriver for titanium ball cap	Stainless steel	
	ET-IT002		OT-Equator handling tool		 
	MT-RI030	L=84	Monoblock ratchet		 
	MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length

5 Tool Connections

















Kits

Conical Connection Surgical Kit



MK-T051
Conical connection surgical kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-PDM24	Ø2.4 L=32	Position drill mill	Stainless steel	 
	MT-PD440	Ø4 L=32.7	Position drill	Stainless steel	 
	CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 

L = Length

Conical connection surgical kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
	CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
	CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
	CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
	CT-BTC24	Ø2.4 L=28.5	Body try-in	Titanium	 
	CT-BTC30	Ø3 L=28.5	Body try-in	Titanium	 
	CT-BTC35	Ø3.5 L=28.5	Body try-in	Titanium	 
	CT-BTC40	Ø4 L=28.5	Body try-in	Titanium	 
	CT-TDC30	Ø3/2.4 L=37.5	Step drill, external irrigation	Stainless steel	 
	CT-TDC35	Ø3.5/3 L=37.5	Step drill, external irrigation	Stainless steel	 
	CT-TDC40	Ø4/3.5 L=37.5	Step drill, external irrigation	Stainless steel	 
	MT-CSN33	Ø3.3 L=31	Countersink, narrow platform	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-GDN33	Ø3.75/4.2 L=26	Countersink, standard platform	Stainless steel	 
	MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
	CT-NLM30	L=29	V3 long motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NLR30	L=32.4	V3 long ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NSM30	L=25	V3 short motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NSR30	L=25	V3 short ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-SLM30	L=29	V3 long motor insertion tool, conical connection, standard platform	Stainless steel	 
	CT-SLR30	L=32.4	V3 long ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CT-SSM30	L=25	V3 short motor insertion tool, conical connection, standard platform	Stainless steel	 
	CT-SSR30	L=22.3	V3 short ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CT-NLI10	L=32	C1 long motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NLR10	L=32	C1 long ratchet insertion tool, conical connection, narrow platform	Stainless steel	 

L = Length

Conical connection surgical kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CT-NSH10	L=24.5	C1 short motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-NSR10	L=24.5	C1 short ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CT-SLH10	L=33	C1 long motor insertion tool, conical connection, standard platform	Stainless Steel	 
	CT-SLR10	L=33	C1 long ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CT-SSH10	L=25.5	C1 short motor insertion tool, conical connection, standard platform	Stainless Steel	 
	CT-SSR10	L=23	C1 short ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CT-WLH10	L=33	C1 long motor insertion tool, conical connection, wide platform	Stainless steel	 
	CT-WLR10	L=33	C1 long ratchet insertion tool, conical connection, wide platform	Stainless steel	 
	CT-WSH10	L=25.5	C1 short motor insertion tool, conical connection, wide platform	Stainless steel	 
	CT-WSR10	L=23	C1 short ratchet insertion tool, conical connection, wide platform	Stainless steel	 
	MT-RE160	L=28.5	Int. connection abutment extractor, narrow platform	Titanium	 
	MT-RE172	L=28.5	Int. connection abutment extractor	Titanium	 


L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MT-BT120	Ø1.4 L=100	Implant site depth probe	Stainless steel	 
	MT-RT070	L=95	Surgical torque ratchet		 

L = Length



6 Marking Options - Body Try-ins





Kits

Bone Profiler Kit Conical Connection

MK-0060
Bone Profiler Kit



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CT-BP320	Ø3.2 L=28.4	Bone Profiler, conical connection, narrow platform	Stainless steel	 
	CT-BP355	Ø3.55 L=28.4	Bone Profiler, conical connection, standard platform	Stainless steel	 
	CT-BP460	Ø4.6 L=28.4	Bone Profiler, conical connection, wide platform	Stainless steel	 
	CT-BGP32	Ø3.2 L=11.7	Bone Profiler guide pin, conical connection, narrow platform	Stainless steel	
	CT-BGP35	Ø3.55 L=11.7	Bone Profiler guide pin, conical connection, standard platform	Stainless steel	
	CT-BGP46	Ø4.6 L=11.7	Bone Profiler guide pin, conical connection, wide platform	Stainless steel	

L = Length










Kits

UNO Implant Surgical Kit

MK-0036
UNO Surgical Kit



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-P2416	Ø2.4 L=37.5	Pilot drill for 16mm length implants	Stainless steel	 
	MT-TDN20	Ø2 L=37.3	Pilot drill, external irrigation	Stainless steel	 
	MT-TDT30	Ø3 L=37.5	Twist drill, external irrigation	Stainless steel	 

L = Length


UNO Implant Surgical Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-BTT20	Ø2 L=28.5	Body try-in	Titanium	 
	MT-UML21	L=30	UNO One-Piece long motor adapter	Stainless steel	 
	MT-PP001	Ø2.0/3.2 L=24	Parallel pin	Stainless steel	 
	MT-RKL21	L=18	UNO One-Piece long key	Stainless steel	 
	MT-RKS15	L=13.5	UNO One-Piece short key	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length



2 Key Heights





Kits

Drill Stoppers Kit Standard Platform



Cat. No.

Dimensions (mm)

Description

Material

Sold



MK-BC101

Drill stoppers kit, conical connection,
standard platform

L = Length



Kits

Drill Stoppers Kit Depth-Based

MK-CDS##
Drill Stoppers Kit



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MK-CDS08	L=8	Drill stoppers kit for 8mm length implants, conical connection		
	MK-CDS10	L=10	Drill stoppers kit for 10mm length implants, conical connection		
	MK-CDS11	L=11.5	Drill stoppers kit for 11.5mm length implants, conical connection		
	MK-CDS13	L=13	Drill stoppers kit for 13mm length implants, conical connection		

L = Length











Kits

Bone Compression Kit


















MK-0020
Bone Compression Kit



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MO-CO160	Ø1.8/2.9 L=25	Convex compression screw	Stainless steel	
	MO-CO200	Ø2.3/3.3 L=25	Convex compression screw	Stainless steel	
	MO-CO240	Ø2.7/3.7 L=25	Convex compression screw	Stainless steel	
	MO-CO280	Ø3.1/4.5 L=25	Convex compression screw	Stainless steel	

L = Length

Bone Compression Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MO-SO300	Ø3 L=25	Concave sinus screw	Stainless steel	
	MO-SO350	Ø3.5 L=25	Concave sinus screw	Stainless steel	
	MO-SO400	Ø4 L=25	Concave sinus screw	Stainless steel	
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-HSI10	L=24.4	Short insertion tool, internal hex.	Stainless steel	 
	MT-HLI10	L=28.2	Long insertion tool, internal hex.	Stainless steel	 
	MT-LRH20	L=32.3	Long insertion tool, internal hex.	Stainless steel	 
	MT-SRH20	L=22.3	Short insertion tool, internal hex.	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length



Kits

Sinus Lift Osteotome Set



Concave

6mm

11mm

15mm

Cat. No.

Dimensions (mm)

Description

Material

Sold



MK-0023

Sinus lift osteotome set

L = Length



Kits

Convex Osteotome Set



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0024

Convex osteotome set

L = Length



Kits

Prosthetic Tools Kit

MK-0039
Prosthetic Tools Kit


















	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	
	MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	

L = Length

Prosthetic Tools Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-RE172	L=28.5	Int. connection abutment extractor	Titanium	 
	MT-RE160	L=28.5	Int. connection abutment extractor, narrow platform	Titanium	 
	MM-RSD15	L=19	Locator short torque ratchet driver	Stainless steel	 
	MM-RSD20	L=24	Locator long torque ratchet driver	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-UN002	L=24	Implant analog for universal hand driver, internal hex., narrow platform	Stainless steel	 
	MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
	MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
	CT-UN001	L=24	Implant analog for universal hand driver, conical connection, narrow platform	Stainless steel	 
	CT-US001	L=24	Implant analog for universal hand driver, conical connection, standard platform	Stainless steel	 
	CT-UW001	L=24	Implant analog for universal hand driver, conical connection, wide platform	Stainless steel	 


L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	ET-IT002		OT-Equator handling tool		 
	MM-LCT10	L=83	Locator core tool	Steel / Titanium Nitride coated Ti	 
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
	MT-URA10	L=27	Universal hand driver ratchet head adapter	Stainless steel	 
	MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	
	MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length



4 Prosthetic Options





Kits

Abutment Holding System Kit



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-C101

Abutment holding system kit, conical connection












Kits

Yeung Bone Harvest Kit



MK-BH26
Yeung Bone Harvest Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-BC280	Ø2.8	Bone harvest drill	Stainless steel	 
	MT-BC320	Ø3.2	Bone harvest drill	Stainless steel	 
	MT-BC380	Ø3.8	Bone harvest drill	Stainless steel	 
	MT-BC450	Ø4.5	Bone harvest drill	Stainless steel	 



Kits

Crown Set



Cat. No.

Dimensions (mm)

Description

Material

Sold



MK-0022

Crown set















Kits

Zircon Diamond Burr Set

MK-DB01
Zircon Diamond Burr Set



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-A4022		Diamond burr, 2.20mm		
	MT-B4018		Diamond burr, 1.80mm		
	MT-F2121		Diamond burr, 2.10mm		
	MT-K2023		Diamond burr, 2.30mm		
	MT-C3125		Diamond burr, 2.50mm		

L = Length



Kits

Prosthetic Introduction Case



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-PIC01

Prosthetic introduction case




Kits

Control Unit




Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MWH-M06002

MIS basic physio (230 V)



MWH-M07002

MIS basic physio (115 V)



MWH-2STUB

Irrigation system 1/2 way



MWH-MMOTR

Micro motor and cord kit



MWH-M7559

Surgical contra-angle 20:1



MWH-CAL59

Surgical contra-angle LED 20:1





PROSTHETIC OPTIONS.

MIS offers a comprehensive range of prosthetic systems, which are suitable for any indication and procedure type. Combined with a wide variety of supporting tools, our products provide the biological advantages that are critical for successful treatment. MIS superstructures are designed to meet all prosthetic needs and fit all accepted working methods. Abutments are available in a wide range of heights, gingival collar heights, angles and margin types, as well as a line of concave emergence profile abutments which are designed to facilitate better soft tissue management and growth. MIS offers solutions for both screw retained and cement retained restorations.





Impression Coping

Analogs and Impression Coping






	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-IO330 VN-IO401 CS-IO375 CW-IO500	NP NP SP WP	C1 V3 V3/C1 C1	Ø3.3, L=11 Ø3.3, L=11 Ø3.75, L=11 Ø5, L=11	Impression coping for open tray, conical connection	Titanium	
	CN-IO405 VN-IO405 CS-IO485 CW-IO555	NP NP SP WP	C1 V3 V3/C1 C1	Ø3.3, L=15 Ø3.3, L=15 Ø3.75, L=15 Ø5, L=15	Impression coping for open tray, conical connection	Titanium	
	CN-IO331 VN-IO331 CS-IO391 CW-IO501	NP NP SP WP	C1 V3 V3/C1 C1	Ø2.8, L=11 Ø2.8, L=11 Ø3.2, L=11 Ø4.1, L=11	Thin impression coping for open tray, conical connection	Titanium	
	CN-IO335 VN-IO335 CS-IO395 CW-IO505	NP NP SP WP	C1 V3 V3/C1 C1	Ø2.8, L=15 Ø2.8, L=15 Ø3.2, L=15 Ø4.1, L=15	Thin impression coping for open tray, conical connection	Titanium	
	CN-IC401 VN-IC401 CS-IC481 CW-IC551	NP NP SP WP	C1 V3 V3/C1 C1	Ø3.9, L=11 Ø3.9, L=11 Ø4.5, L=11 Ø4.5, L=11	Impression coping for closed tray, conical connection	Titanium	

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-IC405 VN-IC405 CS-IC485 CW-IC555	NP NP SP WP	C1 V3 V3/C1 C1	Ø3.9, L=15 Ø3.9, L=15 Ø4.5, L=15 Ø4.5, L=15	Impression coping for closed tray, conical connection	Titanium	
	CN-IT300 VN-IC400 CS-IT300 CW-IT300	NP NP SP WP	C1 V3 V3/C1 C1	Ø4, H=2, C=6 Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Direct impression coping for closed tray, conical connection	Titanium	
	CN-PF330 VN-PF340 CS-PF375 CW-PF500	NP NP SP WP	C1 V3 V3/C1 C1	Ø2.8, L=11 Ø2.8, L=15.6 Ø3.2, L=16.3 Ø5.5, L=16.3	Direct press fit for closed tray, conical connection	Titanium	
	CN-RSM10 VN-RSM10 CS-RSM10 CW-RSM10	NP NP SP WP	C1 V3 V3/C1 C1	Ø3.3, L=12.7 Ø3.3, L=12.7 Ø3.75, L=12 Ø5, L=12	Implant analog, conical connection	Titanium	
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	V3/C1 V3/C1 V3/C1	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	
	MN-G0160 MD-G0213 MD-G0213	NP SP WP	V3/C1 V3/C1 V3/C1	L=23	Direct impression coping guide pin for open tray	Titanium	


H = Gingival height

C = Crown height

L = Length




3 Platforms

















Temporary
Restoration

Temporary Cylinders















	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-TC013 CS-TC013 VS-TC013 CW-TC013	NP SP SP WP	V3/C1 V3/C1 V3/C1 C1	Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.8, H=1, C=10 Ø5.5, H=1, C=10	Direct temporary cylinder, free rotation, conical connection	Titanium	  
	CN-TC113 VN-TC113 CS-TC113 VS-TC113 CW-TC113	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=1, C=10 Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.8, H=1, C=10 Ø5.5, H=1, C=10	Direct temporary cylinder, anti-rotation, conical connection	Titanium	  
	CN-TC023 CS-TC023 VS-TC023 CW-TC023	NP SP SP WP	V3/C1 V3/C1 V3/C1 C1	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.8, H=2, C=10 Ø5.5, H=2, C=10	Direct temporary cylinder, free rotation, conical connection	Titanium	  

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-TCI23 VN-TCI23 CS-TCI23 VS-TCI23 CW-TCI23	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=2, C=10 Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.8, H=2, C=10 Ø5.5, H=2, C=10	Direct temporary cylinder, anti-rotation, conical connection	Titanium	
	CN-TC033 CS-TC033 VS-TC033 CW-TC033	NP SP SP WP	V3/C1 V3/C1 V3/C1 C1	Ø4, H=3, C=10 Ø4.8, H=3, C=10 Ø5.8, H=3, C=10 Ø5.5, H=3, C=10	Direct temporary cylinder, free rotation, conical connection	Titanium	
	CN-TCI33 VN-TCI33 CS-TCI33 VS-TCI33 CW-TCI33	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=3, C=10 Ø4, H=3, C=10 Ø4.8, H=3, C=10 Ø5.8, H=3, C=10 Ø5.5, H=3, C=10	Direct temporary cylinder, anti-rotation, conical connection	Titanium	
	CN-TPA10 VN-TPA10 CS-TPA10 CW-TPA10	NP NP SP WP	C1 V3 V3/C1 C1	Ø4, H=1.5, C=10 Ø4, H=1.5, C=10 Ø4.8, H=1.5, C=10 Ø5.5, H=1.5, C=10	Temporary plastic abutment, conical connection	PEEK	
	CN-TPH50 VN-TPH50 CS-TPH50	NP NP SP	C1 V3 V3/C1	Ø3.5, H=0.5 Ø3.5, H=0.5 Ø3.5, H=0.5	Direct temporary plastic cylinder, conical connection	PEEK	
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	V3/C1 V3/C1 V3/C1	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	

H = Gingival height

C = Crown height

L = Length



2 Abutment Options



Titanium










PEEK



Screw
Retained
Restoration

CONNECT System








	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CS-C1540 CW-C1540	SP WP	V3/C1 C1	Ø4, H=1.5 Ø4, H=1.5	CONNECT abutment, conical connection	Titanium	SP WP
	CN-C2040 CS-C2040 CW-C2040	NP SP WP	V3/C1 V3/C1 C1	Ø4, H=2 Ø4, H=2	CONNECT abutment, conical connection	Titanium	NP SP WP
	CN-C3040 CS-C3040 CW-C3040	NP SP WP	V3/C1 V3/C1 C1	Ø4, H=3 Ø4, H=3	CONNECT abutment, conical connection	Titanium	NP SP WP
	CS-C4040 CW-C4040	SP WP	V3/C1 C1	Ø4, H=4 Ø4, H=4	CONNECT abutment, conical connection	Titanium	SP WP
	MM-H0540		V3/C1	H=0.5	CONNECT abutment healing cap	Titanium	
	MM-H1540		V3/C1	H=1.5	CONNECT abutment healing cap	Titanium	
	MM-IC008		V3/C1		CONNECT abutment impression coping for closed tray	Titanium	

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	MM-IO007	V3/C1		CONNECT abutment impression coping for open tray, free rotation, conical connection	Titanium	
	MM-IOI07	V3/C1		CONNECT abutment impression coping for open tray, anti-rotation, conical connection	Titanium	
	MM-RSM40	V3/C1		CONNECT abutment analog, conical connection	Titanium	
	MM-TC040	V3/C1		CONNECT abutment temporary cylinder, free rotation, conical connection	Titanium	
	MM-TCI40	V3/C1		CONNECT abutment temporary cylinder, anti-rotation, conical connection	Titanium	
	MM-CC040	V3/C1		CONNECT abutment cementing cap, free rotation, conical connection	Titanium	
	MM-CCI40	V3/C1		CONNECT abutment cementing cap, anti-rotation, conical connection	Titanium	
	MT-ELR10		L=22.5	Long ratchet key for angled screw channel	Stainless steel	
	MT-ESR10		L=18.7	Short ratchet key for angled screw channel	Stainless steel	
	MT-ELM10		L=30	Long motor key for angled screw channel	Stainless steel	
	MT-ESM10		L=24	Short motor key for angled screw channel	Stainless steel	
	MM-SP100	V3/C1	L=10	Scan post for CONNECT abutment	Titanium	

H = Gingival height

C = Crown height

L = Length



Screw
Retained
Restoration

Multi-Unit System



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CM-N1480 CM-S1480 CM-W1480	NP SP WP	V3/C1 V3/C1 C1	Ø4.8, H=1 Ø4.8, H=1 Ø4.8, H=1	Multi-Unit abutment, conical connection, 30Ncm	Titanium	NP SP WP
	CM-N2480 CM-S2480	NP SP	V3/C1 V3/C1	Ø4.8, H=2 Ø4.8, H=2	Multi-Unit abutment, conical connection, 30Ncm	Titanium	NP SP
	CM-N3480 CM-S3480 CM-W3480	NP SP WP	V3/C1 V3/C1 C1	Ø4.8, H=3 Ø4.8, H=3 Ø4.8, H=3	Multi-Unit abutment, conical connection, 30Ncm	Titanium	NP SP WP
	CM-S4480	SP	V3/C1	Ø4.8, H=4	Multi-Unit abutment, conical connection, 30Ncm	Titanium	SP

H = Gingival height

C = Crown height











L = Length

	Cat. No.		Implant	Dimensions (mm)	Description	Material	Platform
	CM-N5480 CM-S5480	NP SP	V3/C1 V3/C1	Ø4.8, H=5 Ø4.8, H=5	Multi-Unit abutment, conical connection, 30Ncm	Titanium	
	CM-SO171 CM-WO171	SP WP	V3/C1 C1	Ø4.8, H=1 Ø4.8, H=1	Solid angulated Multi-Unit abutment, 17°, conical connection, 20Ncm	Titanium	
	CM-SO172 CM-WO172	SP WP	V3/C1 C1	Ø4.8, H=2 Ø4.8, H=2	Solid Multi-Unit angulated abutment, 17°, conical connection, 20Ncm	Titanium	
	CM-SO301 CM-WO301	SP WP	V3/C1 C1	Ø4.8, H=1 Ø4.8, H=1	Solid Multi-Unit angulated abutment, 30°, conical connection, 20Ncm	Titanium	
	CM-SO302 CM-WO302	SP WP	V3/C1 C1	Ø4.8, H=2 Ø4.8, H=2	Solid Multi-Unit angulated abutment, 30°, conical connection, 20Ncm	Titanium	
	MU-BGC48			L=3.3	Gold bar coping abutment for Multi-Unit	Gold-e	
	MU-RSM48			L=12	Analog for Multi-Unit	Titanium	
	MU-CC480			Ø4.8, L=4.3	Cementing cap for Multi-Unit	Titanium	
	MU-CP048			L=10	Plastic cylinder for Multi-Unit	Burnout plastic	
	MU-S0220			L=3.8	Prosthetic screw for Multi-Unit, 25Ncm	Titanium	
	MU-G0220			L=3.8	Prosthetic gold screw for Multi-Unit, 20Ncm	Gold-s	
	MU-H4480			Ø4.8, L=4.3	Healing cap for Multi-Unit	Titanium	

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	MU-I0480		Ø4.8, L=10	Impression coping, open tray, for Multi-Unit	Titanium	
	MU-IT480		Ø4.8, L=8	Impression coping, closed tray, for Multi-Unit	Titanium	
	MU-MG480		Ø4.8, L=14.5	Direct gold for Multi-Unit	Burnout plastic+gold-a	
	MU-TO480		Ø4.8, L=10	Titanium temporary cylinder for Multi-Unit	Titanium	
	MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	
	MU-MAN10		Ø4.8, L=10	Digital model analog for Multi-Unit	Titanium	
	MT-MURL2		L=21	Straight Multi-Unit long ratchet key	Stainless steel	
	MT-MURS2		L=16	Straight Multi-Unit short ratchet key	Stainless steel	
	MT-MUML2		L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-MUMS2		L=24	Straight Multi-Unit short motor key	Stainless steel	

H = Gingival height

C = Crown height
















L = Length



Screw
Retained
Restoration

Gold Plastic Cylinders



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-GP010 CS-GP010 CW-GP010	NP SP WP	V3/C1 V3/C1 C1	Ø4.3, H=1.5 Ø5, H=1 Ø5.5, H=1	Direct gold plastic cylinder, free rotation, conical connection	Burnout plastic+Gold-a	  
	CN-GPC10 VN-GPC10 CS-GPC10 CW-GPC10	NP NP SP WP	C1 V3 V3/C1 C1	Ø4.3, H=1.5 Ø4.3, H=1 Ø5, H=1 Ø5.5, H=1	Direct gold plastic cylinder, anti-rotation, conical connection	Burnout plastic+Gold-a	  
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	V3/C1 V3/C1 V3/C1	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-G0220	SP WP	V3/C1	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 

H = Gingival height

C = Crown height

L = Length



Digital
Restoration

EZ-Base System



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	CN-EZB15 VN-EZB15 CS-EZB15 CW-EZB15	NP NP SP WP	C1 V3 V3/C1 C1 Ø4.25, H=1.5, C=5 Ø4.25, H=1.5, C=5 Ø4.3, H=1.5, C=5 Ø5, H=1.5, C=5	EZ-Base abutment, conical connection	Titanium	
	CN-LEZ15 VN-LEZ15 CS-LEZ15 CW-LEZ15	NP NP SP WP	C1 V3 V3/C1 C1 Ø4.6, H=1.5, C=10 Ø4.6, H=1.5, C=10 Ø4.8, H=1.5, C=10 Ø5, H=1.5, C=10	EZ-Base adjustable abutment, conical connection	Titanium	
	MT-ELM10		L=30	Long motor key for angled screw channel	Stainless steel	
	MT-ESM10		L=24	Short motor key for angled screw channel	Stainless steel	
	MT-ELR10		L=22.5	Long ratchet key for angled screw channel	Stainless steel	
	MT-ESR10		L=18.7	Short ratchet key for angled screw channel	Stainless steel	
	MN-E0160 MD-E0220	NP SP	L=7.1 L=7.6	EZ-Base prosthetic screw	Titanium	

H = Gingival height

C = Crown height

L = Length



Digital
Restoration

Ti-Base









	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-TB001 VN-TB001 CS-TB001 CW-TB001	NP NP SP WP	C1 V3 V3/C1 C1	Ø4.3, H=0.5, C=4 Ø4.2, H=0.5, C=4 Ø4.4, H=0.5, C=4 Ø5.7, H=0.5, C=4	Ti-Base, anti-rotation, conical connection	Titanium	NP SP WP
	CN-TB015 VN-TB015 CS-TB015 CW-TB015	NP NP SP WP	C1 V3 V3/C1 C1	Ø4.2, H=1.5, C=4 Ø4.2, H=1.5, C=4 Ø4.4, H=1.5, C=4 Ø5.7, H=1.5, C=4	Ti-Base, anti-rotation, conical connection	Titanium	NP SP WP
	CN-TB030 VN-TB030 CS-TB030 CW-TB030	NP NP SP WP	C1 V3 V3/C1 C1	Ø4.2, H=3, C=4 Ø4.2, H=3, C=4 Ø4.4, H=3, C=4 Ø5.7, H=3, C=4	Ti-Base, anti-rotation, conical connection	Titanium	NP SP WP
	CN-IN060 VN-IN060 CS-IN060	NP NP SP	C1 V3 V3/C1	Ø4.2, H=0.5, C=6 Ø4.2, H=0.5, C=6 Ø4.4, H=0.5, C=6	Incisor esthetic Ti abutment, conical connection	Titanium	NP SP

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	CN-IN160 VN-IN160 CS-IN160	NP NP SP	C1 V3 V3/C1 Ø4.2, H=1.5, C=6 Ø4.2, H=1.5, C=6 Ø4.4, H=1.5, C=6	Incisor esthetic Ti abutment, conical connection	Titanium	NP SP
	CN-IN360 VN-IN360 CS-IN360	NP NP SP	C1 V3 V3/C1 Ø4.2, H=3, C=6 Ø4.2, H=3, C=6 Ø4.4, H=3, C=6	Incisor esthetic Ti abutment, conical connection	Titanium	NP SP
	CN-TB002 CS-TB002 CW-TB002	NP SP WP	V3/C1 V3/C1 C1 Ø4.4, H=0.5, C=4 Ø4.4, H=0.5, C=4 Ø5.7, H=0.5, C=4	Ti-Base, free rotation, conical connection	Titanium	NP SP WP
	CN-TBF15 CS-TBF15 CW-TBF15	NP SP WP	V3/C1 V3/C1 C1 Ø4.4, H=1.5, C=4 Ø4.4, H=1.5, C=4 Ø5.7, H=1.5, C=4	Ti-Base, free rotation, conical connection	Titanium	NP SP WP
	CN-TBF30 CS-TBF30 CW-TBF30	NP SP WP	V3/C1 V3/C1 C1 Ø4.4, H=3, C=4 Ø4.4, H=3, C=4 Ø5.7, H=3, C=4	Ti-Base, free rotation, conical connection	Titanium	NP SP WP
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	V3/C1 L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	NP SP WP


H = Gingival height

C = Crown height


L = Length



2 Engagement Types



Free Rotation



Anti-Rotation



Digital
Restoration

Zirconia Abutment Sets



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	CK-NIZ6 VK-NIZ6 CK-SIZ6	NP NP SP	C1 V3 V3/C1 Ø4.2, H=0.5, C=8.5 Ø4.2, H=0.5, C=8.5 Ø4.2, H=0.5, C=8.5	Zirconia non-cemented incisor 15° abutment set, conical connection	Titanium/Zirconia	NP SP
	CK-NIZ1 VK-NIZ1 CK-SIZ1	NP NP SP	C1 V3 V3/C1 Ø4.2, H=1.5, C=8.5 Ø4.2, H=1.5, C=8.5 Ø4.2, H=1.5, C=8.5	Zirconia non-cemented incisor 15° abutment set, conical connection	Titanium/Zirconia	NP SP
	CK-SPZ4 CK-WPZ4	SP WP	V3/C1 C1 Ø4.3, H=0.5, C=8.5 Ø5.7, H=0.5, C=8.5	Zirconia non-cemented premolar abutment set, conical connection	Titanium/Zirconia	SP WP
	CK-NIC6 VK-NIC6 CK-SIC6	NP NP SP	C1 V3 V3/C1 Ø4.2, H=0.5, C=8.5 Ø4.2, H=0.5, C=8.5 Ø4.2, H=0.5, C=8.5	Zirconia pre-cemented incisor 15° abutment set, conical connection	Titanium/Zirconia	NP SP
	CK-NIC1 VK-NIC1 CK-SIC1	NP NP SP	C1 V3 V3/C1 Ø4.2, H=1.5, C=8.5 Ø4.2, H=1.5, C=8.5 Ø4.2, H=1.5, C=8.5	Zirconia pre-cemented incisor 15° abutment set, conical connection	Titanium/Zirconia	NP SP
	CK-SPC4 CK-WPC4	SP WP	V3/C1 C1 Ø4.3, H=0.5, C=8.5 Ø5.7, H=0.5, C=8.5	Zirconia pre-cemented premolar abutment set, conical connection	Titanium/Zirconia	SP WP

H = Gingival height

C = Crown height





L = Length



Digital
Restoration

Scan Post Kit



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-SP102 VN-SP102 CS-SP102 CW-SP102	NP NP SP WP	C1 V3 V3/C1 C1	L=10	Scan Post, conical connection	Titanium	
	MU-SP102			L=10	Scan Post for Multi-Unit	Titanium	
	MM-SP100		V3/C1	L=10	Scan post for CONNECT abutment	Titanium	

H = Gingival height

C = Crown height






L = Length



Digital
Restoration

Digital Model Analog



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	CN-MAN10	NP	C1	Digital model analog, conical connection	Titanium	  
	VN-MAN10	NP	V3			
	CS-MAN10	SP	V3/C1			
	CW-MAN10	WP	C1			
	MU-MAN10		Ø4.8, L=10	Digital model analog for Multi-Unit	Titanium	

H = Gingival height

C = Crown height

L = Length



Digital
Restoration

Titanium Blanks



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-IB091 VN-IB091 CS-IB091 CW-IB091	NP NP SP WP	C1 V3 V3/C1 C1	Ø9	Titanium Blank, anti-rotation, conical connection	Titanium	
	CN-IB121 VN-IB121 CS-IB121 CW-IB121	NP NP SP WP	C1 V3 V3/C1 C1	Ø12	Titanium Blank, anti-rotation, conical connection	Titanium	
	CN-AGT12 VN-AGT12 CS-AGT12 CW-AGT12	NP NP SP WP	C1 V3 V3/C1 C1	Ø12	Titanium Blank for Amann Girrbach, anti-rotation, conical connection	Titanium	
	CN-MAB10 VN-MAB10 CS-MAB10 CW-MAB10	NP NP SP WP	C1 V3 V3/C1 C1	Ø5, L=13.5	Milling analog for Titanium Blank, conical connection	Stainless Steel	

H = Gingival height

C = Crown height

L = Length



Cemented
Restoration

Cementable Abutments















	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-AN001 VN-AT001 CS-A0010 VS-AT001 CW-AT001	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4.8, H=1, C=7 Ø4.8, H=1, C=7 Ø4.8, H=1, C=7.5 Ø5.8, H=1, C=8 Ø5.5, H=1, C=7.5	Cementable abutment, conical connection	Titanium	NP SP WP
	CN-AT002 VN-AT002 CS-AT002 VS-AT002 CW-AT002	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4.8, H=2, C=7 Ø4.8, H=2, C=7 Ø4.8, H=2, C=7.5 Ø5.8, H=2, C=8 Ø5.5, H=2, C=7.5	Cementable abutment, conical connection	Titanium	NP SP WP
	CN-AN003 VN-AT003 CS-A0030 VS-AT003 CW-AT003	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4.8, H=3, C=7 Ø4.8, H=3, C=7 Ø4.8, H=3, C=7.5 Ø5.8, H=3 Ø5.5, H=3, C=7.5	Cementable abutment, conical connection	Titanium	NP SP WP
	CN-AN010 VN-AT101	NP NP	C1 V3	Ø4.8, H=1, C=7 Ø4.8, H=1, C=7	Cementable angulated abutment, 10°, conical connection	Titanium	NP
	CN-AT102 VN-AT102	NP NP	C1 V3	Ø4.8, H=2, C=7 Ø4.8, H=2, C=7	Cementable angulated abutment, 10°, conical connection	Titanium	NP

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-AN310 VN-AT103	NP NP	C1 V3	Ø4.8, H=3, C=7 Ø4.8, H=3, C=7	Cementable angulated abutment, 10°, conical connection	Titanium	NP
	CS-A1510 CS-AN151 CW-AN151	SP SP WP	V3/C1 V3/C1 C1	Ø4.8, H=1, C=7.5 Ø5.8, H=1, C=7.5 Ø5.5, H=1, C=7.5	Cementable angulated abutment, 15°, conical connection	Titanium	SP WP
	CS-AT152 VS-AT152 CW-AT152	SP SP WP	V3/C1 V3/C1 C1	Ø4.8, H=2, C=7.5 Ø5.8, H=2, C=7.5 Ø5.5, H=2, C=7.5	Cementable angulated abutment, 15°, conical connection	Titanium	SP WP
	CS-A1530 VS-AT153 CW-AT153	SP SP WP	V3/C1 V3/C1 C1	Ø4.8, H=3, C=7.5 Ø5.8, H=3, C=7.5 Ø5.5, H=3, C=7.5	Cementable angulated abutment, 15°, conical connection	Titanium	SP WP
	CN-AN020 VN-AT201	NP NP	C1 V3	Ø4.8, H=1, C=7 Ø4.8, H=1, C=7	Cementable angulated abutment, 20°, conical connection	Titanium	NP
	CN-AT202 VN-AT202	NP NP	C1 V3	Ø4.8, H=2, C=7 Ø4.8, H=2, C=7	Cementable angulated abutment, 20°, conical connection	Titanium	NP
	CN-AN320 VN-AT203	NP NP	C1 V3	Ø4.8, H=3, C=7 Ø4.8, H=3, C=7	Cementable angulated abutment, 20°, conical connection	Titanium	NP
	CS-A2510 CS-AN251 CW-AT251	SP SP WP	V3/C1 V3/C1 C1	Ø4.8, H=1, C=7.5 Ø5.8, H=1, C=7.5 Ø5.5, H=1, C=7.5	Cementable angulated abutment, 25°, conical connection	Titanium	SP WP
	CS-AT252 VS-AT252 CW-AT252	SP SP WP	V3/C1 V3/C1 C1	Ø4.8, H=2, C=7.5 Ø5.8, H=2, C=7.5 Ø5.5, H=2, C=7.5	Cementable angulated abutment, 25°, conical connection	Titanium	SP WP
	CS-A2530 VS-AT253 CW-AT253	SP SP WP	V3/C1 V3/C1 C1	Ø4.8, H=3, C=7.5 Ø5.8, H=3, C=7.5 Ø5.5, H=3, C=7.5	Cementable angulated abutment, 25°, conical connection	Titanium	SP WP
	MD-S0200	SP WP	V3/C1 V3/C1	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	SP WP
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	V3/C1 V3/C1 V3/C1	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	NP SP WP

H = Gingival height

C = Crown height

L = Length



Cemented
Restoration

Cementing Posts



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-MAC10 VN-MC101 CS-MAC10 VS-MC101 CW-SMAC1	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=1, C=10 Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.8, H=1, C=10 Ø5.5, H=1, C=10	Cementing post, conical connection	Titanium	
	CN-MAC30 VN-MC103 CS-MC103 VS-MC103 CW-MC103	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=3, C=10 Ø4, H=3, C=10 Ø4.8, H=3, C=10 Ø5.8, H=3, C=10 Ø5.5, H=3, C=10	Cementing post, conical connection	Titanium	
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	V3/C1 V3/C1 V3/C1	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	
	MD-G0220	SP WP	V3/C1 V3/C1	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	

H = Gingival height

C = Crown height

L = Length



Cemented
Restoration

CPK - Complete Prosthetic Kit



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CK-NPK41 VK-NPK41 CK-CPK41	NP NP SP	C1 V3 V3/C1	Ø4, H=1, C=4 Ø4, H=1, C=4 Ø4.8, H=1, C=4	Complete Prosthetic Kit, conical connection	Titanium	
	CK-NPK42 VK-NPK42 CK-CPK42	NP NP SP	C1 V3 V3/C1	Ø4, H=2, C=4 Ø4, H=2, C=4 Ø4.8, H=2, C=4	Complete Prosthetic Kit, conical connection	Titanium	
	CK-NPK43 VK-NPK43 CK-CPK43	NP NP SP	C1 V3 V3/C1	Ø4, H=3, C=4 Ø4, H=3, C=4 Ø4.8, H=3, C=4	Complete Prosthetic Kit, conical connection	Titanium	

H = Gingival height

C = Crown height



L = Length

	Cat. No.		Implant	Dimensions (mm)	Description	Material	Platform
	CK-NPK44 VK-NPK44 CK-CPK44	NP NP SP	C1 V3 V3/C1	Ø4, H=4, C=4 Ø4, H=4, C=4 Ø4.8, H=4, C=4	Complete Prosthetic Kit, conical connection	Titanium	NP SP
	CK-NPK61 VK-NPK61 CK-CPK61 VK-CPK61 CK-WPK61	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=1, C=6 Ø4, H=1, C=6 Ø4.8, H=1, C=6 Ø5.5, H=1, C=6 Ø5.5, H=1, C=6	Complete Prosthetic Kit, conical connection	Titanium	NP SP WP
	CK-NPK62 VK-NPK62 CK-CPK62 VK-CPK62 CK-WPK62	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=2, C=6 Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6 Ø5.5, H=2, C=6	Complete Prosthetic Kit, conical connection	Titanium	NP SP WP
	CK-NPK63 VK-NPK63 CK-CPK63 VK-CPK63 CK-WPK63	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=3, C=6 Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6 Ø5.5, H=3, C=6	Complete Prosthetic Kit, conical connection	Titanium	NP SP WP
	CK-NPK64 VK-NPK64 CK-CPK64 VK-CPK64 CK-WPK64	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=4, C=6 Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6 Ø5.5, H=4, C=6	Complete Prosthetic Kit, conical connection	Titanium	NP SP WP
	CK-CPK81 VK-CPK81	SP SP	V3/C1 V3/C1	Ø4.8, H=1, C=8 Ø5.5, H=1, C=8	Complete Prosthetic Kit, conical connection	Titanium	SP
	CK-CPK82 VK-CPK82	SP SP	V3/C1 V3/C1	Ø4.8, H=2, C=8 Ø5.5, H=2, C=8	Complete Prosthetic Kit, conical connection	Titanium	SP
	CK-CPK83 VK-CPK83	SP SP	V3/C1 V3/C1	Ø4.8, H=3, C=8 Ø5.5, H=3, C=8	Complete Prosthetic Kit, conical connection	Titanium	SP
	CK-CPK84 VK-CPK84	SP SP	V3/C1 V3/C1	Ø4.8, H=4, C=8 Ø5.5, H=4, C=8	Complete Prosthetic Kit, conical connection	Titanium	SP
	CN-CPK41 VN-P4140 CS-CPK41	NP NP SP	C1 V3 V3/C1	Ø4, H=1, C=4 Ø4, H=1, C=4 Ø4.8, H=1, C=4	Transgingival abutment, conical connection	Titanium	NP SP
	CN-CPK42 VN-P4240 CS-CPK42	NP NP SP	C1 V3 V3/C1	Ø4, H=2, C=4 Ø4, H=2, C=4 Ø4.8, H=2, C=4	Transgingival abutment, conical connection	Titanium	NP SP
	CN-CPK43 VN-P4340 CS-CPK43	NP NP SP	C1 V3 V3/C1	Ø4, H=3, C=4 Ø4, H=3, C=4 Ø4.8, H=3, C=4	Transgingival abutment, conical connection	Titanium	NP SP

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-CPK44 VN-P4440 CS-CPK44	NP NP SP	C1 V3 V3/C1	Ø4, H=4, C=4 Ø4, H=4, C=4 Ø4.8, H=4, C=4	Transgingival abutment, conical connection	Titanium	NP SP
	CN-CPK61 VN-P6140 CS-CPK61 VS-P6155 CW-CPK61	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=1, C=6, Ø4, H=1, C=6, Ø4.8, H=1, C=6 Ø5.5, H=1, C=6 Ø5.5, H=1, C=6	Transgingival abutment, conical connection	Titanium	NP SP WP
	CN-CPK62 VN-P6240 CS-CPK62 VS-P6255 CW-CPK62	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=2, C=6 Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6 Ø5.5, H=2, C=6	Transgingival abutment, conical connection	Titanium	NP SP WP
	CN-CPK63 VN-P6340 CS-CPK63 VS-P6355 CW-CPK63	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=3, C=6 Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6 Ø5.5, H=3, C=6	Transgingival abutment, conical connection	Titanium	NP SP WP
	CN-CPK64 VN-P6440 CS-CPK64 VS-P6455 CW-CPK64	NP NP SP SP WP	C1 V3 V3/C1 V3/C1 C1	Ø4, H=4, C=6 Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6 Ø5.5, H=4, C=6	Transgingival abutment, conical connection	Titanium	NP SP WP
	CS-CPK81 VS-P8155	SP SP	V3/C1 V3/C1	Ø4.8, H=1, C=8 Ø5.5, H=1, C=8	Transgingival abutment, conical connection	Titanium	SP
	CS-CPK82 VS-P8255	SP SP	V3/C1 V3/C1	Ø4.8, H=2, C=8 Ø5.5, H=2, C=8	Transgingival abutment, conical connection	Titanium	SP
	CS-CPK83 VS-P8355	SP SP	V3/C1 V3/C1	Ø4.8, H=3, C=8 Ø5.5, H=3, C=8	Transgingival abutment, conical connection	Titanium	SP
	CS-CPK84 VS-P8455	SP SP	V3/C1 V3/C1	Ø4.8, H=4, C=8 Ø5.5, H=4, C=8	Transgingival abutment, conical connection	Titanium	SP

H = Gingival height

C = Crown height

L = Length



Overdentures

OT-Equator Kits
















	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CK-NOE1 CK-SOE1 CK-WOE1	NP SP WP	V3/C1 V3/C1 C1	H=1 H=1 H=1	OT-Equator kit, conical connection	Titanium	
	CK-NOE2 CK-SOE2	NP SP	V3/C1 V3/C1	H=2 H=2	OT-Equator kit, conical connection	Titanium	
	CK-NOE3 CK-SOE3 CK-WOE3	NP SP WP	V3/C1 V3/C1 C1	H=3 H=3 H=3	OT-Equator kit, conical connection	Titanium	
	CK-NOE4 CK-SOE4	NP SP	V3/C1 V3/C1	H=4 H=4	OT-Equator kit, conical connection	Titanium	

H = Gingival height

C = Crown height

L = Length height

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CK-NOE5 CK-SOE5	NP SP	V3/C1 V3/C1	H=5 H=5	OT-Equator kit, conical connection	Titanium	
	ET-IT001				OT-Equator handling tool		
	OE-IC002				OT-Equator impression coping cap		
	OE-RSM60				OT-Equator analog	Stainless steel	
	MT-RDL30			L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MT-RDS30			L=21.3	Short driver for 0.05 inch hex.	Stainless steel	
	OE-RCP01				OT-Equator soft retentive cap (pink)		
	OE-RCW01				OT-Equator standard retentive cap (white)		
	OE-RCV01				OT-Equator rigid retentive cap (violet)		
	OE-RCY01				OT-Equator extra soft retentive cap (yellow)		
	OE-RCB01				OT-Equator laboratory retentive cap (black)		
	OE-IC001				OT-Equator impression transfer cap		

H = Gingival height

C = Crown height











L = Length



Overdentures

Ball Attachments



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	CN-B1330 CS-B1375 CW-B1500	NP SP WP	V3/C1 V3/C1 C1 Ø4, H=1 Ø4.4, H=1 Ø4.4, H=1	Ball attachment anchor, conical connection	Titanium alloy + Titanium nitride	
	CN-B2330 CS-B2375	NP SP	V3/C1 V3/C1 Ø4, H=2 Ø4.4, H=2	Ball attachment anchor, conical connection	Titanium alloy + Titanium nitride	
	CN-B3330 CS-B3375 CW-B3500	NP SP WP	V3/C1 V3/C1 C1 Ø4, H=3 Ø4.4, H=3 Ø4.4, H=3	Ball attachment anchor, conical connection	Titanium alloy + Titanium nitride	
	CN-B4330 CS-B4375	NP SP	V3/C1 V3/C1 Ø4, H=4 Ø4.4, H=4	Ball attachment anchor, conical connection	Titanium alloy + Titanium nitride	
	CS-B5375		V3/C1 Ø4.4, H=5	Ball attachment anchor, conical connection	Titanium alloy + Titanium nitride	
	MB-RS375		L=15.1	Ball attachment analog	Stainless steel	

H = Gingival height

C = Crown height

L = Length

Ball Attachments

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	MB-SF200		Ø3.7, L=3.5	Plastic ball cap	Plastic	
	MB-GPS10		L=2.4	Gold ball cap	Gold-e	
	MB-TTP10		Ø3.5, L=3.1	Titanium ball cap	Titanium	
	MB-PR010		Ø3.8, L=2	Plastic mounting sleeve	Plastic	
	MB-TBS10		Ø2.5	Titanium ball cap spring, standard	Steel	
	MB-TBS20		Ø2.6	Titanium ball cap spring, soft	Steel	
	MB-DMH10			Double metal housing		
	MB-PPC10		Ø4.2, L=2.6	Standard plastic cap for metal housing	Plastic	
	MB-PPR10		Ø4.2, L=2.6	Soft plastic cap for metal housing retention 800-950g	Plastic	
	MB-DB235		Ø15, L=2.6	Plastic disc for ball attachment	Plastic	
	MT-RB225		L=22	Ball attachment anchor key	Stainless steel	
	MT-NB225		L=22	Ball attachment anchor key	Stainless steel	

H = Gingival height

C = Crown height
















L = Length



Overdentures

Locator Attachment System



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform	
	CN-NZL01 CS-SZL01	NP SP	V3/C1 V3/C1	H=1 H=1	Locator abutment, conical connection	Titanium nitride coated Ti	 
	CN-NZL02 CS-SZL02	NP SP	V3/C1 V3/C1	H=2 H=2	Locator abutment, conical connection	Titanium nitride coated Ti	 
	CN-NZL03 CS-SZL03	NP SP	V3/C1 V3/C1	H=3 H=3	Locator abutment, conical connection	Titanium nitride coated Ti	 
	CN-NZL04 CS-SZL04	NP SP	V3/C1 V3/C1	H=4 H=4	Locator abutment, conical connection	Titanium nitride coated Ti	 
	CN-NZL05 CS-SZL05	NP SP	V3/C1 V3/C1	H=5 H=5	Locator abutment, conical connection	Titanium nitride coated Ti	 

H = Gingival height

C = Crown height

L = Length







Locator Attachment System

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	MM-LCT10		L=83	Locator core tool	Steel / Titanium nitride coated Ti	
	MM-LMP02		L=1.8	Locator male processing package (2 pack)	Steel / Nylon	
	MM-LIC10		Ø4.7, L=4.5	Locator impression coping (4 pack)	Aluminum polyethylene	
	MM-LFA40 MM-LFA50		Ø4, L=10.4 Ø5, L=10.4	Locator female analog (4 pack)	Aluminum polyethylene	
	MM-LRM10		Ø4.7, L=1.8	Locator replacement male clear (4 pack)	Nylon	
	MM-LLR10		Ø4.7, L=1.8	Locator light extended (4 pack)	Nylon pink	
	MM-LEL10		Ø4.7, L=1.8	Locator extra light retention (4 pack)	Nylon blue	
	MM-LER10		Ø4.7, L=1.8	Locator extended range (4 pack)	Nylon green	
	MM-LELE1		Ø4.7, L=1.8	Locator extra light extended (4 pack)	Nylon red	
	MM-LPP10		Ø4.6, L=15	Locator parallel post (4 pack)	Polyethylene black	
	MM-LBP10		Ø4.6, L=1.8	Locator black processing (4 pack)	Polyethylene black	
	MM-RSD20		L=24	Locator long torque ratchet driver	Stainless steel	

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	MM-RSD15		L=19	Locator short torque ratchet driver	Stainless steel	
	MM-LSD21		L=21	Locator long square drive torque ratchet driver	Stainless steel	
	MM-LSD15		L=15	Locator short square drive torque ratchet driver	Stainless steel	

H = Gingival height


C = Crown height

L = Length



5 Retention Options


- 2.27 kg
- 1.36-1.82 kg
- 1.36 kg
- 0.68 kg
- 0.68 kg










Overdentures

Bars



	Cat. No.	Implant	Dimensions (mm)	Description	Material	Platform
	MM-TRU10		Ø2.8, L=50, H=2.9	Titanium rider	Titanium	
	MM-PBU10		Ø1.6, L=80, H=2.3	Plastic bar	Plastic	
	MM-GB100		Ø1.9, L=50	Gold bar	Gold-e	
	MM-GBU10		L=50	Gold bar	Gold-e	
	MM-PC100		Ø1.9, L=85	Plastic round bar	Burnout plastic	

H = Gingival height

C = Crown height


L = Length





MGUIDE - DIGITAL DENTISTRY

MGUIDE is an innovative guided surgery system, which was designed to provide clinicians with a worry-free solution, and flawlessly incorporates prosthetically driven planning and easy-to-use tools, to deliver the most predictable results.





MGUIDE

MGUIDE Custom Surgical Template



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MG-TMP10

MGUIDE value pack



MG-TMP20

MGUIDE value pack for edentulous cases

L = Length



MGUIDE

MGUIDE Surgical Set, Conical Connection



MG-K004
MGUIDE Surgical Set

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-TP055	Ø5.5 L=26	MGUIDE tissue punch	Stainless steel	 
	MG-BM047	Ø4.7 L=24.5	MGUIDE bone mill	Stainless steel	 
	MG-BM055	Ø5.5 L=24.5	MGUIDE bone mill	Stainless steel	 
	MG-D0624	Ø2.4 L=30.8	MGUIDE pilot drill for 6mm length implant	Stainless steel	 
	MG-D0824	Ø2.4 L=32.8	MGUIDE pilot drill for 8mm length implant	Stainless steel	 
	MG-D1024	Ø2.4 L=34.8	MGUIDE pilot drill for 10mm length implant	Stainless steel	 

L = Length

MGUIDE surgical set, conical connection

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-D1124	Ø2.4 L=36.3	MGUIDE pilot drill for 11.5mm length implant	Stainless steel	 
	MG-D1324	Ø2.4 L=37.8	MGUIDE pilot drill for 13mm length implant	Stainless steel	 
	CG-D0833	Ø2.3-3.25 L=32.8	MGUIDE drill for Ø3.30, 8mm length implant, conical connection	Stainless steel	 
	CG-D1033	Ø2.3-3.25 L=34.8	MGUIDE drill for Ø3.30, 10mm length implant, conical connection	Stainless steel	 
	CG-D1133	Ø2.3-3.25 L=36.3	MGUIDE drill for Ø3.30, 11.5mm length implant, conical connection	Stainless steel	 
	CG-D1333	Ø2.3-3.25 L=37.8	MGUIDE drill for Ø3.30, 13mm length implant, conical connection	Stainless steel	 
	CG-D0839	Ø2.9-3.85 L=32.8	MGUIDE drill for Ø3.75 and Ø3.90 8mm length implant, conical connection	Stainless steel	 
	CG-D1039	Ø2.9-3.85 L=34.8	MGUIDE drill for Ø3.75 and Ø3.90 10mm length implant, conical connection	Stainless steel	 
	CG-D1139	Ø2.9-3.85 L=36.3	MGUIDE drill for Ø3.75 and Ø3.90 11.5mm length implant, conical connection	Stainless steel	 
	CG-D1339	Ø2.9-3.85 L=37.8	MGUIDE drill for Ø3.75 and Ø3.90 13mm length implant, conical connection	Stainless steel	 
	CG-D0843	Ø3.4-4.25 L=32.8	MGUIDE drill for Ø4.20 and Ø4.30 8mm length implant, conical connection	Stainless steel	 
	CG-D1043	Ø3.4-4.25 L=34.8	MGUIDE drill for Ø4.20 and Ø4.30 10mm length implant, conical connection	Stainless steel	 

L = Length







	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CG-D1143	Ø3.4-4.25 L=36.3	MGUIDE drill for Ø4.20 and Ø4.30 11.5mm length implant, conical connection	Stainless steel	 
	CG-D1343	Ø3.4-4.25 L=37.8	MGUIDE drill for Ø4.20 and Ø4.30 13mm length implant, conical connection	Stainless steel	 
	CG-D0850	Ø3.9-4.95 L=32.8	MGUIDE drill for Ø5 8mm length implant, conical connection	Stainless steel	 
	CG-D1050	Ø3.9-4.95 L=34.8	MGUIDE drill for Ø5 10mm length implant, conical connection	Stainless steel	 
	CG-D1150	Ø3.9-4.95 L=36.3	MGUIDE drill for Ø5 11.5mm length implant, conical connection	Stainless steel	 
	CG-D1350	Ø3.9-4.95 L=37.8	MGUIDE drill for Ø5 13mm length implant, conical connection	Stainless steel	 
	MG-DLG55	Ø5.5 L=55	MGUIDE drill length gauge	Titanium	 
	CG-GRN01	Ø5.5 L=30.5	MGUIDE C1 direct ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CG-GMN10	Ø5.5 L=31	MGUIDE C1 motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CG-GRN10	Ø5.5 L=26	MGUIDE C1 ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	VG-GRN01	Ø5.5 L=30.5	MGUIDE V3 direct ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	VG-GMN10	Ø5.5 L=31	MGUIDE V3 motor insertion tool, conical connection, narrow platform	Stainless steel	 

L = Length

MGUIDE surgical set, conical connection




	Cat. No.	Dimensions (mm)	Description	Material	Sold
	VG-GRN10	Ø5.5 L=25.5	MGUIDE V3 ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CG-GRS01	Ø5.5 L=31	MGUIDE V3/C1 direct ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CG-GMS10	Ø5.5 L=32	MGUIDE V3/C1 motor insertion tool, conical connection, standard platform	Stainless steel	 
	CG-GRS10	Ø5.5 L=27	MGUIDE C1 ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	VG-GRS10	Ø5.5 L=26	MGUIDE V3 ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CG-GRW01	Ø5.5 L=31	MGUIDE C1 direct ratchet insertion tool, conical connection, wide platform	Stainless steel	 
	CG-GMW10	Ø5.5 L=32	MGUIDE C1 motor insertion tool, conical connection, wide platform	Stainless steel	 
	CG-GRW10	Ø5.5 L=27	MGUIDE C1 ratchet insertion tool, conical connection, wide platform	Stainless steel	 
	CG-TAS55	Ø5.5 L=24	MGUIDE template anchoring screw, conical connection, standard platform	Titanium	 
	MG-FP020	Ø2 L=29	MGUIDE fixation pin	Titanium	 
	MG-DFP20	Ø2 L=35.3	MGUIDE drill for fixation pin	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-RA480		Ratchet to hex. adapter	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length

6 Diameters






MGUIDE

MGUIDE Surgical Set, Conical Connection, Narrow Sleeve

MG-K005
MGUIDE Surgical Set,
Narrow Sleeve



Cat. No.	Dimensions (mm)	Description	Material	Sold
 MG-NBM40	Ø4 L=24.5	MGUIDE Narrow Sleeve bone mill	Stainless steel	 
 MG-NTP40	Ø4 L=26	MGUIDE Narrow Sleeve tissue punch	Stainless steel	 
 MG-N0624	Ø2.4 L=30.8	MGUIDE Narrow Sleeve pilot drill for 6mm length implant	Stainless steel	 
 MG-N0824	Ø2.4 L=32.8	MGUIDE Narrow Sleeve pilot drill for 8mm length implant	Stainless steel	 





L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-N1024	Ø2.4 L=34.8	MGUIDE Narrow Sleeve pilot drill for 10mm length implant	Stainless steel	 
	MG-N1124	Ø2.4 L=36.3	MGUIDE Narrow Sleeve pilot drill for 11.5mm length implant	Stainless steel	 
	MG-N1324	Ø2.4 L=37.8	MGUIDE Narrow Sleeve pilot drill for 13mm length implant	Stainless steel	 
	CG-N0833	Ø2.3-3.25 L=32.8	MGUIDE Narrow Sleeve drill for Ø3.30, 8mm length implant, conical connection	Stainless steel	 
	CG-N1033	Ø2.3-3.25 L=34.8	MGUIDE Narrow Sleeve drill for Ø3.30, 10mm length implant, conical connection	Stainless steel	 
	CG-N1133	Ø2.3-3.25 L=36.3	MGUIDE Narrow Sleeve drill for Ø3.30, 11.5mm length implant, conical connection	Stainless steel	 
	CG-N1333	Ø2.3-3.25 L=37.8	MGUIDE Narrow Sleeve drill for Ø3.30, 13mm length implant, conical connection	Stainless steel	 
	CG-N0839	Ø2.9-3.85 L=32.8	MGUIDE Narrow Sleeve drill for Ø3.75 and Ø3.90, 8mm length implant, conical connection	Stainless steel	 
	CG-N1039	Ø2.9-3.85 L=34.8	MGUIDE Narrow Sleeve drill for Ø3.75 and Ø3.90, 10mm length implant, conical connection	Stainless steel	 
	CG-N1139	Ø2.9-3.85 L=36.3	MGUIDE Narrow Sleeve drill for Ø3.75 and Ø3.90, 11.5mm length implant, conical connection	Stainless steel	 
	CG-N1339	Ø2.9-3.85 L=37.8	MGUIDE Narrow Sleeve drill for Ø3.75 and Ø3.90, 13mm length implant, conical connection	Stainless steel	 
	MG-NLG40	Ø4 L=55	MGUIDE Narrow Sleeve drill length gauge	Titanium	 

L = Length

MGUIDE Surgical Set, Conical Connection, Narrow Sleeve

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CG-NMN10	Ø4 L=31	MGUIDE Narrow Sleeve C1 motor insertion tool, conical connection, narrow platform	Stainless steel	 
	CG-NMS10	Ø4 L=32	MGUIDE Narrow Sleeve V3/C1 motor insertion tool, conical connection, standard platform	Stainless steel	 
	CG-NRN10	Ø4 L=26	MGUIDE Narrow Sleeve C1 ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	CG-NRN01	Ø4 L=30.5	MGUIDE Narrow Sleeve C1 direct insertion tool, conical connection, narrow platform	Stainless steel	 
	CG-NRS10	Ø4 L=27	MGUIDE Narrow Sleeve C1 ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CG-NRS01	Ø4 L=31	MGUIDE Narrow Sleeve V3/C1 direct insertion tool, conical connection, standard platform	Stainless steel	 
	VG-NMN10	Ø4 L=31	MGUIDE Narrow Sleeve V3 motor insertion tool, conical connection, narrow platform	Stainless steel	 
	VG-NRN10	Ø4 L=25.5	MGUIDE Narrow Sleeve V3 ratchet insertion tool, conical connection, narrow platform	Stainless steel	 
	VG-NRN01	Ø4 L=30.5	MGUIDE Narrow Sleeve V3 direct insertion tool, conical connection, narrow platform	Stainless steel	 
	VG-NRS10	Ø4 L=26	MGUIDE Narrow Sleeve V3 ratchet insertion tool, conical connection, standard platform	Stainless steel	 
	CG-NTAS0	Ø4 L=24	MGUIDE Narrow Sleeve template anchoring screw, conical connection, standard platform	Titanium	 



L = Length





REGENERATIVE SOLUTIONS

MIS offers a range of regenerative materials for dental use aimed at providing solutions for a wide variety of clinical needs. MIS regenerative products are available in varying volumes and sizes for simple and easy delivery directly to the surgical site. High quality engineering and manufacturing processes ensure safety of all MIS products.





Bone Graft
Substitutes

4MATRIX - Bone Graft Cement



Cat. No.

Description



BS-4MX10

4MATRIX bone graft cement, 1cc



Bone Graft
Substitutes

BONDBONE®
Bonding Graft
Material



Cat. No. Description



BS-BB005 BONDBONE 0.5cc, 3 drivers



BS-BB010 BONDBONE 1cc, 3 drivers



Bone Graft
Substitutes

4BONE™ BCH - Synthetic Bone Substitute



Cat. No.	Description
BS-4BS01	4BONE BCH syringe 0.5cc, granule size: 0.5-1mm
BS-4BS1S	4BONE BCH tube 1cc, granule size: 0.5-1mm
BS-4BS25	4BONE BCH tube 2.5cc, granule size: 1-2mm




Barrier
Membrane


4BONE™ RCM - Resorbable Collagen Membrane




Cat. No. Description



BR-C1525 4BONE RCM membrane, 15x25mm



BR-C2030 4BONE RCM membrane, 20x30mm



BR-C3040 4BONE RCM membrane, 30x40mm




ADDITIONAL INFORMATION.


For your convenience, the following section provides an additional resource about products and processes that may require expanded explanations in the form of visuals, schematics, technical information or documentation.



Pilot Drills, External Irrigation















Step Drills, External Irrigation



Restorative Components

Guidelines for usage of MIS Restorative Components

Location ▶	Anterior Maxilla	Canine, Premolars and Molars				Premolars and Molars
Crown/ Implant Inclination Ratio	15° or 25°	Up to 3.5°			15° or 25°	Up to 4°
Gingival Height	Up to 3mm buccal Up to 4mm palatal	Up to 3mm buccal Up to 4mm lingual/palatal	Adjustable, based on abutment preparation. Heights 1, 3mm.	Up to 2mm	Up to 3mm buccal Up to 4mm lingual	According to gingival height available in heights of 1,2,3,4mm
Catalog Number	CS-A1510 CS-A2510	CS-A0010	CS-MAC10 CS-MC103	CS-GPC10 CS-GP010	CS-AN151 CS-AN251	CS-CPK61 CS-CPK62 CS-CPK63 CS-CPK64
Abutment ▶ description	Esthetic angulated abutment	Esthetic abutment	Standard post abutment	Screw-retained gold plastic abutment	Angulated abutment	Transgingival abutment
						
Upper view ▶				Bottom view 		

Alloy Composition

	Material	Titanium Alloy Ti 6Al 4V ELI	Gold-a	Gold-s	Gold-e	
	Application	C, K	L, G, K	L, G, K	L, K	
Composition	Gold %	-	60	61	70	
	Platinum %	-	19	13.5	8.50	
	Silver %	-	-	16.5	13.40	
	Palladium %	-	20	-	-	
	Copper %	-	-	9	7.50	
	Zinc %	-	-	Balance	0.05	
	Iridium %	-	-	Balance	-	0.10
	Titanium (max)	Balance	-	-	-	
	Carbon (max)	0.08	-	-	-	
	Iron (max)	0.25	-	-	-	
	Oxygen (max)	0.13	-	-	-	
	Nitrogen (max)	0.05	-	-	-	
	Hydrogen (max)	0.013	-	-	-	
	Aluminum	5.5-6.5	-	-	-	
	Vanadium	3.5-4.5	-	-	-	
	Melting range °C	1604-1660	1400-1490	950-1050	895-1010	
	Hardness	Soft annealing HV5	-	145	160	170
Hardened HV5		350-385	240	250	295	
Soft °C / min		-	100/30	750/5	750/5	
Hardened °C / min		-	700/30	350/15	450/15	

Legend: C-bonding K-resin L-soldering G-casting onto



QUATOR

RCM

V3

TITANIUM
BASE

MIS

MGUIDE

CPK

CPK

C1

V3

OT-EQUATOR

RCM

MIS

CPK

MIS

V3

MCENTER

CPK

OT-EQ

INDEX.



Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
B					
BR-C1525	119	CG-D0843	106	CK-CPK83	91
BR-C2030	119	CG-D0850	107	CK-CPK84	91
BR-C3040	119	CG-D1033	106	CK-NIC1	83
BS-4BS01	118	CG-D1039	106	CK-NIC6	83
BS-4BS1S	118	CG-D1043	107	CK-NIZ1	83
BS-4BS25	118	CG-D1050	107	CK-NIZ6	83
BS-4MX10	116	CG-D1133	106	CK-NOE1	93
BS-BB005	117	CG-D1139	106	CK-NOE2	93
BS-BB010	117	CG-D1143	107	CK-NOE3	93
		CG-D1150	107	CK-NOE4	93
		CG-D1333	106	CK-NOE5	94
		CG-D1339	106	CK-NPK41	90
		CG-D1343	107	CK-NPK42	90
		CG-D1350	107	CK-NPK43	90
		CG-GMN10	107	CK-NPK44	91
		CG-GMS10	108	CK-NPK61	91
		CG-GMW10	108	CK-NPK62	91
		CG-GRN01	107	CK-NPK63	91
		CG-GRN10	107	CK-NPK64	91
		CG-GRS01	108	CK-SIC1	83
		CG-GRS10	108	CK-SIC6	83
		CG-GRW01	108	CK-SIZ1	83
		CG-GRW10	108	CK-SIZ6	83
		CG-N0833	111	CK-SOE1	93
		CG-N0839	111	CK-SOE2	93
		CG-N1033	111	CK-SOE3	93
		CG-N1039	111	CK-SOE4	93
		CG-N1133	111	CK-SOE5	94
		CG-N1139	111	CK-SPC4	83
		CG-N1333	111	CK-SPZ4	83
		CG-N1339	111	CK-WOE1	93
		CG-NMN10	112	CK-WOE3	93
		CG-NMS10	112	CK-WPC4	83
		CG-NRN01	112	CK-WPK61	91
		CG-NRN10	112	CK-WPK62	91
		CG-NRS01	112	CK-WPK63	91
		CG-NRS10	112	CK-WPK64	91
		CG-NTAS0	112	CK-WPZ4	83
		CG-TAS55	108	CM-N1480	76
		CK-CPK41	90	CM-N2480	76
		CK-CPK42	90	CM-N3480	76
		CK-CPK43	90	CM-N5480	77
		CK-CPK44	91	CM-S1480	76
		CK-CPK61	91	CM-S2480	76
		CK-CPK62	91	CM-S3480	76
		CK-CPK63	91	CM-S4480	76
		CK-CPK64	91	CM-S5480	77
		CK-CPK81	91	CM-SO171	77
		CK-CPK82	91	CM-SO172	77
C					
C1-08375	17				
C1-08420	19				
C1-08500	21				
C1-10330	15				
C1-10375	17				
C1-10420	19				
C1-10500	21				
C1-11330	15				
C1-11375	17				
C1-11420	19				
C1-11500	21				
C1-13330	15				
C1-13375	17				
C1-13420	19				
C1-13500	21				
C1-16330	15				
C1-16375	17				
C1-16420	19				
C1-16500	21				
C1B-10330	23				
C1B-10375	23				
C1B-10420	23				
C1B-10500	23				
CG-D0833	106				
CG-D0839	106				

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
CM-SO301	77	CN-MAC10	89	CS-CPK44	92
CM-SO302	77	CN-MAC30	89	CS-CPK61	92
CM-W1480	76	CN-MAN10	85	CS-CPK62	92
CM-W3480	76	CN-NZL01	97	CS-CPK63	92
CM-WO171	77	CN-NZL02	97	CS-CPK64	92
CM-WO172	77	CN-NZL03	97	CS-CPK81	92
CM-WO301	77	CN-NZL04	97	CS-CPK82	92
CM-WO302	77	CN-NZL05	97	CS-CPK83	92
CN-AGT12	86	CN-PF330	71	CS-CPK84	92
CN-AN001	87	CN-RSM10	71	CS-EZB15	80
CN-AN003	87	CN-SP102	84	CS-GP010	79
CN-AN010	87	CN-TB001	81	CS-GPC10	79
CN-AN020	88	CN-TB002	82	CS-I0375	70
CN-AN310	88	CN-TB015	81	CS-IB091	86
CN-AN320	88	CN-TB030	81	CS-IB121	86
CN-AT002	87	CN-TBF15	82	CS-IC481	70
CN-AT102	87	CN-TBF30	82	CS-IC485	71
CN-AT202	88	CN-TC013	72	CS-IN060	81
CN-B1330	95	CN-TC023	72	CS-IN160	82
CN-B2330	95	CN-TC033	73	CS-IN360	82
CN-B3330	95	CN-TCI13	72	CS-IO391	70
CN-B4330	95	CN-TCI23	73	CS-IO395	70
CN-C2040	74	CN-TCI33	73	CS-IO485	70
CN-C3040	74	CN-TPA10	73	CS-IT300	71
CN-CPK41	91	CN-TPH50	73	CS-LEZ15	80
CN-CPK42	91	CS-A0010	87	CS-MAB10	86
CN-CPK43	91	CS-A0030	87	CS-MAC10	89
CN-CPK44	92	CS-A1510	88	CS-MAN10	85
CN-CPK61	92	CS-A1530	88	CS-MC103	89
CN-CPK62	92	CS-A2510	88	CS-PF375	71
CN-CPK63	92	CS-A2530	88	CS-RSM10	71
CN-CPK64	92	CS-AGT12	86	CS-SP102	84
CN-EZB15	80	CS-AN151	88	CS-SZL01	97
CN-GP010	79	CS-AN251	88	CS-SZL02	97
CN-GPC10	79	CS-AT002	87	CS-SZL03	97
CN-I0330	70	CS-AT152	88	CS-SZL04	97
CN-IB091	86	CS-AT252	88	CS-SZL05	97
CN-IB121	86	CS-B1375	95	CS-TB001	81
CN-IC401	70	CS-B2375	95	CS-TB002	82
CN-IC405	71	CS-B3375	95	CS-TB015	81
CN-IN060	81	CS-B4375	95	CS-TB030	81
CN-IN160	82	CS-B5375	95	CS-TBF15	82
CN-IN360	82	CS-C1540	74	CS-TBF30	82
CN-IO331	70	CS-C2040	74	CS-TC013	72
CN-IO335	70	CS-C3040	74	CS-TC023	72
CN-IO405	70	CS-C4040	74	CS-TC033	73
CN-IT300	71	CS-CPK41	91	CS-TCI13	72
CN-LEZ15	80	CS-CPK42	91	CS-TCI23	73
CN-MAB10	86	CS-CPK43	91	CS-TCI33	73

Cat. No.

Page

Cat. No.

Page

Cat. No.

Page

M

MB-DB235	96	MG-FP020	108	MM-LSD21	99
MB-DMH10	96	MG-K004	105	MM-PBU10	100
MB-GPS10	96	MG-K005	110	MM-PC100	100
MB-PPC10	96	MG-N0624	110	MM-RSD15	42
MB-PPR10	96	MG-N0824	111	MM-RSD15	60
MB-PRO10	96	MG-N1024	111	MM-RSD15	99
MB-RS375	95	MG-N1124	111	MM-RSD20	42
MB-SF200	96	MG-N1324	111	MM-RSD20	60
MB-TBS10	96	MG-NBM40	110	MM-RSD20	98
MB-TBS20	96	MG-NLG40	112	MM-RSM40	75
MB-TTP10	96	MG-NTP40	110	MM-SP100	75
MD-E0220	80	MG-TMP10	104	MM-SP100	84
MD-G0213	71	MG-TMP20	104	MM-TCO40	75
MD-G0213	71	MG-TP055	105	MM-TCI40	75
MD-G0220	79	MK-0022	64	MM-TRU10	100
MD-G0220	89	MK-0023	57	MN-E0160	80
MD-S0200	88	MK-0024	58	MN-G0160	71
MD-S0220	71	MK-0057	84	MN-S0160	71
MD-S0220	71	MK-BC101	53	MN-S0160	73
MD-S0220	73	MK-C101	62	MN-S0160	79
MD-S0220	73	MK-CDS08	54	MN-S0160	82
MD-S0220	79	MK-CDS10	54	MN-S0160	88
MD-S0220	79	MK-CDS11	54	MN-S0160	89
MD-S0220	82	MK-CDS13	54	MO1-10300	25
MD-S0220	82	MK-PIC01	66	MO1-10350	27
MD-S0220	88	MM-CC040	75	MO1-11300	25
MD-S0220	88	MM-CCI40	75	MO1-11350	27
MD-S0220	89	MM-GB100	100	MO1-13300	25
MD-S0220	89	MM-GBU10	100	MO1-13350	27
MG2-06160	29	MM-H0540	74	MO1-16300	25
MG2-08160	29	MM-H1540	74	MO1-16350	27
MG2-10160	29	MM-IC008	74	MO-CO160	55
MG2-12160	29	MM-IO007	75	MO-CO200	55
MG-BM047	105	MM-IOI07	75	MO-CO240	55
MG-BM055	105	MM-LBP10	98	MO-CO280	55
MG-D0624	105	MM-LCT10	42	MO-SO300	56
MG-D0824	105	MM-LCT10	61	MO-SO350	56
MG-D1024	106	MM-LCT10	98	MO-SO400	56
MG-D1124	106	MM-LEL10	98	MT-A4022	65
MG-D1324	106	MM-LELE1	98	MT-AL005	41
MG-DFF20	108	MM-LER10	98	MT-B4018	65
MG-DLG55	107	MM-LFA40	98	MT-BC280	63
		MM-LFA50	98	MT-BC320	63
		MM-LIC10	98	MT-BC380	63
		MM-LLR10	98	MT-BC450	63
		MM-LMP02	98	MT-BTI20	38
		MM-LPP10	98	MT-BTI20	49
		MM-LRM10	98	MT-BTT20	52
		MM-LSD15	99	MT-C3125	65

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MT-CS450	42	MT-PD440	30	MT-SM005	39
MT-CSN33	33	MT-PD440	45	MT-SM005	41
MT-CSN33	46	MT-PDM24	30	MT-SM005	59
MT-DE001	39	MT-PDM24	45	MT-SMD10	30
MT-DE001	49	MT-PP001	52	MT-SMD10	45
MT-ELM10	75	MT-PP240	39	MT-SMD10	51
MT-ELM10	80	MT-RA480	40	MT-SMD10	56
MT-ELR10	61	MT-RA480	43	MT-SRA10	40
MT-ELR10	75	MT-RA480	109	MT-SRH20	56
MT-ELR10	80	MT-RB225	42	MT-TDN20	51
MT-ESM10	75	MT-RB225	60	MT-TDO01	29
MT-ESM10	80	MT-RB225	96	MT-TDT30	51
MT-ESR10	75	MT-RDE30	38	MT-TP500	40
MT-ESR10	80	MT-RDE30	42	MT-TSD10	44
MT-F2121	65	MT-RDL30	38	MT-UML21	39
MT-GDM01	42	MT-RDL30	43	MT-UML21	52
MT-GDN33	33	MT-RDL30	49	MT-UMS21	39
MT-GDN33	47	MT-RDL30	59	MT-UN002	60
MT-GDN50	33	MT-RDL30	94	MT-URA10	42
MT-GDN50	47	MT-RDL30	109	MT-URA10	61
MT-HHR07	43	MT-RDM30	39	MT-US002	60
MT-HHR13	43	MT-RDM30	43	MT-UW002	60
MT-HKO21	39	MT-RDS30	38	MU-BGC48	77
MT-HLI10	56	MT-RDS30	43	MU-CC480	77
MT-HSI10	56	MT-RDS30	49	MU-CP048	77
MT-HTS10	42	MT-RDS30	59	MU-G0220	77
MT-IT100	41	MT-RDS30	94	MU-H4480	77
MT-K2023	65	MT-RE160	39	MU-I0480	78
MT-LCD20	29	MT-RE160	43	MU-IT480	78
MT-LM005	39	MT-RE160	48	MU-MAN10	78
MT-LM005	41	MT-RE160	60	MU-MAN10	85
MT-LM005	59	MT-RE172	39	MU-MG480	78
MT-LRH20	56	MT-RE172	43	MU-RSM48	77
MT-MSD20	29	MT-RE172	48	MU-S0220	77
MT-MSD20	41	MT-RE172	60	MU-SP102	78
MT-MSD20	61	MT-RI030	40	MU-SP102	84
MT-MUML2	43	MT-RI030	44	MU-TO480	78
MT-MUML2	60	MT-RI030	52	MWH-2STUB	67
MT-MUML2	78	MT-RI030	56	MWH-CAL59	67
MT-MUMS2	43	MT-RI030	109	MWH-M06002	67
MT-MUMS2	78	MT-RI040	44	MWH-M07002	67
MT-MURL2	43	MT-RI040	61	MWH-M7559	67
MT-MURL2	59	MT-RKL21	39	MWH-MMOTR	67
MT-MURL2	78	MT-RKL21	52		
MT-MURS2	43	MT-RKS15	39		
MT-MURS2	78	MT-RKS15	52		
MT-NB225	42	MT-RT070	40		
MT-NB225	96	MT-RT070	49		
MT-P2416	51	MT-SCD20	29		

Cat. No.

Page

O

OE-IC001	94
OE-IC002	94
OE-RCB01	94
OE-RCP01	94
OE-RCV01	94
OE-RCW01	94
OE-RCY01	94
OE-RSM60	94

V

V3-08390	9
V3-08430	11
V3-08500	13
V3-10330	7
V3-10390	9
V3-10430	11
V3-10500	13
V3-11330	7
V3-11390	9
V3-11430	11
V3-11500	13
V3-13330	7
V3-13390	9
V3-13430	11
V3-13500	13
V3-16330	7
V3-16390	9
V3-16430	11
V3-16500	13
V3B-10330	23
V3B-10390	23
V3B-10430	23
V3B-10500	23
VG-GMN10	108
VG-GRN01	107

Cat. No.


Page


VG-GRN10	108
VG-GRS10	108
VG-NMN10	112
VG-NRN01	112
VG-NRN10	112
VG-NRS10	112
VK-CPK61	91
VK-CPK62	91
VK-CPK63	91
VK-CPK64	91
VK-CPK81	91
VK-CPK82	91
VK-CPK83	91
VK-CPK84	91
VK-NIC1	83
VK-NIC6	83
VK-NIZ1	83
VK-NIZ6	83
VK-NPK41	90
VK-NPK42	90
VK-NPK43	90
VK-NPK44	91
VK-NPK61	91
VK-NPK62	91
VK-NPK63	91
VK-NPK64	91
VN-AGT12	86
VN-AT001	87
VN-AT002	87
VN-AT003	87
VN-AT101	87
VN-AT102	87
VN-AT103	88
VN-AT201	88
VN-AT202	88
VN-AT203	88
VN-EZB15	80
VN-GPC10	79
VN-IB091	86
VN-IB121	86
VN-IC400	71
VN-IC401	70
VN-IC405	71
VN-IN060	81
VN-IN160	82
VN-IN360	82
VN-IO331	70
VN-IO335	70
VN-IO401	70

Cat. No.


Page

VN-IO405	70
VN-LEZ15	80
VN-MAB10	86
VN-MAN10	85
VN-MC101	89
VN-MC103	89
VN-P4140	91
VN-P4240	91
VN-P4340	91
VN-P4440	92
VN-P6140	92
VN-P6240	92
VN-P6340	92
VN-P6440	92
VN-PF340	71
VN-RSM10	71
VN-SP102	84
VN-TB001	81
VN-TB015	81
VN-TB030	81
VN-TCI13	72
VN-TCI23	73
VN-TCI33	73
VN-TPA10	73
VN-TPH50	73
VS-AT001	87
VS-AT002	87
VS-AT003	87
VS-AT152	88
VS-AT153	88
VS-AT252	88
VS-AT253	88
VS-MC101	89
VS-MC103	89
VS-P6155	92
VS-P6255	92
VS-P6355	92
VS-P6455	92
VS-P8155	92
VS-P8255	92
VS-P8355	92
VS-P8455	92
VS-TC013	72
VS-TC023	72
VS-TC033	73
VS-TCI13	72
VS-TCI23	73
VS-TCI33	73





The MIS Quality System complies with international quality standards: ISO 13485: 2016 - Quality Management System for Medical Devices, ISO 9001: 2008 - Quality Management System and Medical Device Directive 93/42/EEC. Please note, not all products are registered or available in every country/region.



Conical connection
for optimal seal

Engineered for bone
stress reduction

Soft tissue preservation
and growth

Simple Procedure

Designed for more bone

Learn more about
MIS Implants.
Visit our website:
www.mis-implants.com

mis[®]
MAKE IT SIMPLE

