




Internal Hexagon
Product Catalog, 2019



The MIS vision, to be the preferred choice of dentists worldwide by simplifying their world, has guided the company on its way. Through creative thinking, passion and persistence, driven to be better while maintaining its core values, MIS Implants Technologies Ltd. has evolved into the innovation hub of expertise that it is today, and is building its future through excellence. In this catalog, you'll find the comprehensive range of MIS internal hex. implants and their corresponding prosthetic components and tools, as well as regenerative solutions.








TABLE OF CONTENTS



IMPLANT SYSTEMS

6 - 31	Implant Systems
32 - 50	Tools
51 - 79	Kits



PROSTHETICS

82 - 83	Impression Coping
84 - 85	Temporary Restoration
86 - 90	Screw Retained Restoration
91 - 96	Digital Restoration
97 - 104	Cemented Restoration
105 - 113	Overdenture



MGUIDE - DIGITAL DENTISTRY

116 - 123 MGUIDE



REGENERATIVE SOLUTIONS


126 - 128 Bone Graft Substitutes
129 Barrier Membrane



ADDITIONAL INFORMATION
130 - 138



INDEX





IMPLANT SYSTEMS.


MIS proudly offers an extensive range of implant systems, providing simple solutions for a wide variety of clinical scenarios, from basic to complex. Our implants are the outcome of an exceptionally high-level R&D process resulting in implant systems that are simple, yet offer enhanced functionality and performance features. MIS implants are made of biocompatible, medical grade titanium alloy, with a surface of the highest quality. They are treated by both sand blasting and acid-etching, to promote extraordinary cleanliness and facilitate long-lasting osseointegration.









Implant
Systems

SEVEN Internal Hex.
Ø3.30 NP




	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF7-10330	Ø3.30 L=10	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-11330	Ø3.30 L=11.5	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-13330	Ø3.30 L=13	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
	MF7-16330	Ø3.30 L=16	SEVEN internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø3.30mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	200-400	15-25	
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.20 Ø3.20	Ø3.30




Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.




Implant
Systems


SEVEN Internal Hex.
Ø3.75 SP



Implant Cover Screw
and Healing Caps:



MH-03375
MH-04375
MH-05375
MH-06375



MH-A3375
MH-A4375
MH-A5375
MH-A6375



MH-53375
MH-54375
MH-55375
MH-56375



MH-S0448
MH-S0548
MH-S0648




MC1-00375

Cat. No.	Dimensions (mm)	Description	Material	Item includes
 MF7-08375	Ø3.75 L=8	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10375	Ø3.75 L=10	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11375	Ø3.75 L=11.5	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13375	Ø3.75 L=13	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-16375	Ø3.75 L=16	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-18375	Ø3.75 L=18	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-20375	Ø3.75 L=20	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø3.75mm Implant Procedure



Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.




Implant Systems


SEVEN Internal Hex.
Ø4.20 SP



Implant Cover Screw and Healing Caps:



MH-03375
MH-04375
MH-05375
MH-06375



MH-A3375
MH-A4375
MH-A5375
MH-A6375




MH-53375
MH-54375
MH-55375
MH-56375



MH-S0448
MH-S0548
MH-S0648




MC1-00375

Cat. No.	Dimensions (mm)	Description	Material	Item includes
 MF7-06420	Ø4.20 L=6	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-08420	Ø4.20 L=8	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10420	Ø4.20 L=10	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11420	Ø4.20 L=11.5	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13420	Ø4.20 L=13	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-16420	Ø4.20 L=16	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-18420	Ø4.20 L=18	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-20420	Ø4.20 L=20	SEVEN internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø4.20mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	200-400	200-500	15-25		
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø3.20	Ø3.50 Ø4.10	Ø3.30 Ø4.20	Ø4.20




Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant
Systems

SEVEN Internal Hex.
Ø5 WP



Implant Cover Screw
and Healing Caps:



MH-W3500
MH-W4500
MH-W5500



MH-W3630
MH-W4630
MH-W5630



MH-W0455
MH-W0555
MH-W0655



MC1-00470

Cat. No.	Dimensions (mm)	Description	Material	Item includes
 MF7-06500	Ø5 L=6	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-08500	Ø5 L=8	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10500	Ø5 L=10	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11500	Ø5 L=11.5	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13500	Ø5 L=13	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-16500	Ø5 L=16	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø5mm Implant Procedure

Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	200-400	200-500	15-25		
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø4	Ø4	Ø4.30 Ø4.90	Ø5	Ø5
								Final drill for bone types 1&2	OR	Countersink for bone types 3&4 (MT-GDN50)




Do not use the final drill for bone types 3&4. The drilling sequence is illustrated using a 13mm implant. Procedures recommended by MIS cannot replace the judgment and professional experience of the surgeon.



Implant
Systems

SEVEN Internal Hex.
Ø6 WP



Implant Cover Screw
and Healing Caps:



MH-W3500
MH-W4500
MH-W5500








MH-W3630
MH-W4630
MH-W5630



MH-W0455
MH-W0555
MH-W0655



MC1-00470

Cat. No.	Dimensions (mm)	Description	Material	Item includes
 MF7-06600	Ø6 L=6	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-08600	Ø6 L=8	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-10600	Ø6 L=10	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-11600	Ø6 L=11.5	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill
 MF7-13600	Ø6 L=13	SEVEN internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw Final drill

L = Length

Ø6mm Implant Procedure


Drilling Speed (RPM)	1200-1500	900-1200		500-700	400-700	400-600	300-500	300-500		200-400	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.40	Ø2.80	Ø3.20	Ø4	Ø4.50	Ø5	Ø5	Ø4.30 Ø5.90	Ø6	Ø6
										Final drill for bone types 1&2	OR	Countersink for bone types 3&4 (MT-GDN50)









Implant
Systems

M4 Internal Hex.
Ø3.30 NP




Implant Cover Screw and Healing Caps:		Ø4mm 2/3/4/6/8mm	MH-N2330 MH-N3330 MH-N4330 MH-N6330 MH-N8330
		Ø4.3mm 2/3/4/5/6mm	MH-52330 MH-53330 MH-54330 MH-55330 MH-56330
		Ø4mm 4/5/6mm	MH-N0440 MH-N0540 MH-N0640
			MC1-00330

	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF4-10330	Ø3.30 L=10	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-11330	Ø3.30 L=11.5	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-13330	Ø3.30 L=13	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-16330	Ø3.30 L=16	M4 internal hex. implant, narrow platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø3.30mm Implant Procedure


Drilling Speed (RPM)	1200-1500	900-1200	500-700	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.00 Ø3.30	Ø3.30






Implant
Systems


M4 Internal Hex.
Ø3.75 SP



Implant Cover Screw
and Healing Caps:



MH-03375
MH-04375
MH-05375
MH-06375



MH-A3375
MH-A4375
MH-A5375
MH-A6375








MH-53375
MH-54375
MH-55375
MH-56375



MH-S0448
MH-S0548
MH-S0648




MC1-00375

Cat. No.	Dimensions (mm)	Description	Material	Item includes
 MF4-08375	Ø3.75 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10375	Ø3.75 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11375	Ø3.75 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13375	Ø3.75 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16375	Ø3.75 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø3.75mm Implant Procedure



Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.75	Ø3.75






Implant
Systems


M4 Internal Hex.
Ø4.20 SP



Implant Cover Screw
and Healing Caps:



MH-03375
MH-04375
MH-05375
MH-06375



MH-A3375
MH-A4375
MH-A5375
MH-A6375



MH-53375
MH-54375
MH-55375
MH-56375



MH-S0448
MH-S0548
MH-S0648



MC1-00375

	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MF4-06420	Ø4.20 L=6	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-08420	Ø4.20 L=8	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-10420	Ø4.20 L=10	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-11420	Ø4.20 L=11.5	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-13420	Ø4.20 L=13	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
	MF4-16420	Ø4.20 L=16	M4 internal hex. implant, standard platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø4.20mm Implant Procedure


Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.80	Ø4.20	Ø4.20





Implant
Systems

M4 Internal Hex.
Ø5 WP



Implant Cover Screw
and Healing Caps:



MH-W3500
MH-W4500
MH-W5500









MH-W3630
MH-W4630
MH-W5630



MH-W0455
MH-W0555
MH-W0655




MC1-00470

Cat. No.	Dimensions (mm)	Description	Material	Item includes
 MF4-06500	Ø5 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08500	Ø5 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10500	Ø5 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11500	Ø5 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13500	Ø5 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-16500	Ø5 L=16	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø5mm Implant Procedure



Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	400-600	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.80	Ø4.50	Ø5	Ø5





Implant
Systems

M4 Internal Hex.
Ø6 WP



Implant Cover Screw
and Healing Caps:



MH-W3500
MH-W4500
MH-W5500








MH-W3630
MH-W4630
MH-W5630



MH-W0455
MH-W0555
MH-W0655



Cat. No.	Dimensions (mm)	Description	Material	Item includes
 MF4-06600	Ø6 L=6	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-08600	Ø6 L=8	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-10600	Ø6 L=10	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-11600	Ø6 L=11.5	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw
 MF4-13600	Ø6 L=13	M4 internal hex. implant, wide platform	Titanium Alloy Ti 6Al 4V ELI	Cover screw

L = Length

Ø6mm Implant Procedure


Drilling Speed (RPM)	1200-1500	900-1200	500-700	400-700	400-600	400-600	300-500	300-500	200-500	15-25
Diameter	Ø1.90	Ø2.40	Ø2.80	Ø3.20	Ø3.80	Ø4.50	Ø5	Ø5.50	Ø6	Ø6









Implant
Systems

UNO One-Piece Implant Ø3



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MO1-10300	Ø3 L=10	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-11300	Ø3 L=11.5	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-13300	Ø3 L=13	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-16300	Ø3 L=16	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	

L = Length

Ø3mm Implant Procedure


	1200-1500	900-1200	700-900	15-25
Drilling Speed (RPM)				
Diameter	Ø1.90	Ø2	Ø2	Ø2.40
			Ø2.40	Ø3









Implant
Systems

UNO One-Piece Implant Ø3.50



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MO1-10350	Ø3.50 L=10	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-11350	Ø3.50 L=11.5	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-13350	Ø3.50 L=13	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	
	MO1-16350	Ø3.50 L=16	UNO One-Piece implant	Titanium Alloy Ti 6Al 4V ELI	

L = Length

Ø3.50mm Implant Procedure



Drilling Speed (RPM)	1200-1500	900-1200	700-900	500-700	15-25		
Diameter	Ø1.90	Ø2	Ø2	Ø2.40	Ø3	Ø3	Ø3.50













Implant
Systems

LINK - Orthodontic Anchor Screw



	Cat. No.	Dimensions (mm)	Description	Material	Item includes
	MG2-06160	Ø1.6 L=6	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-08160	Ø1.6 L=8	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-10160	Ø1.6 L=10	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MG2-12160	Ø1.6 L=12	LINK - Orthodontic anchor screw	Titanium Alloy Ti 6Al 4V ELI	
	MT-TDO01	Ø1 L=28	LINK - Orthodontic anchor pilot drill	Stainless steel	
	MT-SCD20	L=28	Short cross driver for orthodontic screws	Stainless steel	
	MT-LCD20	L=54	Long cross driver for orthodontic screws	Stainless steel	
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	













L = Length












Tools

Step Pilot Drills - External Irrigation



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TDN20	Ø2 L=37.3	Pilot drill, external irrigation	Stainless steel	 
	CT-P2406	Ø2.4/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	 
	CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
	CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 


L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 
	CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
	CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 

L = Length



6 Depth Marks



















Tools

SEVEN and M4 - Twist Drills Internal Irrigation



Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TD280	Ø2.80 L=37.5	Twist drill, internal irrigation	Stainless steel	
 MT-TD320	Ø3.20 L=37.6	Twist drill, internal irrigation	Stainless steel	
 MT-TD380	Ø3.80 L=37.8	Twist drill, internal irrigation	Stainless steel	
 MT-TD400	Ø4 L=37.8	Twist drill, internal irrigation	Stainless steel	

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TD450	Ø4.50 L=38.2	Twist drill, internal irrigation	Stainless steel	
	MT-TD500	Ø5 L=38.2	Twist drill, internal irrigation	Stainless steel	
	MT-TD550	Ø5.50 L=38.2	Twist drill, internal irrigation	Stainless steel	

L = Length

Internal Irrigation Drills




















Tools

SEVEN - Twist Drills External Irrigation



Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 


L = Length



Tools

M4 - Twist Drills External Irrigation



Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 
 MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
 MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 









L = Length









Tools

SEVEN and M4 - Short Twist Drills External Irrigation



Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDI28	Ø2.80 L=30	Short twist drill	Stainless steel	
 MT-TDI32	Ø3.20 L=30	Short twist drill	Stainless steel	
 MT-TDI38	Ø3.80 L=30	Short twist drill	Stainless steel	
 MT-TDI40	Ø4.0 L=30	Short twist drill	Stainless steel	

L = Length


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TDI45	Ø4.50 L=30	Short twist drill	Stainless steel	
	MT-TDI50	Ø5.0 L=30	Short twist drill	Stainless steel	
	MT-TDI55	Ø5.50 L=30	Short twist drill	Stainless steel	

L = Length



7

Drilling Diameter Options

























Tools

Marking Drills and Countersinks



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
	MT-TD110	Ø1.90 L=34	Marking drill, internal irrigation	Stainless steel	
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-PD440	Ø4 L=32.7	Position drill	Stainless steel	 


L = Length

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	 
 MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
 MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 

L = Length



5 Countersinks Depth Marks











Tools

Ceramic Drills



	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-CRD21	Ø2.10 L=28.5	Ceramic marking drill	Ceramic	
	MT-CRD20	Ø2 L=33.5	Ceramic pilot drill	Ceramic	
	MT-CRD28	Ø2.80 L=35	Ceramic twist drill	Ceramic	







L = Length



Tools

Trepine Burrs



Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-00400	Ø4/5 L=37	Trepine burr	Stainless steel	
 MT-00500	Ø5/6 L=37	Trepine burr	Stainless steel	
 MT-00600	Ø6/7 L=37	Trepine burr	Stainless steel	

L = Length

































Tools

Surgical Tools


































	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-HSI10	L=24.4	Short insertion tool, internal hex.	Stainless steel	
	MT-HLI10	L=28.2	Long insertion tool, internal hex.	Stainless steel	
	MT-SRH20	L=22.3	Short insertion tool, internal hex.	Stainless steel	
	MT-LRH20	L=32.3	Long insertion tool, internal hex.	Stainless steel	
	MT-MRH10	L=19	Hex. ratchet short adapter, internal hex.	Stainless steel	
	MT-MRH20	L=25	Hex. ratchet long adapter, internal hex.	Stainless steel	

L = Length












	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-NRH10	L=25	Long ratchet adapter, internal hex., narrow platform	Stainless steel	 
	MT-NRH20	L=25	Hex. ratchet long adapter, internal hex., narrow platform	Stainless steel	
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-HDS30	L=16	Short driver for 0.05 inch hex.	Stainless steel	
	MT-HDL30	L=22	Long driver for 0.05 inch hex.	Stainless steel	
	MT-RMR05	L=27.5	Short direct hand and ratchet key	Stainless steel	
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 
	MT-HMR05	L=20.5	Short direct hand and ratchet hex. key	Stainless steel	

L = Length

Surgical Tools


	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-HMR10	L=25	Long direct hand and ratchet hex. key	Stainless steel	
	MT-SRA10	L=15.50	Square connection to ratchet adapter	Stainless steel	
	MT-PP001	Ø2.0/3.20 L=24	Parallel pin	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-HW001	L=13	Hand wrench	Stainless steel	 
	MT-TP500	Ø4.5 L=28	Tissue punch	Stainless steel	
	MT-DI001	L=17	Implant direction indicator	Stainless steel	 
	MT-RKS15	L=13.5	UNO One-Piece short key	Stainless steel	 
	MT-RKL21	L=18	UNO One-Piece long key	Stainless steel	 
	MT-HKS15	L=12	UNO One-Piece implant short key	Stainless steel	
	MT-HKL21	L=17	UNO One-Piece implant long key	Stainless steel	 
	MT-HKO21	L=18.8	UNO One-Piece implant insertion tool	Stainless steel	

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-UMS21	L=22	UNO One-Piece implant short motor adapter	Stainless steel	
	MT-UML21	L=30	UNO One-Piece long motor adapter	Stainless steel	 
	MT-RT070	L=95	Surgical torque ratchet		 
	MT-RA480		Ratchet to hex. adapter	Stainless steel	
	MT-MFXGS		MIS MULTIFIX Guide Strip		

L = Length

7 Connection Types




















Tools

Prosthetic Instruments




























Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-AL005	L=72	Allen key for 0.05 inch hex.	Stainless steel	
 MT-TSD10	L=50	Screwdriver for titanium ball cap	Stainless steel	
 MT-IT100	L=16.5	Impression coping key for closed tray	Stainless steel	
 MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
 MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
 MT-NB225	L=22	Ball attachment anchor key	Stainless steel	

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
	MT-URA10	L=27	Universal hand driver ratchet head adapter	Stainless steel	 
	MT-UN002	L=24	Implant analog for universal hand driver, internal hex., narrow platform	Stainless steel	 
	MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
	MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
	MT-CS450		Shoulder reamer	Stainless steel	
	MT-HTS10	L=142.5	Technical hex. screwdriver	Stainless steel+ plastic	 
	MT-GDM01	Ø2/4/6/8	Gingival depth measuring instrument	Stainless steel	
	MM-LCT10	L=83	Locator core tool	Steel / Titanium Nitride coated Ti	 
	MM-RSD15	L=19	Locator short torque ratchet driver	Stainless steel	 
	MM-RSD20	L=24	Locator long torque ratchet driver	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 

L = Length

Prosthetic Instruments

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-RDM30	L=11.50	Extra-short driver for 0.05 inch hex.	Stainless steel	
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RDE30	L=32	Extra-long driver for 0.05 inch hex.	Stainless steel	
	MT-RE172	L=28.5	Internal connection abutment extractor	Titanium	 
	MT-RE160	L=28.5	Internal connection abutment extractor, narrow platform	Titanium	 
	MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 
	ET-IT002		OT-Equator handling tool		 
	MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length





















Kits

SEVEN Surgical Kit

The SEVEN Surgical Kit is also available with a monoblock ratchet.
Product number: MK-EI48



MK-T048
SEVEN Surgical Kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
 MT-SMD10	L=30	Spade marking drill	Stainless steel	 
 CT-P2406	Ø2.40/2.0 L=31.8	Step pilot drill with built-in stopper for 6mm length implants	Stainless steel	 
 CT-P2408	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 8mm length implants	Stainless steel	 
 CT-P2410	Ø2.4/2.0 L=28	Step pilot drill with built-in stopper for 10mm length implants	Stainless steel	 
 CT-P2411	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 11.5mm length implants	Stainless steel	 

L = Length

SEVEN Surgical Kit













	Cat. No.	Dimensions (mm)	Description	Material	Sold
	CT-P2413	Ø2.4/2.0 L=33	Step pilot drill with built-in stopper for 13mm length implants	Stainless steel	 
	CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
	MT-TDT28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT32	Ø3.20 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT40	Ø4 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-TDT45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-TDT50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
	CT-BTC24	Ø2.4 L=28.5	Body try-in	Titanium	 
	MT-BTT28	Ø2.80 L=28.5	Body try-in	Titanium	 
	MT-BTT32	Ø3.20 L=28.5	Body try-in	Titanium	 
	MT-BTT40	Ø4 L=28.5	Body try-in	Titanium	 
	MT-BTT45	Ø4.50 L=28.5	Body try-in	Titanium	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-BTT50	Ø5 L=28.5	Body try-in	Titanium	 
	MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
	MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
	MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	 
	MT-HLI10	L=28.2	Long insertion tool, internal hex.	Stainless steel	 
	MT-HSI10	L=24.4	Short insertion tool, internal hex.	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-LRH20	L=32.3	Long insertion tool, internal hex.	Stainless steel	 
	MT-SRH20	L=22.3	Short insertion tool, internal hex.	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 

L = Length

SEVEN Surgical Kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
 MT-NRH10	L=25	Long ratchet adapter, internal hex., narrow platform	Stainless steel	 
 MD-PF375 MN-PF330	Ø5, L=11 Ø4.5, L=11	Direct press fit for closed tray, internal hex.	Titanium	 
 MT-RT070	L=95	Surgical torque ratchet		 

L = Length

NEW



MK-SD01 
SEVEN drill replacement kit


















Kits

M4 Surgical Kit



MK-0016
M4 Surgical Kit
















Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-SMD10	L=30	Spade marking drill	Stainless steel	 
 MT-TDN19	Ø1.90 L=34	Marking drill, external irrigation	Stainless steel	 
 CT-P2416	Ø2.4/2.0 L=37.5	Step pilot drill for 16mm length implants	Stainless steel	 
 MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 

L = Length

M4 Surgical Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
	MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
	MT-DE001	L=24	Drill extender	Stainless steel	 
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-HSI10	L=24.4	Short insertion tool, internal hex.	Stainless steel	 
	MT-HLI10	L=28.2	Long insertion tool, internal hex.	Stainless steel	 
	MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	 
	MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
	MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 
	MT-PP240	Ø2.40-3 L=24	Parallel pin	Stainless steel	 


L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-LRH20	L=32.3	Long insertion tool, internal hex.	Stainless steel	 
	MT-SRH20	L=22.3	Short insertion tool, internal hex.	Stainless steel	 
	MT-RMR10	L=38.5	Long direct hand and ratchet key	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length



5 Procedures























Kits










M4 Drilling Set



MK-0014
M4 Drilling Set


Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-TDN28	Ø2.80 L=37.5	Twist drill, external irrigation	Stainless steel	 
 MT-TDN32	Ø3.20 L=37.6	Twist drill, external irrigation	Stainless steel	 
 MT-TDN38	Ø3.80 L=37.8	Twist drill, external irrigation	Stainless steel	 
 MT-TDN45	Ø4.50 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN50	Ø5 L=38.2	Twist drill, external irrigation	Stainless steel	 
 MT-TDN55	Ø5.50 L=38.2	Twist drill, external irrigation	Stainless steel	 

L = Length

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-CSN33	Ø3.30 L=31	Countersink, narrow platform	Stainless steel	 
 MT-GDN33	Ø3.75/4.20 L=26	Countersink, standard platform	Stainless steel	 
 MT-GDN50	Ø5/6 L=26.8	Countersink, wide platform	Stainless steel	 

L = Length

6 Depth Options























Kits













UNO Implant Surgical Kit



MK-0036
UNO Implant Surgical Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-P2416	Ø2.40 L=37.5	Pilot drill for 16mm length implants	Stainless steel	 
	MT-TDN20	Ø2 L=37.3	Pilot drill, external irrigation	Stainless steel	 
	MT-TDT30	Ø3 L=37.5	Twist drill, external irrigation	Stainless steel	 
	MT-BTT20	Ø2 L=28.5	Body try-in	Titanium	 
	MT-UML21	L=30	UNO One-Piece long motor adapter	Stainless steel	 


L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-PP001	Ø2.0/3.20 L=24	Parallel pin	Stainless steel	 
	MT-RKS15	L=13.5	UNO One-Piece short key	Stainless steel	 
	MT-RKL21	L=18	UNO One-Piece long key	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 

L = Length



2 Key Heights





Kits

SEVEN Drill Stoppers Kit - Standard Platform



Cat. No.

Dimensions (mm)

Description

Material

Sold



MK-BS001

Drill stopper kit for SEVEN implant,
standard platform

L = Length








Kits

SEVEN Drill Stopper Kits - Depth Based



MK-SDS##
Drill stoppers kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MK-SDS06	L=6	Drill stoppers kit for 6mm SEVEN implants	Stainless steel	
 MK-SDS08	L=8	Drill stoppers kit for 8mm SEVEN implants	Stainless steel	
 MK-SDS10	L=10	Drill stoppers kit for 10mm SEVEN implants	Stainless steel	
 MK-SDS11	L=11.5	Drill stoppers kit for 11.5mm SEVEN implants	Stainless steel	
 MK-SDS13	L=13	Drill stoppers kit for 13mm SEVEN implants	Stainless steel	

L = Length



























Kits

MIS MULTIFIX Drilling Set for 18 and 20mm Implants



MK-0058
Drilling set for 18 and 20mm implants

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-ETD24	Ø2.4 L=39	Extra-long twist drill	Stainless steel	 
 MT-ETD28	Ø2.8 L=39	Extra-long twist drill	Stainless steel	 
 MT-ETD32	Ø3.2 L=39	Extra-long twist drill	Stainless steel	 
 MT-ETD38	Ø3.8 L=39	Extra-long twist drill	Stainless steel	 
 MT-LBT24	Ø2.4 L=34	Long body try-in	Stainless steel	 
 MT-LBT28	Ø2.8 L=34	Long body try-in	Stainless steel	 
 MT-LBT32	Ø3.2 L=34	Long body try-in	Stainless steel	 
 MT-LBT38	Ø3.8 L=34	Long body try-in	Stainless steel	 

L = Length





















Kits

MIS MULTIFIX Bone Profiler Kit



MK-0059
Bone Profiler Kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MT-BP320	Ø3.2	Bone profiler, internal hex., narrow platform	Stainless steel	 
 MT-BP370	Ø3.7	Bone profiler, internal hex., standard platform	Stainless steel	 
 MT-BP460	Ø4.6	Bone profiler, internal hex., wide platform	Stainless steel	 
 MT-BGP32	Ø3.2	Bone profiler guide pin, internal hex., narrow platform	Stainless steel	 
 MT-BGP37	Ø3.7	Bone profiler guide pin, internal hex., standard platform	Stainless steel	 
 MT-BGP46	Ø4.6	Bone profiler guide pin, internal hex., wide platform	Stainless steel	 

















Kits



















Bone Compression Kit



MK-0020
Bone Compression Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MO-CO160	Ø1.80-2.90 L=25	Convex compression screw	Stainless steel	
	MO-CO200	Ø2.30-3.30 L=25	Convex compression screw	Stainless steel	
	MO-CO240	Ø2.70-3.70 L=25	Convex compression screw	Stainless steel	
	MO-CO280	Ø3.1-4.50 L=25	Convex compression screw	Stainless steel	
	MO-SO300	Ø3 L=25	Concave sinus screw	Stainless steel	
	MO-SO350	Ø3.50 L=25	Concave sinus screw	Stainless steel	
	MO-SO400	Ø4 L=25	Concave sinus screw	Stainless steel	


L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-SMD10	L=30	Spade marking drill	Stainless steel	 
	MT-HSI10	L=24.4	Short insertion tool, internal hex.	Stainless steel	 
	MT-HLI10	L=28.2	Long insertion tool, internal hex.	Stainless steel	 
	MT-LRH20	L=32.3	Long insertion tool, internal hex.	Stainless steel	 
	MT-SRH20	L=22.3	Short insertion tool, internal hex.	Stainless steel	 
	MT-RI030	L=84	Monoblock ratchet		 


L = Length



2 Surgical Procedures



Bone Compression



Sinus Lifting



Kits

Sinus Lift Osteotome Set



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0023

Sinus lift osteotomes set



Kits

Convex Osteotome Set



Cat. No.

Dimensions (mm)

Description

Material

Sold



MK-0024

Convex osteotome set



Kits

Abrahami Drill Guide Kit



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0011

Abrahami drill guide kit















Kits

Yeung Bone Harvest Kit



MK-BH26
Bone Harvest Kit

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-BC280	Ø2.80	Bone harvest drill	Stainless steel	 
	MT-BC320	Ø3.20	Bone harvest drill	Stainless steel	 
	MT-BC380	Ø3.80	Bone harvest drill	Stainless steel	 
	MT-BC450	Ø4.50	Bone harvest drill	Stainless steel	 




Kits

Prosthetic Tools Kit



MK-0039
Prosthetic Tools Kit

Cat. No.	Dimensions (mm)	Description	Material	Sold	
	MT-RDS30	L=21.3	Short driver for 0.05 inch hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	 
	MT-SM005	L=24	Short motor adapter for 0.05 inch hex.	Stainless steel	
	MT-LM005	L=30	Long motor adapter for 0.05 inch hex.	Stainless steel	 
	MT-MURL2	L=21	Straight Multi-Unit long ratchet key	Stainless steel	 



















L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MT-MUML2	L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-RE160	L=28.5	Int. connection abutment extractor, narrow platform	Titanium	 
	MT-RE172	L=28.5	Int. connection abutment extractor	Titanium	 
	MM-RSD15	L=19	Locator short torque ratchet driver	Stainless steel	 
	MM-RSD20	L=24	Locator long torque ratchet driver	Stainless steel	 
	MT-RB225	L=22	Ball attachment anchor key	Stainless steel	 
	MT-UN002	L=24	Implant analog for universal hand driver, Internal hex., narrow platform	Stainless steel	 
	MT-US002	L=24	Implant analog for universal hand driver, internal hex., standard platform	Stainless steel	 
	MT-UW002	L=24	Implant analog for universal hand driver, internal hex., wide platform	Stainless steel	 
	CT-UN001	L=24	Implant analog for universal hand driver, conical connection, narrow platform	Stainless steel	 
	CT-US001	L=24	Implant analog for universal hand driver, conical connection, standard platform	Stainless steel	 
	CT-UW001	L=24	Implant analog for universal hand driver, conical connection, wide platform	Stainless steel	 

L = Length

Prosthetic Tools Kit

Cat. No.	Dimensions (mm)	Description	Material	Sold
 ET-IT002		OT-Equator handling tool		 
 MM-LCT10	L=83	Locator core tool	Steel / Titanium Nitride coated Ti	 
 MT-MSD20	L=140	Surgical adapter driver	Stainless steel + Aluminum	 
 MT-URA10	L=27	Universal hand driver ratchet head adapter	Stainless steel	 
 MT-ELR10	L=22.5	Long ratchet key for angled screw channel	Stainless steel	
 MT-RI040	L=95	Torque ratchet for prosthetic screws		 

L = Length



4 Prosthetic Options

2 Implant Connections



Hex.
Connection



Conical
Connection



Kits

Prosthetic Planning Kit



Cat. No.

Dimensions (mm)

Description

Material

Sold



MK-0040

Prosthetic planning kit




Kits

Abutment Holding System Kit



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MK-0001

Abutment holding system kit, internal hex.



Kits

Crown Set



Cat. No.

Dimensions (mm)

Description

Material

Sold



MK-0022

Crown set



Kits

Zircon Diamond Burr Set



MK-DB01 
Zircon Diamond Burr Set

Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MT-A4022

Diamond burr, 2.20mm




MT-B4018

Diamond burr, 1.80mm




MT-F2121

Diamond burr, 2.10mm




MT-K2023

Diamond burr, 2.30mm




MT-C3125

Diamond burr, 2.50mm










Kits

Control Unit




Cat. No.	Dimensions (mm)	Description	Material	Sold
 MWH-M06002		MIS basic physio (230 V)		
 MWH-M07002		MIS basic physio (115 V)		
 MWH-2STUB		Irrigation system 1/2 way		
 MWH-MMOTR		Micro motor and cord kit		
 MWH-M7559		Surgical contra-angle 20:1		
 MWH-CAL59		Surgical contra-angle LED 20:1		





PROSTHETIC OPTIONS.

MIS offers a comprehensive range of prosthetic systems, which are suitable for any indication and procedure type. Combined with a wide variety of supporting tools, our products provide the biological advantages that are critical for successful treatment. MIS superstructures are designed to meet all prosthetic needs and fit all accepted working methods. Abutments are available in a wide range of heights, gingival collar heights, angles and margin types, as well as a line of concave emergence profile abutments which are designed to facilitate better soft tissue management and growth. MIS offers solutions for both screw retained and cement retained restorations.





















Impression
Coping

Analogs and Impression Coping















	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-ITC30 MD-ITC30 MW-ITC30	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Direct concave impression coping for closed tray, internal hex.	Titanium	  
	MN-IO401 MD-IO481 MW-IO551	NP SP WP	Ø5.5, L=11 Ø6.2, L=11 Ø6.8, L=11	Direct concave impression coping for open tray, internal hex.	Titanium	  
	MN-IT100 MD-IT100 MW-IT100	NP SP WP	Ø4, L=9 Ø4.5, L=9 Ø5.4, L=9	Direct impression coping for closed tray, internal hex.	Stainless steel	  
	MN-IO330 MD-IO375 MW-IO470	NP SP WP	Ø4.6, L=11 Ø5, L=11 Ø5.5, L=11	Direct impression coping for open tray, internal hex.	Stainless steel	  

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-IT300 MD-IT300 MW-IT300	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Direct impression coping for closed tray, internal hex.	Titanium	
	MN-PF330 MD-PF375 MW-PF550	NP SP WP	Ø4.5, L=11 Ø5, L=11 Ø5.5, L=11	Direct press fit for closed tray, internal hex.	Titanium	
	MN-RSM10 MD-RSM10 MW-RSM10	NP SP WP	Ø3.3, L=12 Ø3.75, L=12 Ø4.6, L=12	Implant analog, internal hex.	Stainless steel	
	MN-S0160 MD-S0200 MD-S0200	NP SP WP	L=7.6 L=7.6 L=7.6	Mini prosthetic screw, 30 Ncm	Titanium	
	MN-G0160 MD-G0213 MD-G0213	NP SP WP	L=21 L=23 L=23	Direct impression coping guide pin for open tray	Titanium	
	MN-GP100 MD-GP100 MD-GP100	NP SP WP	L=16.5 L=16.5 L=16.5	Direct impression coping guide pin, internal hex.	Titanium	

 Concave emergence profile H = Gingival height C = Crown height L = Length



3 Platforms



Narrow



Standard



Wide



Temporary
Restoration

Temporary Cylinders






















Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
 MN-TC023 MD-TC023 MW-TC023	NP SP WP	$\varnothing 4$, H=2, C=10 $\varnothing 4.8$, H=2, C=10 $\varnothing 5.5$, H=2, C=10	Direct concave temporary free rotation cylinder, internal hex.	Titanium	  
 MN-TC033 MD-TC033 MW-TC033	NP SP WP	$\varnothing 4$, H=3, C=10 $\varnothing 4.8$, H=3, C=10 $\varnothing 5.5$, H=3, C=10	Direct concave temporary free rotation cylinder, internal hex.	Titanium	  
 MN-TCH23 MD-TCH23 MW-TCH23	NP SP WP	$\varnothing 4$, H=2, C=10 $\varnothing 4.8$, H=2, C=10 $\varnothing 5.5$, H=2, C=10	Direct concave temporary anti-rotation cylinder, internal hex.	Titanium	  
 MN-TCH33 MD-TCH33 MW-TCH33	NP SP WP	$\varnothing 4$, H=3, C=10 $\varnothing 4.8$, H=3, C=10 $\varnothing 5.5$, H=3, C=10	Direct concave temporary anti-rotation cylinder, internal hex.	Titanium	  

● Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-TC013 MD-TC013 MW-TC013	NP SP WP	Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.5, H=1, C=10	Direct temporary free rotation cylinder, internal hex.	Titanium	  
	MN-TCH13 MD-TCH13 MW-TCH13	NP SP WP	Ø4, H=1, C=10 Ø4.8, H=1, C=10 Ø5.5, H=1, C=10	Direct temporary anti-rotation cylinder, internal hex.	Titanium	  
	MN-TPA10 MD-TPA10 MW-TPA10	NP SP WP	Ø4, H=1, C=10 Ø4.75, H=1, C=10 Ø5.5, H=1, C=10	Temporary plastic abutment, Internal hex.	PEEK	  
	MN-TPA12 MD-TPA12 MW-TPA12	NP SP WP	Ø3.5, H=1, C=10 Ø3.75, H=1, C=10 Ø4.5, H=1, C=10	Narrow profile temporary plastic abutment, internal hex.	PEEK	  
	MD-TPH50 MW-TPH50	SP WP	Ø5, H=2.5, C=9.5 Ø5.5, H=2.5, C=9.5	Direct temporary plastic cylinder, internal hex.	PEEK	 

 Concave emergence profile H = Gingival height C = Crown height L = Length



2 Abutment Options



Titanium















PEEK



Screw
Retained
Restoration

Multi-Unit System












	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MA-NC248 MA-SC248	NP SP	Ø4,8, H=2 Ø4,8, H=2	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	
	MA-NC348 MA-SC348 MA-WC348	NP SP WP	Ø4,8, H=3 Ø4,8, H=3 Ø4,8, H=3	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	
	MA-NC448 MA-SC448 MA-WC548	NP SP WP	Ø4,8, H=4 Ø4,8, H=4 Ø4,8, H=4	Multi-Unit concave abutment, internal hex., 30Ncm	Titanium	
	MA-N1480 MA-S1480 MA-W1480	NP SP WP	Ø4,8, H=1 Ø4,8, H=1 Ø4,8, H=1	Multi-Unit abutment, internal hex., 30Ncm	Titanium	
	MA-N2480 MA-S2480	NP SP	Ø4,8, H=2 Ø4,8, H=2	Multi-Unit abutment, internal hex., 30Ncm	Titanium	
	MA-N3480 MA-S3480 MA-W3480	NP SP WP	Ø4,8, H=3 Ø4,8, H=3 Ø4,8, H=3	Multi-Unit abutment, internal hex., 30Ncm	Titanium	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MA-N4480 MA-S4480	NP SP	Ø4.8, H=4 Ø4.8, H=4	Multi-Unit abutment, internal hex., 30Ncm	Titanium	
	MA-N5480 MA-S5480 MA-W5480	NP SP WP	Ø4.8, H=5 Ø4.8, H=5 Ø4.8, H=5	Multi-Unit abutment, internal hex., 30Ncm	Titanium	
	MA-SO171 MA-WO171	SP WP	Ø4.8, H=1 Ø4.8, H=1	Solid Multi-Unit angulated abutment, 17°, internal hex., 20Ncm	Titanium	
	MA-SO172 MA-WO172	SP WP	Ø4.8, H=2 Ø4.8, H=2	Solid Multi-Unit angulated abutment, 17°, internal hex., 20Ncm	Titanium	
	MA-SO301 MA-WO301	SP WP	Ø4.8, H=1 Ø4.8, H=1	Solid Multi-Unit angulated abutment, 30°, internal hex., 20Ncm	Titanium	
	MA-SO302 MA-WO302	SP WP	Ø4.8, H=2 Ø4.8, H=2	Solid Multi-Unit angulated abutment, 30° internal hex., 20Ncm	Titanium	
	MU-BGC48		L=3.3	Gold bar coping abutment for Multi-Unit	Gold-e	
	MU-RSM48		L=12	Analog for Multi-Unit	Titanium	
	MU-CC480		Ø4.8, L=3.3	Cementing cap for Multi-Unit	Titanium	
	MU-CP048		L=10	Plastic cylinder for Multi-Unit	Burnout plastic	
	MU-S0220		L=3.8	Prosthetic screw for Multi-Unit, 25Ncm	Titanium	
	MU-G0220		L=3.8	Prosthetic gold screw for Multi-Unit, 20Ncm	Gold-s	












 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Multi-Unit System

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MU-H4480		Ø4.8, L=4.3	Healing cap for Multi-Unit	Titanium	
	MU-I0480		Ø4.8, L=10	Impression coping, open tray, for Multi-Unit	Titanium	
	MU-IT480		Ø4.8, L=8	Impression coping, closed tray, for Multi-Unit	Titanium	
	MU-MG480		Ø4.8, L=14.5	Direct gold for Multi-Unit	Burnout plastic+gold-a	
	MU-TO480		Ø4.8, L=10	Titanium temporary cylinder for Multi-Unit	Titanium	
	MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	
	MU-MAN10		Ø4.8, L=10	Digital model analog for Multi-Unit	Titanium	
	MT-MURL2		L=21	Straight Multi-Unit long ratchet key	Stainless steel	
	MT-MUML2		L=31	Straight Multi-Unit long motor key	Stainless steel	
	MT-MUL02		L=22.5	Angulated Multi-Unit long key	Stainless steel	
	MT-MMK07		L=24	Angulated Multi-Unit short motor key	Stainless steel	

 Concave emergence profile

H = Gingival height

C = Crown height















L = Length



Screw
Retained
Restoration

Plastic Cylinders



	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-CPH13 MD-CPH13 MW-CPH13	NP SP WP	Ø3.5, H=1, C=11 Ø3.75, H=1, C=11 Ø4.5, H=1, C=11	Direct plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	  
	MN-CP013 MD-CP013 MW-CP013	NP SP WP	Ø3.5, H=1, C=11 Ø3.75, H=1, C=11 Ø4.5, H=1, C=11	Direct plastic cylinder, free rotation, internal hex.	Burnout Plastic	  
	MD-CPH50 MW-CPH60	SP WP	Ø5, H=1, C=11 Ø6.5, H=1, C=11	Wide profile direct plastic cylinder, anti-rotation, internal hex.	Burnout Plastic	 
	MD-CP050 MW-CP060	SP WP	Ø5, H=1, C=11 Ø6.5, H=1, C=11	Wide profile direct plastic cylinder, free rotation	Burnout Plastic	 

































 Concave emergence profile

H = Gingival height

C = Crown height

L = Length

Plastic Cylinders

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-GPC10 MD-GPC10 MW-GPC10	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct gold plastic cylinder, anti-rotation	Burnout Plastic+Gold-a	  
	MN-GP010 MD-GP010 MW-GP010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct gold plastic cylinder, free rotation, internal hex.	Burnout plastic+Gold-a	  
	MN-CCI10 MD-CCI10 MW-CCI10	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct anti-rotation CoCr plastic cylinder, internal hex.	Cobalt-Chrome	  
	MN-CC010 MD-CC010 MW-CC010	NP SP WP	Ø4.3, H=1, C=14 Ø5, H=1, C=14 Ø5.5, H=1, C=14	Direct free rotation CoCr plastic cylinder, internal hex.	Cobalt-Chrome	  
	MD-G0220	SP WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 
	MD-S0200	SP WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-S0222	SP WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0224	SP WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 

 Concave emergence profile

H = Gingival height

C = Crown height












L = Length




Digital Restoration

EZ-Base System



Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
 MN-EZB15 MD-EZB15 MW-EZB15	NP SP WP	Ø4.25, H=1.5, C=5 Ø4.3, H=1.5, C=5 Ø5.7, H=1.5, C=5	EZ-Base abutment, internal hex.	Titanium	  
 MT-ELM10		L=30	Long motor key for angled screw channel	Stainless steel	
 MT-ESM10		L=24	Short motor key for angled screw channel	Stainless steel	
 MT-ELR10		L=22.5	Long ratchet key for angled screw channel	Stainless steel	
 MT-ESR10		L=18.7	Short ratchet key for angled screw channel	Stainless steel	
 MN-E0160 MD-E0220	NP SP	L=7.1 L=7.6	EZ-Base prosthetic screw	Titanium	 

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length



Digital
Restoration

Ti-Base



	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-TBC15 MD-TBC15 MW-TBC15	NP SP WP	Ø4.2, H=1.5, C=4 Ø4.3, H=1.5, C=4 Ø5.7, H=1.5, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	
	MN-FTB15 MD-FTB15 MW-FTB15	NP SP WP	Ø4.2, H=1.5, C=4 Ø4.3, H=1.5, C=4 Ø5.7, H=1.5, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	
	MN-TBC30 MD-TBC30 MW-TBC30	NP SP WP	Ø4.2, H=3, C=4 Ø4.3, H=3, C=4 Ø5.7, H=3, C=4	Ti-Base, concave, anti-rotation, internal hex.	Titanium	
	MN-FTB30 MD-FTB30 MW-FTB30	NP SP WP	Ø4.2, H=3, C=4 Ø4.3, H=3, C=4 Ø5.7, H=3, C=4	Ti-Base, concave, free rotation, internal hex.	Titanium	
	MN-TB001 MD-TB001 MW-TB001	NP SP WP	Ø4.2, H=0.5, C=4 Ø4.3, H=0.5, C=4 Ø5.7, H=0.5, C=4	Ti-Base, anti-rotation, internal hex.	Titanium	
	MN-TB002 MD-TB002 MW-TB002	NP SP WP	Ø4.2, H=0.5, C=4 Ø4.3, H=0.5, C=4 Ø5.7, H=0.5, C=4	Ti-Base, free rotation, internal hex.	Titanium	
	MN-IN060 MD-IN060	NP SP	Ø4.2, H=0.5, C=6 Ø4.3, H=0.5, C=6	Incisor esthetic Ti abutment, internal hex.	Titanium	
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	

Concave emergence profile

H = Gingival height

C = Crown height

L = Length



Digital
Restoration

Zirconia Abutment Sets



	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MK-SPC4 MK-WPC4	SP WP	Ø4.3, H=0.5, C=8.4 Ø5.7, H=0.5, C=8.4	Zirconia pre-cemented premolar, abutment set, internal hex.	Titanium/Zirconia	
	MK-SPZ4 MK-WPZ4	SP WP	Ø4.3, H=0.5, C=8.4 Ø5.7, H=0.5, C=8.4	Zirconia non-cemented premolar, abutment set, internal hex.	Titanium/Zirconia	
	MK-NIC6 MK-SIC6	NP SP	Ø4.2, H=0.5, C=8.4 Ø4.2, H=0.5, C=8.4	Zirconia pre-cemented incisor 15°, abutment set, internal hex.	Titanium/Zirconia	
	MK-NIZ6 MK-SIZ6	NP SP	Ø4.2, H=0.5, C=8.4 Ø4.2, H=0.5, C=8.4	Zirconia non-cemented incisor 15°, abutment set, internal hex.	Titanium/Zirconia	

Concave emergence profile

H = Gingival height

C = Crown height

L = Length



Digital
Restoration

Scan Post Kit Internal Hex.



MK-0056
Scan Post Kit

Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
MN-SP102 MD-SP102 MW-SP102	NP SP WP	L=10 L=10 L=10	Scan Post, internal hex.	Titanium	
MU-SP102		L=10	Scan Post for Multi-Unit	Titanium	



MN-SP102
MD-SP102
MW-SP102

NP
SP
WP

L=10
L=10
L=10

Scan Post, internal hex.

Titanium



MU-SP102

L=10

Scan Post for Multi-Unit

Titanium

Concave emergence profile

H = Gingival height

C = Crown height

L = Length






Digital Restoration

Digital Model Analogs



Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
----------	-----------	-----------------	-------------	----------	----------



MN-MAN10	NP	Ø3.30, L=10	Digital model analog, internal hex.	Titanium	  
MD-MAN10	SP	Ø3.80, L=10			
MW-MAN10	WP	Ø4.60, L=10			



MU-MAN10		Ø4.80, L=10	Digital model analog for Multi-Unit	Titanium	
----------	--	-------------	-------------------------------------	----------	--

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length



Digital
Restoration

Titanium Blanks



Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
----------	-----------	-----------------	-------------	----------	----------



MN-IB091
MD-IB091
MW-IB091

NP
SP
WP

Ø9
Ø9
Ø9

Titanium Blank, anti-rotation, internal hex.

Titanium



MN-IB121
MD-IB121
MW-IB121

NP
SP
WP

Ø12
Ø12
Ø12

Titanium Blank, anti-rotation, internal hex.

Titanium



MN-AGT12
MD-AGT12
MW-AGT12

NP
SP
WP

Ø12
Ø12
Ø12

Titanium Blank for Amann Gyrbach,
anti-rotation, internal hex.

Titanium



MN-MAB10
MD-MAB10
MW-MAB10

NP
SP
WP

Ø5
Ø5
Ø5

Milling analog for Titanium Blank,
internal hex.

Stainless Steel



● Concave emergence profile

H = Gingival height

C = Crown height

L = Length



Cemented
Restoration

Cementable Abutments



	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-AT102	NP	Ø4, H=2, C=7	Cementable angulated abutment, 10°, concave, internal hex.	Titanium	
	MD-AT152	SP	Ø4.8, H=2, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	
	MD-AT153	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 15°, concave, internal hex.	Titanium	
	MN-AT202	NP	Ø4, H=2, C=7	Cementable angulated abutment, 20°, concave, internal hex.	Titanium	












● Rows show concave components

















H = Gingival height

C = Crown height

L = Length

Cementable Abutments


	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MD-AT252	SP	Ø4.8, H=2, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	SP
	MD-AT253	SP	Ø4.8, H=3, C=7.5	Cementable angulated abutment, 25°, concave, internal hex.	Titanium	SP
	MD-A0010 MW-P0010	SP WP	Ø5.5, H=1, C=8 Ø6.3, H=1, C=8	Cementable abutment, internal hex.	Titanium	SP WP
	MD-P0030	SP	Ø5.6, H=3, C=8	Cementable abutment, internal hex.	Titanium	SP
	MN-AT101	NP	Ø4, H=1, C=7	Cementable angulated abutment, 10°, internal hex.	Titanium	NP
	MD-A1510 MW-P1510	SP WP	Ø5.2, H=1, C=8 Ø5.8, H=1, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	SP WP
	MN-AN020	NP	Ø4, H=1, C=7.3	Cementable angulated abutment, 20°, internal hex.	Titanium	NP
	MD-AN151 MW-AN151	SP WP	Ø4.9, H=1, C=7.5 Ø6, H=1, C=7.3	Cementable angulated abutment, 15°, internal hex.	Titanium	SP WP
	MD-P1530	SP	Ø5.2, H=3, C=8	Cementable angulated abutment, 15°, internal hex.	Titanium	SP
	MD-A2510	SP	Ø5.6, H=1, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	SP
	MD-AN251	SP	Ø5.9, H=1, C=7	Cementable angulated abutment, 25°, internal hex.	Titanium	SP
	MD-P2530	SP	Ø5.7, H=3, C=8	Cementable angulated abutment, 25°, internal hex.	Titanium	SP

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MD-G0220	SP WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 
	MD-S0200	SP WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
	MN-S0160 MD-S0220 MD-S0220	NP SP WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
	MD-S0222	SP WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
	MD-S0224	SP WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 

 Concave emergence profile H = Gingival height C = Crown height L = Length











5 Angle Options



Cemented
Restoration

Cementing Posts






















	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-MC102 MD-MC102 MW-MC102	NP SP WP	Ø4, H=2, C=10 Ø4.8, H=2, C=10 Ø5.5, H=2, C=10	Cementing post, concave, internal hex.	Titanium	
	MN-MAC10 MD-MAC10 MW-MAC10	NP SP WP	Ø4, H=1, C=10 Ø4.75, H=1, C=10 Ø5.5, H=1, C=10	Cementing post, internal hex.	Titanium	
	MD-WMAC1 MW-WMAC1	SP WP	Ø5.5, H=1, C=10 Ø6.5, H=1, C=10	Wide profile cementing post, internal hex.	Titanium	
	MD-MACF1	SP	Ø4.8, H=1, C=8.5	Friction fit cementing post with platform switching, internal hex.	Titanium	

 Rows show concave components

H = Gingival height


C = Crown height

L = Length

Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
 MD-CTP10 MW-CTP10	SP WP	Ø3.75, H=0, C=8.5 Ø5.5, H=0, C=8.5	Narrow profile cementing post, internal hex.	Titanium	 
 MD-G0220	SP WP	L=7.7	Direct gold prosthetic screw, 20 Ncm	Gold-s	 
 MD-S0200	SP WP	L=6.9	Mini prosthetic screw, 30 Ncm	Titanium	 
 MN-S0160 MD-S0220 MD-S0220	NP SP WP	L=7.6	Direct prosthetic screw, 30 Ncm	Titanium	  
 MD-S0222	SP WP	L=12	Medium prosthetic screw, 30 Ncm	Titanium	 
 MD-S0224	SP WP	L=14	Long prosthetic screw, 30 Ncm	Titanium	 

 Concave emergence profile H = Gingival height C = Crown height L = Length

4 Screw Height Options





























Cemented
Restoration

CPK - Complete Prosthetic Kit



Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
 MK-NPC62 MK-CPC62 MK-WPC62	NP SP WP	$\varnothing 4$, H=2, C=6 $\varnothing 4.8$, H=2, C=6 $\varnothing 5.5$, H=2, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
 MK-NPC63 MK-CPC63 MK-WPC63	NP SP WP	$\varnothing 4$, H=3, C=6 $\varnothing 4.8$, H=3, C=6 $\varnothing 5.5$, H=3, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
 MK-NPC64 MK-CPC64 MK-WPC64	NP SP WP	$\varnothing 4$, H=4, C=6 $\varnothing 4.8$, H=4, C=6 $\varnothing 5.5$, H=4, C=6	Complete Prosthetic Kit, concave, internal hex.	Titanium	  
 MK-NPK41 MK-CPK41 MK-WPK41	NP SP WP	$\varnothing 4$, H=1, C=4 $\varnothing 4.8$, H=1, C=4 $\varnothing 5.5$, H=1, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
 MK-NPK42 MK-CPK42 MK-WPK42	NP SP WP	$\varnothing 4$, H=2, C=4 $\varnothing 4.8$, H=2, C=4 $\varnothing 5.5$, H=2, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  
 MK-NPK43 MK-CPK43 MK-WPK43	NP SP WP	$\varnothing 4$, H=3, C=4 $\varnothing 4.8$, H=3, C=4 $\varnothing 5.5$, H=3, C=4	Complete Prosthetic Kit, internal hex.	Titanium	  

● Rows show concave components

H = Gingival height

C = Crown height

L = Length

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MK-NPK44 MK-CPK44 MK-WPK44	NP SP WP	Ø4, H=4, C=4 Ø4.8, H=4, C=4 Ø5.5, H=4, C=4	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK61 MK-CPK61 MK-WPK61	NP SP WP	Ø4, H=1, C=6 Ø4.8, H=1, C=6 Ø5.5, H=1, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK62 MK-CPK62 MK-WPK62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK63 MK-CPK63 MK-WPK63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-NPK64 MK-CPK64 MK-WPK64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK81 MK-WPK81	SP WP	Ø4.8, H=1, C=8 Ø5.5, H=1, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK82 MK-WPK82	SP WP	Ø4.8, H=2, C=8 Ø5.5, H=2, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK83 MK-WPK83	SP WP	Ø4.8, H=3, C=8 Ø5.5, H=3, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MK-CPK84 MK-WPK84	SP WP	Ø4.8, H=4, C=8 Ø5.5, H=4, C=8	Complete Prosthetic Kit, internal hex.	Titanium	
	MN-CPC62 MD-CPC62 MW-CPC62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Transgingival concave abutment, internal hex.	Titanium	
	MN-CPC63 MD-CPC63 MW-CPC63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Transgingival concave abutment, internal hex.	Titanium	
	MN-CPC64 MD-CPC64 MW-CPC64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Transgingival concave abutment, internal hex.	Titanium	

CPK - Complete Prosthetic Kit

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MN-CPK41 MD-CPK41 MW-CPK41	NP SP WP	Ø4, H=1, C=4 Ø4.8, H=1, C=4 Ø5.5, H=1, C=4	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK42 MD-CPK42 MW-CPK42	NP SP WP	Ø4, H=2, C=4 Ø4.8, H=2, C=4 Ø5.5, H=2, C=4	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK43 MD-CPK43 MW-CPK43	NP SP WP	Ø4, H=3, C=4 Ø4.8, H=3, C=4 Ø5.5, H=3, C=4	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK44 MD-CPK44 MW-CPK44	NP SP WP	Ø4, H=4, C=4 Ø4.8, H=4, C=4 Ø5.5, H=4, C=4	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK61 MD-CPK61 MW-CPK61	NP SP WP	Ø4, H=1, C=6 Ø4.8, H=1, C=6 Ø5.5, H=1, C=6	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK62 MD-CPK62 MW-CPK62	NP SP WP	Ø4, H=2, C=6 Ø4.8, H=2, C=6 Ø5.5, H=2, C=6	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK63 MD-CPK63 MW-CPK63	NP SP WP	Ø4, H=3, C=6 Ø4.8, H=3, C=6 Ø5.5, H=3, C=6	Transgingival abutment, internal hex.	Titanium	  
	MN-CPK64 MD-CPK64 MW-CPK64	NP SP WP	Ø4, H=4, C=6 Ø4.8, H=4, C=6 Ø5.5, H=4, C=6	Transgingival abutment, internal hex.	Titanium	  
	MD-CPK81 MW-CPK81	SP WP	Ø4.8, H=1, C=8 Ø5.5, H=1, C=8	Transgingival abutment, internal hex.	Titanium	 
	MD-CPK82 MW-CPK82	SP WP	Ø4.8, H=2, C=8 Ø5.5, H=2, C=8	Transgingival abutment, internal hex.	Titanium	 
	MD-CPK83 MW-CPK83	SP WP	Ø4.8, H=3, C=8 Ø5.5, H=3, C=8	Transgingival abutment, internal hex.	Titanium	 
	MD-CPK84 MW-CPK84	SP WP	Ø4.8, H=4, C=8 Ø5.5, H=4, C=8	Transgingival abutment, internal hex.	Titanium	 



Overdenture

OT-Equator Kits



	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MK-NOE1 MK-SOE1 MK-WOE1	NP SP WP	H=1 H=1 H=1	OT-Equator kit, internal hex.	Titanium	
	MK-NOE2 MK-SOE2	NP SP	H=2 H=2	OT-Equator kit, internal hex.	Titanium	
	MK-NOE3 MK-SOE3 MK-WOE3	NP SP WP	H=3 H=3 H=3	OT-Equator kit, internal hex.	Titanium	
	MK-NOE4 MK-SOE4	NP SP	H=4 H=4	OT-Equator kit, internal hex.	Titanium	
















Concave emergence profile

H = Gingival height

C = Crown height

L = Length

OT-Equator Kits






















	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MK-NOE5 MK-SOE5 MK-WOE5	NP SP WP	H=5 H=5 H=5	OT-Equator kit, internal hex.	Titanium	  
	ET-IT002			OT-Equator handling tool		
	OE-IC002			OT-Equator impression coping cap		
	OE-IC001			OT-Equator impression transfer cap		
	MT-RDL30		L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MT-RDS30		L=21.3	Short driver for 0.05 inch hex.	Stainless steel	
	OE-RCP01			OT-Equator soft retentive cap (pink)		
	OE-RCW01			OT-Equator standard retentive cap (white)		
	OE-RCV01			OT-Equator rigid retentive cap (violet)		
	OE-RCY01			OT-Equator extra soft retentive cap (yellow)		
	OE-RCB01			OT-Equator laboratory retentive cap (black)		
	OE-MH001			OT-Equator metal housing		















Overdenture

Ball Attachment System



	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MB-N1375 MW-B1500	SP WP	Ø4, H=1 Ø5, H=1	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	MB-N2330 MB-N2375	NP SP	Ø4, H=2 Ø4, H=2	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	MB-N3330 MB-N3375 MW-B3500	NP SP WP	Ø4, H=3 Ø4, H=3 Ø5, H=3	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	  
	MB-N4330 MB-N4375	NP SP	Ø4, H=4 Ø4, H=4	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	MB-N5375 MW-B5500	SP WP	Ø4, H=5 Ø5, H=5	Ball attachment anchor, internal hex.	Titanium alloy + Titanium nitride	 
	MB-AN152	SP	H=2	Ball anchor 15° angulated abutment, internal hex.	Titanium	
	MB-AN252	SP	H=2	Ball anchor 25° angulated abutment, internal hex.	Titanium	
	MB-RS375		L=15.1	Ball attachment analog	Stainless steel	

Ball Attachment System





















	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MB-SF200		Ø3.7, L=3.5	Plastic ball cap	Plastic	
	MB-GPS10		L=2.4	Gold ball cap	Gold-e	
	MB-TTP10		Ø3.5, L=3.1	Titanium ball cap	Titanium	
	MB-PR010		Ø3.8, L=2	Plastic mounting sleeve	Plastic	
	MB-TBS10		Ø2.5	Titanium ball cap spring, standard	Steel	
	MB-TBS20		Ø2.6	Titanium ball cap spring, soft	Steel	
	MB-DMH10			Double metal housing		
	MB-PPC10		Ø4.2, L=2.6	Standard plastic cap for metal housing	Plastic	
	MB-PPR10		Ø4.2, L=2.6	Soft plastic cap for metal housing retention 800-950g	Plastic	
	MB-DB235		Ø15, L=2.6	Plastic disc for ball attachment	Plastic	
	MT-NB225		L=22	Ball attachment anchor key	Stainless steel	
	MT-RB225		L=22	Ball attachment anchor key	Stainless steel	



Overdenture

Locator Attachment System



	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MB-NZL00 MB-SZL00 MB-WZL00	NP SP WP	H=0 H=0 H=0	Locator abutment, internal hex.	Titanium Nitride coated Ti	  
	MB-NZL01 MB-SZL01 MB-WZL01	NP SP WP	H=1 H=1 H=1	Locator abutment, internal hex.	Titanium Nitride coated Ti	  
	MB-NZL02 MB-SZL02 MB-WZL02	NP SP WP	H=2 H=2 H=2	Locator abutment, internal hex.	Titanium Nitride coated Ti	  
	MB-NZL03 MB-SZL03 MB-WZL03	NP SP WP	H=3 H=3 H=3	Locator abutment, internal hex.	Titanium Nitride coated Ti	  
	MB-NZL04 MB-SZL04 MB-WZL04	NP SP WP	H=4 H=4 H=4	Locator abutment, internal hex.	Titanium Nitride coated Ti	  

 Concave emergence profile






H = Gingival height

C = Crown height

L = Length

Locator Attachment System

	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MB-NZL05 MB-SZL05 MB-WZL05	NP SP WP	H=5 H=5 H=5	Locator abutment, internal hex.	Titanium Nitride coated Ti	
	MB-NZL06 MB-SZL06 MB-WZL06	NP SP WP	H=6 H=6 H=6	Locator abutment, internal hex.	Titanium Nitride coated Ti	
	MM-LCT10		L=83	Locator core tool	Steel / Titanium Nitride coated Ti	
	MM-LMP02		L=1.8	Locator male processing package (2 pack)	Steel / Nylon	
	MM-LIC10		Ø4.7, L=4.5	Locator impression coping (4 pack)	Aluminum polyethylene	
	MM-LFA40 MM-LFA50 MM-LFA50	NP SP WP	Ø4, L=10.4 Ø5, L=10.4 Ø5, L=10.4	Locator female analog (4 pack)	Aluminum polyethylene	
	MM-LRM10		Ø4.7, L=1.8	Locator replacement male clear (4 pack)	Nylon	
	MM-LLR10		Ø4.7, L=1.8	Locator light extended (4 pack)	Nylon pink	
	MM-LEL10		Ø4.7, L=1.8	Locator extra light retention (4 pack)	Nylon blue	
	MM-LER10		Ø4.7, L=1.8	Locator extended range (4 pack)	Nylon green	
	MM-LELE1		Ø4.7, L=1.8	Locator extra light extended (4 pack)	Nylon red	
	MM-LPP10		Ø4.6, L=1.8	Locator parallel post (4 pack)	Polyethylene black	


Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
 MM-LBP10		Ø4.6, L=1.8	Locator black processing (4 pack)	Polyethylene black	
 MM-RSD15		L=19	Locator short torque ratchet driver	Stainless steel	
 MM-RSD20		L=24	Locator long torque ratchet driver	Stainless steel	
 MM-LSD15		L=15	Locator short square drive torque ratchet driver	Stainless steel	
 MM-LSD21		L=21	Locator long square drive torque ratchet driver	Stainless steel	

● Concave emergence profile
 H = Gingival height
 C = Crown height
 L = Length



5 Retention Options


- 2.27 kg
- 1.36-1.82 kg
- 1.36 kg
- 0.68 kg
- 0.68 kg










Overdenture

Bars



	Cat. No.	Platforms	Dimensions (mm)	Description	Material	Platform
	MM-TRU10		Ø2.8, H=2.9, L=50	Titanium rider	Titanium	
	MM-PBU10		Ø1.6, H=2.3, L=80	Plastic bar	Plastic	
	MM-GBU10		H=2.3, L=50	Gold bar	Gold-e	
	MM-PC100		Ø1.9, L=85	Plastic round bar	Burnout plastic	
	MM-GB100		Ø1.9, L=50	Gold bar	Gold-e	

 Concave emergence profile

H = Gingival height

C = Crown height

L = Length





MGUIDE - DIGITAL DENTISTRY

MGUIDE is an innovative guided surgery system , which was designed to provide clinicians with a worry-free solution, and flawlessly incorporates prosthetically driven planning and easy-to-use tools, to deliver the most predictable results.





MGUIDE

MGUIDE Custom Surgical Template



Cat. No.	Dimensions (mm)	Description	Material	Sold
----------	-----------------	-------------	----------	------



MG-TMP10

MGUIDE value pack



MG-TMP20

MGUIDE value pack for edentulous cases
























MGUIDE

MGUIDE Surgical Set for SEVEN Implant



MG-K001
MGUIDE set for SEVEN Implant

Cat. No.	Dimensions (mm)	Description	Material	Sold
 MG-TP047	Ø4.7, L=26	MGUIDE tissue punch	Stainless steel	 
 MG-TP055	Ø5.5, L=26	MGUIDE tissue punch	Stainless steel	 
 MG-BM047	Ø4.7, L=24.5	MGUIDE bone mill	Stainless steel	 
 MG-BM055	Ø5.5, L=24.5	MGUIDE bone mill	Stainless steel	 
 MG-D0624	Ø2.4, L=30.8	MGUIDE pilot drill for 6mm length implant	Stainless steel	 
 MG-D0824	Ø2.4, L=32.8	MGUIDE pilot drill for 8mm length implant	Stainless steel	 
 MG-D1024	Ø2.4, L=34.8	MGUIDE pilot drill for 10mm length implant	Stainless steel	 

L = Length

MGUIDE Surgical Set for SEVEN Implant

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-D1124	Ø2.4, L=36.3	MGUIDE pilot drill for 11.5mm length implant	Stainless steel	 
	MG-D1324	Ø2.4, L=37.8	MGUIDE pilot drill for 13mm length implant	Stainless steel	 
	MG-D0633	Ø2.2-3.2, L=30.8	MGUIDE conical drill for Ø3.30, 6mm length implant	Stainless steel	 
	MG-D0833	Ø2.2-3.2, L=32.8	MGUIDE conical drill for Ø3.30, 8mm length implant	Stainless steel	 
	MG-D1033	Ø2.2-3.2, L=34.8	MGUIDE conical drill for Ø3.30, 10mm length implant	Stainless steel	 
	MG-D1133	Ø2.2-3.2, L=36.3	MGUIDE conical drill for Ø3.30, 11.5mm length implant	Stainless steel	 
	MG-D1333	Ø2.2-3.2, L=37.8	MGUIDE conical drill for Ø3.30, 13mm length implant	Stainless steel	 
	MG-D0637	Ø2.8-3.6, L=30.8	MGUIDE conical drill for Ø3.75, 6mm length implant	Stainless steel	 
	MG-D0837	Ø2.8-3.6, L=32.8	MGUIDE conical drill for Ø3.75, 8mm length implant	Stainless steel	 
	MG-D1037	Ø2.8-3.6, L=34.8	MGUIDE conical drill for Ø3.75, 10mm length implant	Stainless steel	 
	MG-D1137	Ø2.8-3.6, L=36.3	MGUIDE conical drill for Ø3.75, 11.5mm length implant	Stainless steel	 
	MG-D1337	Ø2.8-3.6, L=37.8	MGUIDE conical drill for Ø3.75, 13mm length implant	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-D0642	Ø3.3-4.1, L=30.8	MGUIDE conical drill for Ø4.20, 6mm length implant	Stainless steel	 
	MG-D0842	Ø3.3-4.1, L=32.8	MGUIDE conical drill for Ø4.20, 8mm length implant	Stainless steel	 
	MG-D1042	Ø3.3-4.1, L=34.8	MGUIDE conical drill for Ø4.20, 10mm length implant	Stainless steel	 
	MG-D1142	Ø3.3-4.1, L=36.3	MGUIDE conical drill for Ø4.20, 11.5mm length implant	Stainless steel	 
	MG-D1342	Ø3.3-4.1, L=37.8	MGUIDE conical drill for Ø4.20, 13mm length implant	Stainless steel	 
	MG-D0650	Ø4.1-4.9, L=30.8	MGUIDE conical drill for Ø5, 6mm length implant	Stainless steel	 
	MG-D0850	Ø4.1-4.9, L=32.8	MGUIDE conical drill for Ø5, 8mm length implant	Stainless steel	 
	MG-D1050	Ø4.1-4.9, L=34.8	MGUIDE conical drill for Ø5, 10mm length implant	Stainless steel	 
	MG-D1150	Ø4.1-4.9, L=36.3	MGUIDE conical drill for Ø5, 11.5mm length implant	Stainless steel	 
	MG-D1350	Ø4.1-4.9, L=37.8	MGUIDE conical drill for Ø5, 13mm length implant	Stainless steel	 
	MG-DLG55	Ø5.5, L=55	MGUIDE drill length gauge	Titanium	 
	MG-GRI01	Ø7, L=29.7	MGUIDE direct ratchet insertion tool, internal hex.	Stainless steel	 

L = Length

MGUIDE Surgical Set for SEVEN Implant

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-GRN01	Ø7, L=29.7	MGUIDE direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-GMI10	L=28.9	MGUIDE motor insertion tool, internal hex.	Stainless steel	 
	MG-GRI10	Ø7, L=24.5	MGUIDE ratchet insertion tool, internal hex.	Stainless steel	 
	MT-RDL30	L=27	Long driver for 0.05 inch hex.	Stainless steel	
	MG-IE172	L=32.7	MGUIDE insertion tool extractor, internal hex.	Titanium	 
	MG-IE160	L=32.7	MGUIDE insertion tool extractor, internal hex., narrow platform	Titanium	 
	MG-DFP20	Ø2, L=35.3	MGUIDE drill for fixation pin	Stainless steel	 
	MG-FP020	Ø2, L=29	MGUIDE fixation pin	Titanium	 
	MG-TAS55	Ø5.5, L=24	MGUIDE template anchoring screw	Titanium	 
	MT-RI030	L=84	Monoblock ratchet		 
	MT-RA480		Ratchet to hex. adapter	Stainless steel	

L = Length



MGUIDE

MGUIDE Kit for SEVEN Implant Narrow Sleeve



MGUIDE Kit for SEVEN Implant, Narrow Sleeve [MG-K002](#)





Cat. No.	Dimensions (mm)	Description	Material	Sold
 MG-NBM40	Ø4, L=24.5	MGUIDE Narrow Sleeve bone mill	Stainless steel	 
 MG-NTP40	Ø4, L=26	MGUIDE Narrow Sleeve tissue punch	Stainless steel	 
 MG-N0624	Ø2.4, L=30.8	MGUIDE Narrow Sleeve pilot drill for 6mm length implant	Stainless steel	 
 MG-N0824	Ø2.4, L=32.8	MGUIDE Narrow Sleeve pilot drill for 8mm length implant	Stainless steel	 
 MG-N1024	Ø2.4, L=34.8	MGUIDE Narrow Sleeve pilot drill for 10mm length implant	Stainless steel	 

L = Length

MGUIDE Kit for SEVEN Implant Narrow Sleeve

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-N1124	Ø2.4, L=36.3	MGUIDE Narrow Sleeve pilot drill for 11.5mm length implant	Stainless steel	 
	MG-N1324	Ø2.4, L=37.8	MGUIDE Narrow Sleeve pilot drill for 13mm length implant	Stainless steel	 
	MG-N0633	Ø2.2-3.2, L=30.8	MGUIDE Narrow Sleeve conical drill for Ø3.30 6mm length implant	Stainless steel	 
	MG-N0833	Ø2.2-3.2, L=32.8	MGUIDE Narrow Sleeve conical drill for Ø3.30 8mm length implant	Stainless steel	 
	MG-N1033	Ø2.2-3.2, L=34.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 10mm length implant	Stainless steel	 
	MG-N1133	Ø2.2-3.2, L=36.3	MGUIDE Narrow Sleeve conical drill for Ø3.30 11.5mm length implant	Stainless steel	 
	MG-N1333	Ø2.2-3.2, L=37.8	MGUIDE Narrow Sleeve conical drill for Ø3.30 13mm length implant	Stainless steel	 
	MG-N0637	Ø2.8-3.6, L=30.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 6mm length implant	Stainless steel	 
	MG-N0837	Ø2.8-3.6, L=32.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 8mm length implant	Stainless steel	 
	MG-N1037	Ø2.8-3.6, L=34.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 10mm length implant	Stainless steel	 
	MG-N1137	Ø2.8-3.6, L=36.3	MGUIDE Narrow Sleeve conical drill for Ø3.75 11.5mm length implant	Stainless steel	 
	MG-N1337	Ø2.8-3.6, L=37.8	MGUIDE Narrow Sleeve conical drill for Ø3.75 13mm length implant	Stainless steel	 

L = Length

	Cat. No.	Dimensions (mm)	Description	Material	Sold
	MG-NLG40	Ø4, L=55	MGUIDE Narrow Sleeve drill length gauge	Titanium	 
	MG-NMN10	Ø5, L=30.4	MGUIDE Narrow Sleeve motor insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NMS10	Ø5, L=28.9	MGUIDE Narrow Sleeve motor insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NRN01	Ø5.3, L=29.5	MGUIDE Narrow Sleeve direct ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NRS01	Ø5.3, L=24.7	MGUIDE Narrow Sleeve direct insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NRN10	Ø5.3, L=25	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., narrow platform	Stainless steel	 
	MG-NRS10	Ø5.3, L=24.5	MGUIDE Narrow Sleeve ratchet insertion tool, internal hex., standard platform	Stainless steel	 
	MG-NTAS0	Ø5.3, L=24	MGUIDE Narrow Sleeve template anchoring screw	Titanium	 

L = Length




mis®

0.5cc
Granules size 0.5-1mm



REGENERATIVE SOLUTIONS


MIS offers a range of regenerative materials for dental use aimed at providing solutions for a wide variety of clinical needs. MIS regenerative products are available in varying volumes and sizes for simple and easy delivery directly to the surgical site. High quality engineering and manufacturing processes ensure safety of all MIS products.





Bone Graft
Substitutes

4MATRIX - Bone Graft Cement



Cat. No.

Description



BS-4MX10

4MATRIX Bone Graft Cement, 1cc



Bone Graft
Substitutes

BONDBONE®
- Bonding Graft
Material



Cat. No. Description



BS-BB005 BONDBONE 0.5cc, 3 drivers



BS-BB010 BONDBONE 1cc, 3 drivers



Bone Graft
Substitutes

4BONE™ BCH - Synthetic Bone Substitute



Cat. No.	Description
BS-4BS01	4BONE BCH syringe 0.5cc, granule size: 0.5-1mm
BS-4BS1S	4BONE BCH tube 1cc, granule size: 0.5-1mm
BS-4BS2S	4BONE BCH tube 2.5cc, granule size: 1-2mm




Barrier
Membrane

4BONE™ RCM - Resorbable Collagen Membrane



Cat. No. Description



BR-C1525 4BONE RCM membrane, 15x25mm



BR-C2030 4BONE RCM membrane, 20x30mm



BR-C3040 4BONE RCM Membrane, 30x40mm




ADDITIONAL INFORMATION.


For your convenience, the following section provides an additional resource about products and processes that may require expanded explanations in the form of visuals, schematics, technical information or documentation.




Pilot Drills, External Irrigation




SEVEN Twist Drills, External Irrigation




M4 Twist Drills, External Irrigation



SEVEN and M4
Short Twist Drills,
External Irrigation



SEVEN and M4 Twist Drills, Internal Irrigation





















Alloy Composition

	Material	Titanium Alloy Ti 6Al 4V ELI	Gold-a	Gold-s	Gold-e
	Application	C, K	L, G, K	L, G, K	L, K
Composition	Gold %	-	60	61	70
	Platinum %	-	19	13.5	8.50
	Silver %	-	-	16.5	13.40
	Palladium %	-	20	-	-
	Copper %	-	-	9	7.50
	Zinc %	-	-	Balance	0.05
	Iridium %	-	Balance	-	0.10
	Titanium (max)	Balance	-	-	-
	Carbon (max)	0.08	-	-	-
	Iron (max)	0.25	-	-	-
	Oxygen (max)	0.13	-	-	-
	Nitrogen (max)	0.05	-	-	-
	Hydrogen (max)	0.013	-	-	-
	Aluminum	5.5-6.5	-	-	-
	Vanadium	3.5-4.5	-	-	-
	Melting range °C	1604-1660	1400-1490	950-1050	895-1010
	Hardness	Soft annealing HV5	-	145	160
Hardened HV5		350-385	240	250	295
Soft °C / min		-	100/30	750/5	750/5
Hardened °C / min		-	700/30	350/15	450/15


Legend: C-bonding K-resin L-soldering G-casting onto

Restorative Components

Guidelines for usage of MIS Restorative Components

Location ▶	Anterior Maxilla		Anterior Mandible	Canine, Premolars and Molars				Premolars and Molars	
Crown/ Implant Inclination Ratio	15° or 25°	15° or 25°	Up to 2.5°	Up to 3.5°				15° or 25°	Up to 4°
Gingival Height	Up to 2mm buccal Up to 4mm palatal	Up to 4mm buccal Up to 6mm palatal	Adjustable, based on abutment preparation	Up to 2mm buccal Up to 6mm lingual/palatal	Adjustable, based on abutment preparation	Adjustable, based on abutment preparation	Up to 2mm	Up to 2mm buccal up to 3mm buccal	According to gingival height available in heights of 1,2,3,4mm
Catalog Number	MD-A1510 MD-A2510	MD-P1530 MD-P2530	MD-CTP10	MD-A0010 MD-P0030	MD-MAC10 MD-WMAC1	MD-MACF1	MD-GPC10 MD-GP010	MD-AN151 MD-AN251	MD-CPK41 MD-CPK63 MD-CPK42 MD-CPK64 MD-CPK43 MD-CPK81 MD-CPK44 MD-CPK82 MD-CPK61 MD-CPK83 MD-CPK62 MD-CPK84
Abutment ▶ description	Esthetic angulated abutment	Esthetic angulated abutment	Conical post abutment	Esthetic abutment	Standard post abutment	Friction fit post with platform switching	Screw-retained gold-plastic/ CC abutment	Angulated abutment	Transgingival abutment
									
									

INDEX.



Cat. No. Page

B

BR-C1525	129
BR-C2030	129
BR-C3040	129
BS-4BS01	128
BS-4BS1S	128
BS-4BS25	128
BS-4MX10	126
BS-BB005	127
BS-BB010	127

C

CT-BTC24	52
CT-P2406	32
CT-P2406	51
CT-P2408	32
CT-P2408	51
CT-P2410	32
CT-P2410	51
CT-P2411	33
CT-P2411	51
CT-P2413	33
CT-P2413	52
CT-P2416	33
CT-P2416	52
CT-P2416	55
CT-UN001	73
CT-US001	73
CT-UW001	73

Cat. No. Page

E

ET-IT002	50
ET-IT002	74
ET-IT002	106

M

MA-N1480	86
MA-N2480	86
MA-N3480	86
MA-N4480	87
MA-N5480	87
MA-NC248	86
MA-NC348	86
MA-NC448	86
MA-S1480	86
MA-S2480	86
MA-S3480	86
MA-S4480	87
MA-S5480	87
MA-SC248	86
MA-SC348	86
MA-SC448	86
MA-SO171	87
MA-SO172	87
MA-SO301	87
MA-SO302	87
MA-W1480	86
MA-W3480	86
MA-W5480	87
MA-WC348	86
MA-WC548	86
MA-WO171	87
MA-WO172	87
MA-WO301	87
MA-WO302	87
MB-AN152	107
MB-AN252	107

Cat. No. Page

MB-DB235	108
MB-DMH10	108
MB-GPS10	108
MB-N1375	107
MB-N2330	107
MB-N2375	107
MB-N3330	107
MB-N3375	107
MB-N4330	107
MB-N4375	107
MB-N5375	107
MB-NZL00	109
MB-NZL01	109
MB-NZL02	109
MB-NZL03	109
MB-NZL04	109
MB-NZL05	110
MB-NZL06	110
MB-PPC10	108
MB-PPR10	108
MB-PRO10	108
MB-RS375	107
MB-SF200	108
MB-SZL00	109
MB-SZL01	109
MB-SZL02	109
MB-SZL03	109
MB-SZL04	109
MB-SZL05	110
MB-SZL06	110
MB-TBS10	108
MB-TBS20	108
MB-TTP10	108
MB-WZL00	109
MB-WZL01	109
MB-WZL02	109
MB-WZL03	109
MB-WZL04	109
MB-WZL05	110
MB-WZL06	110
MD-A0010	98
MD-A1510	98
MD-A2510	98
MD-AGT12	96
MD-AN151	98
MD-AN251	98
MD-AT152	97
MD-AT153	97
MD-AT252	98

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MD-AT253	98	MD-MC102	100	MF4-10375	19
MD-CC010	90	MD-P0030	98	MF4-10420	21
MD-CCI10	90	MD-P1530	98	MF4-10500	23
MD-CP013	89	MD-P2530	98	MF4-10600	25
MD-CP050	89	MD-PF375	54	MF4-11330	17
MD-CPC62	103	MD-PF375	83	MF4-11375	19
MD-CPC63	103	MD-RSM10	83	MF4-11420	21
MD-CPC64	103	MD-S0200	83	MF4-11500	23
MD-CPH13	89	MD-S0200	83	MF4-11600	25
MD-CPH50	89	MD-S0200	90	MF4-13330	17
MD-CPK41	104	MD-S0200	99	MF4-13375	19
MD-CPK42	104	MD-S0200	101	MF4-13420	21
MD-CPK43	104	MD-S0220	90	MF4-13500	23
MD-CPK44	104	MD-S0220	90	MF4-13600	25
MD-CPK61	104	MD-S0220	93	MF4-16330	17
MD-CPK62	104	MD-S0220	93	MF4-16375	19
MD-CPK63	104	MD-S0220	99	MF4-16420	21
MD-CPK64	104	MD-S0220	99	MF4-16500	23
MD-CPK81	104	MD-S0220	101	MF7-06420	11
MD-CPK82	104	MD-S0220	101	MF7-06500	13
MD-CPK83	104	MD-S0222	90	MF7-06600	15
MD-CPK84	104	MD-S0222	99	MF7-08375	9
MD-CTP10	101	MD-S0222	101	MF7-08420	11
MD-E0220	91	MD-S0224	90	MF7-08500	13
MD-EZB15	91	MD-S0224	99	MF7-08600	15
MD-FTB15	92	MD-S0224	101	MF7-10330	7
MD-FTB30	92	MD-SP102	94	MF7-10375	9
MD-G0213	83	MD-TB001	92	MF7-10420	11
MD-G0213	83	MD-TB002	92	MF7-10500	13
MD-G0220	90	MD-TBC15	92	MF7-10600	15
MD-G0220	99	MD-TBC30	92	MF7-11330	7
MD-G0220	101	MD-TC013	85	MF7-11375	9
MD-GP010	90	MD-TC023	84	MF7-11420	11
MD-GP010	90	MD-TC033	84	MF7-11500	13
MD-GP100	83	MD-TCH13	85	MF7-11600	15
MD-GP100	83	MD-TCH23	84	MF7-13330	7
MD-GPC10	90	MD-TCH33	84	MF7-13375	9
MD-I0375	82	MD-TPA10	85	MF7-13420	11
MD-IB091	96	MD-TPA12	85	MF7-13500	13
MD-IB121	96	MD-TPH50	85	MF7-13600	15
MD-IN060	93	MD-WMAC1	100	MF7-16330	7
MD-IO481	82	MF4-06420	21	MF7-16375	9
MD-IT100	82	MF4-06500	23	MF7-16420	11
MD-IT300	83	MF4-06600	25	MF7-16500	13
MD-ITC30	82	MF4-08375	19	MF7-18375	9
MD-MAB10	96	MF4-08420	21	MF7-18420	11
MD-MAC10	100	MF4-08500	23	MF7-20375	9
MD-MACF1	100	MF4-08600	25	MF7-20420	11
MD-MAN10	95	MF4-10330	17	MG2-06160	31

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MG2-08160	31	MG-N1133	122	MK-NPC62	102
MG2-10160	31	MG-N1137	122	MK-NPC63	102
MG2-12160	31	MG-N1324	122	MK-NPC64	102
MG-BM047	117	MG-N1333	122	MK-NPK41	102
MG-BM055	117	MG-N1337	122	MK-NPK42	102
MG-D0624	117	MG-NBM40	121	MK-NPK43	102
MG-D0633	118	MG-NLG40	123	MK-NPK44	103
MG-D0637	118	MG-NMN10	123	MK-NPK61	103
MG-D0642	119	MG-NMS10	123	MK-NPK62	103
MG-D0650	119	MG-NRN01	123	MK-NPK63	103
MG-D0824	117	MG-NRN10	123	MK-NPK64	103
MG-D0833	118	MG-NRS01	123	MK-SDS06	63
MG-D0837	118	MG-NRS10	123	MK-SDS08	63
MG-D0842	119	MG-NTAS0	123	MK-SDS10	63
MG-D0850	119	MG-NTP40	121	MK-SD01	54
MG-D1024	117	MG-TAS55	120	MK-SDS11	54
MG-D1033	118	MG-TMP10	116	MK-SDS13	63
MG-D1037	118	MG-TMP20	116	MK-SIC6	93
MG-D1042	119	MG-TP047	117	MK-SIZ6	93
MG-D1050	119	MG-TP055	117	MK-SOE1	105
MG-D1124	118	MK-0001	76	MK-SOE2	105
MG-D1133	118	MK-0011	70	MK-SOE3	105
MG-D1137	118	MK-0022	77	MK-SOE4	105
MG-D1142	119	MK-0023	68	MK-SOE5	106
MG-D1150	119	MK-0024	69	MK-SPC4	93
MG-D1324	118	MK-0040	75	MK-SPZ4	93
MG-D1333	118	MK-BS001	62	MK-WOE1	105
MG-D1337	118	MK-CPC62	102	MK-WOE3	105
MG-D1342	119	MK-CPC63	102	MK-WOE5	106
MG-D1350	119	MK-CPC64	102	MK-WPC4	93
MG-DFP20	120	MK-CPK41	102	MK-WPC62	102
MG-DLG55	119	MK-CPK42	102	MK-WPC63	102
MG-FP020	120	MK-CPK43	102	MK-WPC64	102
MG-GMI10	120	MK-CPK44	103	MK-WPK41	102
MG-GRI01	119	MK-CPK61	103	MK-WPK42	102
MG-GRI10	120	MK-CPK62	103	MK-WPK43	102
MG-GRN01	120	MK-CPK63	103	MK-WPK44	103
MG-IE160	120	MK-CPK64	103	MK-WPK61	103
MG-IE172	120	MK-CPK81	103	MK-WPK62	103
MG-N0624	121	MK-CPK82	103	MK-WPK63	103
MG-N0633	122	MK-CPK83	103	MK-WPK64	103
MG-N0637	122	MK-CPK84	103	MK-WPK81	103
MG-N0824	121	MK-NIC6	93	MK-WPK82	103
MG-N0833	122	MK-NIZ6	93	MK-WPK83	103
MG-N0837	122	MK-NOE1	105	MK-WPK84	103
MG-N1024	121	MK-NOE2	105	MK-WPZ4	93
MG-N1033	122	MK-NOE3	105	MM-GB100	112
MG-N1037	122	MK-NOE4	105	MM-GBU10	112
MG-N1124	122	MK-NOE5	106	MM-LBP10	111

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MM-LCT10	49	MN-G0160	83	MO-CO280	66
MM-LCT10	74	MN-GP010	90	MO-SO300	66
MM-LCT10	110	MN-GP010	90	MO-SO350	66
MM-LEL10	110	MN-GP100	83	MO-SO400	66
MM-LELE1	110	MN-GPC10	90	MT-00400	43
MM-LER10	110	MN-I0330	82	MT-00500	43
MM-LFA40	110	MN-IB091	96	MT-00600	43
MM-LFA50	110	MN-IB121	96	MT-A4022	78
MM-LFA50	110	MN-IN060	93	MT-AL005	48
MM-LIC10	110	MN-IO401	82	MT-B4018	78
MM-LLR10	110	MN-IT100	82	MT-BC280	71
MM-LMP02	110	MN-IT300	83	MT-BC320	71
MM-LPP10	110	MN-ITC30	82	MT-BC380	71
MM-LRM10	110	MN-MAB10	96	MT-BC450	71
MM-LSD15	111	MN-MAC10	100	MT-BGP32	65
MM-LSD21	111	MN-MAN10	95	MT-BGP37	65
MM-PBU10	112	MN-MC102	100	MT-BGP46	65
MM-PC100	112	MN-PF330	54	MT-BP320	65
MM-RSD15	49	MN-PF330	83	MT-BP370	65
MM-RSD15	73	MN-RSM10	83	MT-BP460	65
MM-RSD15	111	MN-S0160	83	MT-BTT20	60
MM-RSD20	49	MN-S0160	90	MT-BTT28	52
MM-RSD20	73	MN-S0160	93	MT-BTT32	52
MM-RSD20	111	MN-S0160	99	MT-BTT40	52
MM-TRU10	112	MN-S0160	101	MT-BTT45	52
MN-AGT12	96	MN-SP102	94	MT-BTT50	53
MN-AN020	98	MN-TB001	92	MT-C3125	78
MN-AT101	98	MN-TB002	92	MT-CRD20	42
MN-AT102	97	MN-TBC15	92	MT-CRD21	42
MN-AT202	97	MN-TBC30	92	MT-CRD28	42
MN-CC010	90	MN-TC013	85	MT-CS450	49
MN-CCI10	90	MN-TC023	84	MT-CSN33	41
MN-CP013	89	MN-TC033	84	MT-CSN33	56
MN-CPC62	103	MN-TCH13	85	MT-CSN33	59
MN-CPC63	103	MN-TCH23	84	MT-DE001	46
MN-CPC64	103	MN-TCH33	84	MT-DE001	53
MN-CPH13	89	MN-TPA10	85	MT-DE001	56
MN-CPK41	104	MN-TPA12	85	MT-DI001	46
MN-CPK42	104	MO1-10300	27	MT-ELM10	91
MN-CPK43	104	MO1-10350	29	MT-ELR10	74
MN-CPK44	104	MO1-11300	27	MT-ELR10	91
MN-CPK61	104	MO1-11350	29	MT-ESM10	91
MN-CPK62	104	MO1-13300	27	MT-ESR10	91
MN-CPK63	104	MO1-13350	29	MT-ETD24	64
MN-CPK64	104	MO1-16300	27	MT-ETD28	64
MN-E0160	91	MO1-16350	29	MT-ETD32	64
MN-EZB15	91	MO-CO160	66	MT-ETD38	64
MN-FTB15	92	MO-CO200	66	MT-F2121	78
MN-FTB30	92	MO-CO240	66	MT-GDM01	49

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
MT-GDN33	41	MT-MUML2	73	MT-RKS15	61
MT-GDN33	53	MT-MUML2	88	MT-RMR05	45
MT-GDN33	56	MT-MURL2	50	MT-RMR10	45
MT-GDN33	59	MT-MURL2	72	MT-RMR10	53
MT-GDN50	41	MT-MURL2	88	MT-RMR10	57
MT-GDN50	53	MT-NB225	48	MT-RT070	47
MT-GDN50	56	MT-NB225	108	MT-RT070	54
MT-GDN50	59	MT-NRH10	45	MT-SCD20	31
MT-HDL30	45	MT-NRH10	54	MT-SM005	45
MT-HDS30	45	MT-NRH20	45	MT-SM005	48
MT-HKL21	46	MT-P2416	60	MT-SM005	72
MT-HKO21	46	MT-PD440	40	MT-SMD10	40
MT-HKS15	46	MT-PP001	46	MT-SMD10	51
MT-HLI10	44	MT-PP001	61	MT-SMD10	55
MT-HLI10	53	MT-PP240	53	MT-SMD10	60
MT-HLI10	56	MT-PP240	56	MT-SMD10	67
MT-HLI10	67	MT-RA480	47	MT-SRA10	46
MT-HMR05	45	MT-RA480	120	MT-SRH20	44
MT-HMR10	46	MT-RB225	45	MT-SRH20	53
MT-HSI10	44	MT-RB225	49	MT-SRH20	57
MT-HSI10	53	MT-RB225	73	MT-SRH20	67
MT-HSI10	56	MT-RB225	108	MT-TD110	40
MT-HSI10	67	MT-RDE30	50	MT-TD280	34
MT-HTS10	49	MT-RDL30	45	MT-TD320	34
MT-HW001	46	MT-RDL30	50	MT-TD380	34
MT-IT100	48	MT-RDL30	53	MT-TD400	34
MT-K2023	78	MT-RDL30	57	MT-TD450	35
MT-LBT24	64	MT-RDL30	72	MT-TD500	35
MT-LBT28	64	MT-RDL30	106	MT-TD550	35
MT-LBT32	64	MT-RDL30	120	MT-TDI28	38
MT-LBT38	64	MT-RDM30	50	MT-TDI32	38
MT-LCD20	31	MT-RDS30	45	MT-TDI38	38
MT-LM005	45	MT-RDS30	50	MT-TDI40	38
MT-LM005	48	MT-RDS30	54	MT-TDI45	39
MT-LM005	53	MT-RDS30	72	MT-TDI50	39
MT-LM005	56	MT-RDS30	106	MT-TDI55	39
MT-LM005	72	MT-RE160	50	MT-TDN19	40
MT-LRH20	44	MT-RE160	73	MT-TDN19	51
MT-LRH20	53	MT-RE172	50	MT-TDN19	55
MT-LRH20	57	MT-RE172	73	MT-TDN20	32
MT-LRH20	67	MT-RI030	57	MT-TDN20	60
MT-MFXGS	47	MT-RI030	61	MT-TDN28	37
MT-MMK07	88	MT-RI030	67	MT-TDN28	55
MT-MRH10	44	MT-RI030	120	MT-TDN28	58
MT-MRH20	44	MT-RI040	50	MT-TDN32	37
MT-MSD20	31	MT-RI040	74	MT-TDN32	55
MT-MSD20	49	MT-RKL21	46	MT-TDN32	58
MT-MSD20	74	MT-RKL21	61	MT-TDN38	37
MT-MUL02	88	MT-RKS15	46	MT-TDN38	56

Cat. No. Page

MT-TDN38	58
MT-TDN45	37
MT-TDN45	56
MT-TDN45	58
MT-TDN50	37
MT-TDN50	56
MT-TDN50	58
MT-TDN55	37
MT-TDN55	56
MT-TDN55	58
MT-TDO01	31
MT-TDT28	36
MT-TDT28	52
MT-TDT30	60
MT-TDT32	36
MT-TDT32	52
MT-TDT40	36
MT-TDT40	52
MT-TDT45	36
MT-TDT45	52
MT-TDT50	36
MT-TDT50	52
MT-TP500	46
MT-TSD10	48
MT-UML21	47
MT-UML21	60
MT-UMS21	47
MT-UN002	49
MT-UN002	73
MT-URA10	49
MT-URA10	74
MT-US002	49
MT-US002	73
MT-UW002	49
MT-UW002	73
MU-BGC48	87
MU-CC480	87
MU-CP048	87
MU-G0220	87
MU-H4480	88
MU-I0480	88
MU-IT480	88
MU-MAN10	88
MU-MAN10	95
MU-MG480	88
MU-RSM48	87
MU-S0220	87
MU-SP102	88
MU-SP102	94

Cat. No. Page


MU-TO480	88
MW-AGT12	96
MW-AN151	98
MW-B1500	107
MW-B3500	107
MW-B5500	107
MW-CC010	90
MW-CCI10	90
MW-CP013	89
MW-CP060	89
MW-CPC62	103
MW-CPC63	103
MW-CPC64	103
MW-CPH13	89
MW-CPH60	89
MW-CPK41	104
MW-CPK42	104
MW-CPK43	104
MW-CPK44	104
MW-CPK61	104
MW-CPK62	104
MW-CPK63	104
MW-CPK64	104
MW-CPK81	104
MW-CPK82	104
MW-CPK83	104
MW-CPK84	104
MW-CTP10	101
MW-EZB15	91
MW-FTB15	92
MW-FTB30	92
MW-GP010	90
MW-GP010	90
MW-GPC10	90
MWH-2STUB	79
MWH-CAL59	79
MWH-M06002	79
MWH-M07002	79
MWH-M7559	79
MWH-MMOTR	79
MW-I0470	82
MW-IB091	96
MW-IB121	96
MW-IO551	82
MW-IT100	82
MW-IT300	83
MW-ITC30	82
MW-MAB10	96
MW-MAC10	100


Cat. No. Page

MW-MAN10	95
MW-MC102	100
MW-P0010	98
MW-P1510	98
MW-PF550	83
MW-RSM10	83
MW-SP102	94
MW-TB001	92
MW-TB002	92
MW-TBC15	92
MW-TBC30	92
MW-TC013	85
MW-TC023	84
MW-TC033	84
MW-TCH13	85
MW-TCH23	84
MW-TCH33	84
MW-TPA10	85
MW-TPA12	85
MW-TPH50	85
MW-WMAC1	100



OE-IC001	106
OE-IC002	106
OE-MH001	106
OE-RCB01	106
OE-RCP01	106
OE-RCV01	106
OE-RCW01	106
OE-RCY01	106





The MIS Quality System complies with international quality standards; ISO 13485: 2016 - Quality Management System for Medical Devices, ISO 9001: 2008 - Quality Management System and Medical Device Directive 93/42/EEC. Please note, not all products are registered or available in every country/region.



Concave Abutment
Engineered for
Favorable Esthetic
Outcome

Platform Switching
Designed to Facilitate
Bone Preservation and
Growth

Unique Thread Designed
for High Primary Stability

Domed Apex for
Safe Insertion

Learn more about
MIS Implants.
Visit our website:
www.mis-implants.com

mis[®]
MAKE IT SIMPLE

