

mis[®]
PROSTHETIC OPTIONS
CONICAL CONNECTION

MIS superstructures are designed to meet all prosthetic needs and fit all established working protocols.

Abutments are available in a wide range of heights, gingival collar heights, angles and margin types. MIS offers solutions for all restoration types.






Table of Contents

Implant Dimensions P. 6 - 7	Prosthetic Options Listed by Healing Caps P. 8-16	Impression Coping P. 17-18	Temporary Restoration P. 19-21 Temporary Cylinders
---------------------------------------	---	--------------------------------------	---

Screw-retained Restoration

P. 22-27

- CONNECT System
- Multi-Unit System
- Plastic Cylinders

Digital Restoration

P. 28-35

- EZ-Base System
- Ti-Base
- Digital Model Analogs
- Scan Posts
- Titanium Blanks

Cemented Restoration

P. 36-43

- Cementable Abutments
- CPK

Overdenture

P. 44-51


- OT-Equator Kits
- Ball Attachment System
- LOCKiT Attachment System
- Locator Attachment System

Prosthetic Screws


P. 52

Implant Dimensions: C1



Narrow
Platform



Standard
Platform




Wide
Platform









Implant Dimensions: V3

Narrow
Platform



Standard
Platform



NARROW PLATFORM

Prosthetic Options Listed by Healing Caps C1/V3


Each item chart displays available healing cap heights and related prosthetic options. **Bold item** numbers are shown in images above each column.

VN item numbers apply only to **V3 implants**.

1.

Healing caps

Impression coping - open tray



1mm 3mm	3.30mm	2.80mm
CN-H0333	CN-IO335	
CN-H0433	CN-IO405	
	CN-IO331	
	CN-IO330	
	VN-IO401	
	VN-IO331	
	VN-IO335	
CN-H0533	CN-IO335	
CN-H0633	CN-IO405	
CN-H0833		
Gingival height 3, 4, 5, 6, 8mm		

2.

Healing caps

Impression coping - open tray

OR

Impression coping - closed tray

Cemented options

OR

Overdenture options

3.

Healing caps

Impression coping - open tray

OR

Impression coping - closed tray


Cemented options

OR

Screw retained options


OR

Digital restoration



Gingival height 3, 4, 5, 6, 8mm

CN-HS340	CN-IO335 CN-IO405 CN-IO331 CN-IO330 VN-IO401 VN-IO405 VN-IO331 VN-IO335	CN-IC401 VN-IC401 CN-IC405 VN-IC405 CN-PF330 VN-PF340 CN-IT300 VN-IC400	CN-MAC10 VN-MC101 CK-NPK41 VK-NPK41 CK-NPK61 VK-NPK61	CK-NOE1 CN-B1330
CN-HS440			CK-NPK42 VK-NPK42 CK-NPK62 VK-NPK62	CK-NOE2 CN-B2330
CN-HS540		CN-IC401 VN-IC401 CN-IC405 VN-IC405 CN-PF330 VN-PF340	CK-NPK43 VK-NPK43 CK-NPK63 VK-NPK63 CN-MAC30 VN-MC103	CK-NOE3 CN-B3330
CN-HS640	CN-IO335 CN-IO405 VN-IO335 VN-IO405		CK-NPK44 VK-NPK44 CK-NPK64 VK-NPK64	CK-NOE4 CN-B4330
CN-HS840				CK-NOE5



Gingival height 2, 3, 4, 5, 6, 8mm

CN-HA248	CN-IO335 CN-IO405 CN-IO331 CN-IO330 VN-IO401 VN-IO405 VN-IO331 VN-IO335	CN-IC401 VN-IC401 CN-IC405 VN-IC405 CN-PF330 VN-PF340 CN-IT300 VN-IC400	CK-NIZ6 VK-NIZ6 CK-NIC6 VK-NIC6		CN-TB001 VN-TB001 CN-TB002 CN-IN060 VN-IN060
CN-HA348			CN-AN001 VN-AT001 CN-AN010 VN-AT101 CN-AN020 VN-AT201 CK-NIZ1 VK-NIZ1 CK-NIC1 VK-NIC1	CN-GP010 CN-GPC10 VN-GPC10 CM-N1480	CN-TB015 VN-TB015 CN-TBF15 CN-IN160 VN-IN160 CN-EZB15 CN-LEZ15
CN-HA448			CN-AT002 VN-AT002 CN-AT102 VN-AT102 CN-AT202 VN-AT202	CM-N2480	
CN-HA548	CN-IO335 CN-IO405 CN-IO331 CN-IO330 VN-IO335 VN-IO405 VN-IO331 VN-IO401	CN-IC401 VN-IC401 CN-IC405 VN-IC405 CN-PF330 VN-PF340	CN-AN003 VN-AT003 CN-AN310 VN-AT103 CN-AN320 VN-AT203	CM-N3480	CN-TB030 VN-TB030 CN-TBF30 CN-IN360 VN-IN360
CN-HA648	CN-IO335 VN-IO335 CN-IO405 VN-IO405			CM-N4480	
CN-HA848				CM-N5480	

STANDARD PLATFORM





Prosthetic Options Listed by Healing Caps C1/V3

1. Healing caps

Impression coping - open tray

Each item chart displays available healing cap heights and related prosthetic options. **Bold item** numbers are shown in images above each column.

VS item numbers apply only to **V3 implants**.



CS-H0339	CS-IO395 CS-IO391
CS-H0439	
CS-H0539	CS-IO395
CS-H0639	
CS-H0839	

Gingival height 3, 4, 5, 6, 8mm

2.

Healing caps

Impression coping - open tray

or

Impression coping - closed tray

Cemented options

or

Screw retained options

or

Digital restoration

or

Overdenture options

3.


Healing caps

Impression coping - open tray

or

Impression coping - closed tray

Cemented options



WIDE PLATFORM

Prosthetic Options Listed by Healing Caps C1/V3

Each item chart displays available healing cap heights and related prosthetic options. **Bold item** numbers are shown in images above each column.

Healing caps

Impression coping - open tray




or

Impression coping - closed tray

Cemented options


Screw retained options

Overdentures



Gingival height 3, 4, 5, 6mm	CW-HS355	CW-IO500 CW-IO555 CW-IO501 CW-IO505	CW-IC551 CW-IC555 CW-IT300 CW-PF500	CW-AT001 CW-AN151 CW-SMAC1 CK-WPK61 CK-WPK81	CW-GP010 CW-GPC10 CW-W1480	CK-WOE1 CW-B1500
	CW-HS455			CW-AT002 CW-AT152 CW-AT252 CK-WPK62		
	CW-HS555		CW-IC551 CW-IC555 CW-PF500	CW-AT003 CW-AT153 CW-AT253 CW-MC103 CK-WPK63 CK-WPK64	CW-W3480	CK-WOE3 CW-B3500
	CW-HS655					

Healing caps
 Impression coping - open tray
 Or
 Impression coping - closed tray
 Digital restoration



Gingival height 2, 3, 5mm	CW-HA263	CW-IO500 CW-IO555 CW-IO501 CW-IO505	CW-IC551 CW-IC555 CW-PF500 CW-IT300	CW-TB001 CW-TB002
	CW-HA363			CW-TB015 CW-TBF15
	CW-HA563		CW-IC551 CW-IC555 CW-PF500	CW-TB030 CW-TBF30

NARROW PLATFORM

Healing Caps V3/C1

i Tightening force:
20-25Ncm

Height 2mm

3mm


4mm

5mm

6mm

8mm

Ø3.3



CN-H0333




CN-H0433



CN-H0533



CN-H0633



CN-H0833

Ø4



CN-HS340



CN-HS440



CN-HS540



CN-HS640



CN-HS840

Ø4.8



CN-HA248



CN-HA348



CN-HA448



CN-HA548




CN-HA648



CN-HA848

STANDARD PLATFORM
Healing Caps
V3/C1

i Tightening force:
20-25Ncm



WIDE PLATFORM


Healing Caps C1

i


Tightening force:
20-25Ncm

Height 2mm 3mm 4mm 5mm 6mm 8mm

Ø5.5



Ø6.3




Impression Coping

i Tightening force: 20-25Ncm

Impression coping for open tray

Thin Impression coping for open tray



Impression Coping

i Tightening force: 20-25Ncm

Impression coping for closed tray

Direct impression coping for closed tray

Direct press fit for closed tray

Implant analog

C1

V3


V3/C1

C1

NARROW

STANDARD


WIDE



CN-IC401



VN-IC401



CS-IC481



CW-IC551




CN-IC405




VN-IC405




CS-IC485




CW-IC555




CN-IT300




VN-IC400




CS-IT300




CW-IT300




CN-PF330




VN-PF340




CS-PF375




CW-PF500




CN-RSM10



VN-RSM10



CS-RSM10



CW-RSM10

Temporary Restoration
Temporary
Cylinders
free-rotation

i Tightening force:
20-25Ncm

Direct temporary free-rotation cylinder **H1**

Direct temporary free-rotation cylinder **H2**

Direct temporary free-rotation cylinder **H3**

V3/C1











NARROW

V3/C1

STANDARD

C1

WIDE



Temporary Restoration
Temporary
Cylinders
anti-rotation

i Tightening force:
20-25Ncm

C1

V3

V3/C1

V3/C1

C1






NARROW

STANDARD

WIDE






Direct temporary
anti-rotation cylinder

H1








Direct temporary
anti-rotation cylinder

H2



Direct temporary
anti-rotation cylinder

H3



Temporary Restoration Temporary Cylinders

Tightening
force:
20-25Ncm

C1

V3

V3/C1

C1


NARROW

STANDARD


WIDE

Direct temporary
plastic cylinder

H1




CN-TPA10



VN-TPA10



CS-TPA10



CW-TPA10

Direct temporary
plastic cylinder

H2




CN-TPH50



VN-TPH50



CS-TPH50



CW-TPH50

Screw-Retained
Restoration
CONNECT
System


i Tightening
force:
30Ncm

H=1


V3/C1
NARROW

V3/C1
STANDARD


C1
WIDE



CN-C2040



CS-C1540



CW-C1540


H=2



CN-C3040



CS-C2040



CW-C2040

H=3



CS-C3040



CW-C3040

H=4



CS-C4040




CW-C4040

i

All CONNECT products
shown in this catalog are
sold subject to individual
regulatory certification only.

Screw-retained Restoration
CONNECT
 System
 Components

Healing cap




MM-H0540
 MM-H1540
 MM-H3040

Impression coping
 for closed tray
 Requires MT-IT100 key



MM-IC040

Impression coping
 for open tray, free/
 anti-rotation




MM-IO040
 MM-IOI40

Abutment analog



MM-RSM41

Temporary cylinder,
 free/anti-rotation



MM-TC041
 MM-TCI41

Final esthetic abutment
 free/anti-rotation



MM-CE046
 MM-CEI46

Scan post
 free/anti-rotation




MM-SP104
 MM-SPF40

Prosthetic screw for
 angled screw channel*
 (Sold separately)



MM-SA160

CONNECT
 prosthetic screw




MM-S0160

Long/short ratchet
 insertion tool



MT-CLR21
 MT-CSR21

Long/short motor
 insertion tool



MT-CLM21
 MT-CSM21

Digital model abalog



MM-MAN40

*For use with CONNECT final esthetic abutment
 (MM-CE046, MM-CEI46) only and requires angled screw channel key (pg. 29)

Screw-retained
Restoration
Multi-Unit
System

i Tightening
force:
30Ncm

NARROW

Height


1mm

2mm

3mm

4mm

5mm



CM-N1480



CM-N2480



CM-N3480



CM-N5480

STANDARD

V3/C1




CM-S1480



CM-S2480



CM-S3480



CM-S4480



CM-S5480

WIDE

C1



CM-W1480



CM-W3480

Screw-retained
Restoration
**Multi-Unit
System**
angulated
Abutments

i Tightening
force:
20Ncm

NARROW

C1

STANDARD

V3/C1


WIDE

C1


Height

1mm


2mm




CM-SO171




CM-SO301




CM-SO172




CM-SO302




CM-WO171



CM-WO301




CM-WO172



CM-WO302


Screw-retained Restoration
**Multi-Unit
 System
 Components**

Healing cap




MU-H4480

Analog



MU-RSM48

Impression coping,
open tray




MU-I0480

Impression coping,
closed tray



MU-IT480

Temporary cylinder




MU-TO480

Plastic cylinder



MU-CP048

Gold plastic cylinder



MU-BGC48
 MU-MG480

CAD/CAM cementing
cap for multi unit



MU-CC480

Screw-retained Restoration Plastic Cylinders

i Tightening
force:
20-25Ncm

Direct anti-rotation
plastic cylinder

Direct free-rotation
plastic cylinder

C1

V3

V3/C1

C1

NARROW

STANDARD

WIDE



CN-GPC10



VN-GPC10



CS-GPC10



CW-GPC10



CN-GP010



CS-GP010



CW-GP020

Digital Restoration
EZ-Base
System

i Tightening force:
20-25Ncm

C1

V3

V3/C1





C1

NARROW





STANDARD

WIDE

EZ-Base
abutment



EZ-Base adjustable
abutment



Digital Restoration
EZ-Base
System
Components

i Tightening
force:
20-25Ncm

EZ-Base prosthetic screw




MD-E0220
MN-E0160

Long/short motor key for
angled screw channel



MT-ELR10
MT-ESR10

Long/short ratchet key for
angled screw channel



MT-ELM10
MT-ESM10



Unique screw and driver tip
design enable extreme angulation
and a wide path of insertion.

Digital Restoration
Ti-Base
anti-rotation

i Tightening force: 30Ncm

C1

V3

V3/C1





C1

NARROW




STANDARD

WIDE



H=0.5



H=1.5






H=3





Digital Restoration
Ti-Base
free-rotation

i Tightening force: 30Ncm




H=0.5



H=1.5



H=3



Digital Restoration
Ti-Base
 Incisor esthetic
 anti-rotation

i Tightening
 force:
 30Ncm

H=0.5

H=1.5

H=3










C1

V3

V3/C1

NARROW

STANDARD



Digital Restoration Digital Model Analogs

i Tightening
force:
15Ncm

C1

V3

V3/C1

C1

V3/C1

V3/C1

NARROW

STANDARD

WIDE

MULTI-UNIT

CONNECT



CN-MAN10




VN-MAN10



CS-MAN10



CW-MAN10



MU-MAN10



MM-MAN40

Digital Dentistry Scan Posts



Tightening force:
20Ncm

C1

V3

V3/C1

C1

V3/C1

V3/C1


NARROW

STANDARD

WIDE

MULTI-UNIT

CONNECT



CN-SP102



VN-SP102



CS-SP102



CW-SP102



MU-SP102



MM-SP104

Digital Restoration Titanium Blanks

i Tightening
force:
30Ncm

Ø9

Ø12

Amann Girrbach

Ø12

C1

V3

C1

C1

NARROW

STANDARD

WIDE



CN-IB091



VN-IB091



CS-IB091



CW-IB091



CN-IB121



VN-IB121



CS-IB121



CW-IB121



CN-AGT12



VN-AGT12



CS-AGT12



CW-AGT12



MN-MAB10



VN-MAB10



CS-MAB10




CW-MAB10

Cemented Restoration Cementable Abutments


i Tightening force: 30Ncm

NARROW

0°





10°



15°

STANDARD

WIDE




Cemented Restoration Cementable Abutments

i Tightening force: 30Ncm


NARROW

20°





25°

Cementing posts



STANDARD

WIDE



Cemented Restoration CPK - Transgingival Abutments

i Tightening
force:
30Ncm

C1

V3

V3/C1

C1

V3


NARROW

STANDARD

NARROW




CK-NPK41



VK-NPK41




CK-CPK41




CK-NPK61




VK-NPK61




CK-NPK42



VK-NPK42



CK-CPK42




CK-NPK62




VK-NPK62


C=4




CK-NPK43



VK-NPK43



CK-CPK43




CK-NPK63




VK-NPK63


C=6




CK-NPK44



VK-NPK44



CK-CPK44



CK-NPK64




VK-NPK64

STANDARD

WIDE

STANDARD




CK-CPK61

VK-CPK61



CK-WPK61




CK-CPK62

VK-CPK62



CK-WPK62




CK-CPK63

VK-CPK63




CK-WPK63




CK-CPK64

VK-CPK64




CK-WPK64

C=8




CK-CPK81

VK-CPK81




CK-CPK82

VK-CPK82



CK-CPK83

VK-CPK83



CK-CPK84

VK-CPK84

Cemented Restoration
CPK - Kit
Contents




Tightening
force:
30Ncm




Burnout plastic cap
anti-rotation




Burnout plastic cap
free-rotation



Plastic healing cap



Transfer
plastic cap



Analog

CPK abutments are also sold in kits

- CK-NPK41 ● Ø4, H=1, C=4
- VK-NPK41 ● Ø4, H=1, C=4
- CK-CPK41 ● Ø4.8, H=1, C=4

- CK-NPK42 ● Ø4, H=2, C=4
- VK-NPK42 ● Ø4, H=2, C=4
- CK-CPK42 ● Ø4.8, H=2, C=4

- CK-NPK43 ● Ø4, H=3, C=4
- VK-NPK43 ● Ø4, H=3, C=4
- CK-CPK43 ● Ø4.8, H=3, C=4

- CK-NPK44 ● Ø4, H=4, C=4
- VK-NPK44 ● Ø4, H=4, C=4
- CK-CPK44 ● Ø4.8, H=4, C=4

- CK-NPK61 ● Ø4, H=1, C=6
- VK-NPK61 ● Ø4, H=1, C=6
- CK-CPK61 ● Ø4.8, H=1, C=6

- CK-NPK62 ● Ø4, H=2, C=6
- VK-NPK62 ● Ø4, H=2, C=6
- CK-CPK62 ● Ø4.8, H=2, C=6

- CK-NPK63 ● Ø4, H=3, C=6
- VK-NPK63 ● Ø4, H=3, C=6
- CK-CPK63 ● Ø4.8, H=3, C=6

- CK-NPK64 ● Ø4, H=4, C=6
- VK-NPK64 ● Ø4, H=4, C=6
- CK-CPK64 ● Ø4.8, H=4, C=6

- CK-CPK81 ● Ø4.8, H=1, C=8
- VK-CPK81 ● Ø5.5, H=1, C=8

- CK-CPK82 ● Ø4.8, H=2, C=8
- VK-CPK82 ● Ø5.5, H=2, C=8

- CK-CPK83 ● Ø4.8, H=3, C=8
- VK-CPK83 ● Ø5.5, H=3, C=8

- CK-CPK84 ● Ø4.8, H=4, C=8
- VK-CPK84 ● Ø5.5, H=4, C=8




Overdenture OT-Equators

i Tightening
force:
30Ncm


NARROW

V3/C1




STANDARD

V3/C1



WIDE

C1



Overdenture OT-Equator Components

i Tightening
force:
30Ncm

OT-Equator
handling tools



ET-IT002

OT-Equator impression
coping cap




OE-IC002

OT-Equator impression
transfer cap



OE-IC001

OT-Equator analog




OE-RSM60

Metal housing &
transfer caps



OE-MH001 OE-RCB01
OE-RCW01 OE-RCP01
OE-RCY01 OE-RCV01

OT-Equators
are sold in kits




Overdenture Ball Attachment System

i Tightening force: 30Ncm


NARROW

V3/C1




STANDARD

V3/C1



WIDE

C1



Overdenture Ball Attachment Components

i Tightening
force:
30Ncm

Analog




MB-RS375

Gold / Plastic /
Titanium ball cap



MB-GPS10 MB-TBS20
MB-SF200 MB-TBS10
MB-TTP10 MB-PR010

Metal housing &
Transfer caps



MB-DMH10
MB-PPC10
MB-PPR10

Plastic disc for ball
attachment



MB-DB235

Ball attachment
anchor key



MT-NB225

Ball attachment
anchor key



MT-RB225

Overdenture LOCKiT Attachment System

i Tightening force: 30Ncm

NARROW

V3/C1



STANDARD

V3/C1



WIDE

C1



i

All LOCKiT products shown in this catalog are sold subject to individual regulatory certification only.

Overdenture LOCKiT System Components

i Tightening force: 30Ncm

Abutment holder sleeve



MT-LOC11

Caps range




MM-BLA10 MM-CLE10
MM-BLU10 MM-RED10
MM-PIN10 MM-GRE10

Male processing package



MM-LOC02

Metal housing



MM-TIT10

Impression coping



MM-LOC11

LOCKiT analog




MM-LOA40
MM-LOA50

LOCKiT core tool




MT-LOC10

LOCKiT long ratchet driver



MT-RSD24

LOCKiT short ratchet driver



MT-RSD19

LOCKiT abutments are also sold in kits

- | | | |
|---------|---|------------|
| CK-NLC1 | ● | Ø3.75, H=1 |
| CK-SLC1 | ● | Ø3.75, H=1 |
| CK-WLC1 | ● | Ø4.5, H=1 |
| CK-NLC2 | ● | Ø3.75, H=2 |
| CK-SLC2 | ● | Ø3.75, H=2 |
| CK-NLC3 | ● | Ø3.75, H=3 |
| CK-SLC3 | ● | Ø3.75, H=3 |
| CK-WLC3 | ● | Ø4.5, H=3 |
| CK-NLC4 | ● | Ø3.75, H=4 |
| CK-SLC4 | ● | Ø3.75, H=4 |
| CK-NLC5 | ● | Ø3.75, H=5 |
| CK-SLC5 | ● | Ø3.75, H=5 |
| CK-WLC5 | ● | Ø4.5, H=5 |



Overdenture Locator Attachment System

i Tightening force: 30Ncm

NARROW

V3/C1



STANDARD


V3/C1



Overdenture Locator System Components


i Tightening force: 30Ncm

Analogs



MM-LFA40
MM-LFA50

Metal housing & transfer caps




MM-LMP02

Impression coping




MM-LIC10


Caps range:



MM-LLR10



MM-LER10



MM-LELE1



MM-LRM10



MM-LEL10



MM-LPP10




MM-LBP10


Tools:




MM-LCT10




MM-RSD15



MM-LSD15



MM-RSD20



MM-LSD21

Prosthetic Screws



Tightening force:
20/30Ncm

Mini prosthetic screw




MD-S0200

Direct prosthetic screw



MN-S0160
MD-S0220

Medium prosthetic screw




MD-S0222

Long prosthetic screw



MD-S0224

Direct gold prosthetic screw



MD-G0220

NOTES



A series of horizontal lines for writing notes, consisting of 18 parallel lines spaced evenly down the page.

NOTES



Lined writing area consisting of 18 horizontal lines.

