ABSORBABLE SUTURES

NON ABSORBABLE SUTURES

medipac®
manufacturing

Investing in Innovation & High Quality

ABSORBABLE SUTURES



P.G.A.

Braided, violet, synthetic absorbable polyglycolic acid surgical suture

Tensile Strenght:	Absorption:
65% 2nd week 35% 3rd week	60-90 days



NEOSORB (PGLA)

Braided, violet, synthetic absorbable polyglactin 910 surgical suture, coated

Tensile Strenght:	Absorption:
50% 3rd week	56-70 days



NEOSORB RAPID (RPGLA)

Braided, undyed, synthetic rapid absorbable polyglactin 910 surgical suture, coated

Tensile Strenght:	Total lost in:	Absorption:
50% 5th day	10-14 days	42 days



MONOSORB

Monofilament, violet, synthetic absorbable poly (p-dioxanone) surgical suture-PDO

Tensile Strenght:	Absorption:
65% -70% 4th week 50% -60% 6th week	180-220 days



MONOFAST

Monofilament, violet, synthetic absorbable polyglycolic acid - co -poly-caprolactone surgical suture - PGCL

Tensile Strenght:	Total lost in:	Absorption:
68% -78% 1st week 30% 2nd week	28 days	90 -110 days

All Medipac sutures are available in wide variety of length , diameter, and needle combinations Please visit our online catalogue at www.medipac.gr

NON ABSORBABLE SUTURES

PROFIMED
Undyed monofilament
non absorbable, ptfe suture



POLYAMID
Blue monofilament non absorbable
polyamide surgical suture (nylon)



SILK
Black, braided non absorbable wax
coated, silk surgical suture



SUPRAMID
Black, Pseudo-monofilament,
non absorbable polyamide (nylon)
sterile surgical suture



PROPYLEN
Blue monofilament, non absorbable
polypropylen surgical suture

POLYESTER
Green, braided, non absorbable,
wax coated polyester surgical suture

0319

medipac manufacturing

Medipac S.A.
Industrial Area P.O. Box 1,
611 00, Kilkis, Greece
T: +30 23410 71991
F: +30 23410 71979
E: info@medipac.gr
W: www.medipac.gr